BD E-Z SCRUB- povidone-iodine solution Becton Dickinson and Company

Drug Facts

Active ingredient

13% Povidone-Iodine w/w (minimum available Iodine 1%).....

Purpose

Surgical Hand Scrub

Use

preoperative cleaning of healthcare personnel arms and hands. Significantly reduces the number of micro-organisms on the hands and forearms prior to surgery.

Warnings

For external use only.

Do not use if redness or irritation occurs.

When using this product avoid contact with eyes.

Stop use and ask a doctor if severe adverse reactions occur.

Keep out of reach of children. If swallowed or gets in eyes, get medical help or contact a Poison Control Center immediately.

Directions

- Clean under nails with nail pick
- Wet hands and forearms
- Scrub thoroughly for 3 minutes paying particular attention to the nails, cuticles and interdigital spaces
- Rinse thoroughly
- Repeat scrub for 3 more minutes
- Rinse thoroughly

Other information

- avoid excessive heat 40°C (104°F)
- discard after single use.

Inactive ingredients

ammonium nonoxynol sulfate, disodium phosphate, hydrogen peroxide, octoxynol, phosphoric acid, sodium hydroxide, USP water.

Questions?

1-800-453-4538 Monday to Friday, 8 a.m. to 5 p.m. MST

Principal Display Panel - BD E-Z Scrub 205 Carton Label

BD

BD E-Z Scrub™ 205

Surgical Scrub Brush/Sponge and Nail Cleaner With Povidone-Iodine

Povidone Iodine

(minimum available Iodine 1%)

CONTAINS:

30

NOTE: SEE BACK PANEL FOR EASY INSTRUCTIONS Remove to check level of contents. Reorder When Brushes Reach This Level. 0130382903720539 REF 372053 NDC 17271-205-03 REMOVE FOR CONVENIENT DISPENSING OF PRODUCT SEE REVERSE SIDE FOR EASY MOUNTING INSTRUCTIONS



| Dura | oduct Inf | | ation | | | | | | | |
|--|---|---|--|--|-------------|-------------------|-------------------------|-----|-----------------------|--|
| | | | ation | | H C . | -l. (C | | NDC | 17071 205 | |
| Product Type Route of Administ | | | | | | Code (Source) NDO | | | C:17271-205 | |
| κοι | ite of Adn | ninist | ration | TOPICAL | | | | | | |
| Act | ive Ingr | edier | nt/Active | Moiety | | | | | | |
| Ingredient Name | | | | | | Ba | sis of Strengt | th | Strength | |
| | | | INII: 85H0HZ | I: 85H0HZU99M) (IODINE - UNII:9679TC07X4) | | | NE | | 00 mg in 1 ml | |
| нүр Эст | ROGEN PE OXYNOL-9 | ROXID | E (UNII: BBX | MONOHYDRATE (UNII: 060AN9V) | BWZ /K44R51 |) | | | | |
| SOD | | ACID (U OXIDE | JNII: E4GA88 (UNII: 55X04 | 84NN) | | | | | | |
| SOD WAT | DIUM HYDR FER (UNII: 0 | ACID (U OXIDE | JNII: E4GA88 (UNII: 55X04 | 84NN) | | | | | | |
| SOD WAT | NUM HYDR | ACID (U OXIDE | JNII: E4GA88 (UNII: 55X04 (OOR) | 84NN) | ion | | Marketing Start Date | | Marketing End Date | |
| 500 WA1 Pac # | DIUM HYDR FER (UNII: 0 Ckaging Item | ACID (U OXIDE | JNII: E4GA88 (UNII: 55X04 (OOR) | 84NN) IQC32I) | ion | | | | | |
| Pa # | Ckaging Item Code DC:17271- | ACID (U OXIDE 59QF0F | JNII: E4GA88 (UNII: 55X04 (OOR) | 84NN) IQC32I) | ion | | Start Date | | | |
| Pac # | Ckaging Item Code DC:17271- | ACID (U OXIDE 59QF0 10 in 1 30 in 1 | JNII: E4GA88 (UNII: 55X04 (OOR) 1 BOX 1 CARTON . in 1 PACKA0 | 84NN) IQC32I) | | | Start Date | | | |
| Pac # 1 $\frac{N}{2}$ 1 | Ckaging Item Code DC:17271- 05-03 | 10 in 1 30 in 1 11 mL Coate | JNII: E4GA88 (UNII: 55X04 (OOR) 1 BOX 1 CARTON in 1 PACKA0 d/Impregnat | 84NN) QC32I) Package Descript GE; Type 4: Device ed/Otherwise Combined | d with Drug | Mark | Start Date | | | |

| Establishment | | | | | | | | | | |
|---------------------------------|---------|-----------|---|--|--|--|--|--|--|--|
| Name | Address | ID/FEI | Business Operations | | | | | | | |
| Becton Dickinson and Company | | 124987988 | manufacture(17271-205) , analysis(17271-205) , label(17271-205) , pack(17271-205) | | | | | | | |

Revised: 12/2024

Becton Dickinson and Company