

**RITE AID BURN RELIEF - lidocaine hydrochloride gel**  
**RITE AID CORPORATION**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredient**

Lidocaine HCl 0.50%

**Purpose**

Topical Anesthetic

**Uses**

- temporary pain relief of pain and itching
- helps relieve and soothes pain from sunburn, minor burns, cuts, scrapes, skin irritations and insect bites.

**Warnings**

**For external use only**

**Do not use** in large quantities, particularly over raw surfaces or blistered areas.

**When using this product**

- avoid contact with eyes.

**Stop use and ask a doctor if**

- Conditions worsens or if symptoms persists for more than 7 days.
- Symptoms clear up and occur again within a few days.

**Keep out of reach of children.**

If swallowed get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 2 years of age and older. apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor.

**Inactive Ingredients**



Aloe Barbadosensis Leaf Juice, Water, Propylene Glycol, Glycerin, Isopropyl Alcohol, Triethanolamine, Polysorbate 80, Carbomer, Diazolidinyl urea, Disodium EDTA, Menthol, Yellow 5, Blue 1.

**Principal Display Panel**

RITE AID  
BURN RELIEF  
ALOE VERA GEL

Cools and Relieves Sunburn Pain  
with LIDOCAINE  
NET WT 8 OZ (227 g)



<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Lidocaine HCl 0.50%	Topical Anesthetic
<b>Uses</b> • temporary relief of pain and itching • helps relieve and soothes pain from sunburn, minor burns, cuts, scrapes, skin irritations and insect bites	
<b>Warnings</b> <b>For external use only</b>	
Do not use in large quantities, particularly over raw surfaces or blistered areas.	
<b>When using this product</b> • avoid contact with eyes.	
<b>Stop use and ask a doctor if</b> • condition worsens or if symptoms persist for more than 7 days. • symptoms clear up and occur again within a few days.	
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily • children under 2 years of age: do not use, ask a doctor	
<b>Inactive ingredients</b> Aloe Barbadensis Leaf Juice, Blue 1, Carbomer, Diazolidinyl Urea, Disodium EDTA, Glycerin, Isopropyl Alcohol (2.6% V/V), Menthol, Polysorbate 80, Propylene Glycol, Triethanolamine, Water, Yellow 5.	
  <p>Distributed by: RITE AID CORPORATION Harrisburg, PA 17105</p>	

## RITE AID BURN RELIEF

lidocaine hydrochloride gel

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:11822-9009

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
TROLAMINE (UNII: 9O3K93S3TK)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
MENTHOL (UNII: L7T10EIP3A)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-9009-6	226 g in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/03/2012	

**Labeler** - RITE AID CORPORATION (014578892)