

EEZYSUN SPF 50 ADULTS- titanium dioxide,zinc oxide cream
BIO EARTH MANUFACTURING (PTY) LTD

Drug Facts

Active ingredients

Zink Oxide 10 % & Titanium Dioxide 8 %

Purpose

Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer

Warnings

- **For external use only.**
- **Do not use:** on damaged or broken skin.
- **When using this product:** keep out of the eyes, rinse with water to remove.
- **Stop using this product if:** Rash occurs

Keep out of reach of children

Directions

- Shake well before use.
- Apply liberally 15 minutes before sun exposure

Reapply

- after 80 minutes if swimming or sweating
- immediately after towel drying
- at least every two hours

Sun protection measures use a broad-spectrum sunscreen with an SPF value of 50 or higher

- limit time in the sun, especially from 10am - 2pm
- wear long-sleeve shirts, pants, hats, sunglasses
- Children under 6 months of age: ask a doctor

Other Information

- Store at or below 77° F/25°C
- Do not use if seal is broken
- protect from excessive heat and direct sun

Inactive ingredients

Aloe Vera, Aqua, Ascorbic Acid, Barium Sulphate, Cetearyl Alcohol, Citric Acid, Glycerine, Glyceryl Stearate, Hydroxyethyl Cellulose, Citrullus Vulgaris (Kalahari Melon) Oil, Potassium Cetyl Phosphate, Potassium Sorbate, Retinol Palmitate, Ricinus Communis(Castor)Seed Oil, Hydrogenated Castor Oil, Copernica Cerifera(Carnauba)Wax, Rosehip Fruit Oil, Sodium Benzoate, Sodium Lactate, Sorbitan Olivates, Soybean Oil, Tocopherol, Vanilla Planifolia Fruit Oil

Product label

Drug Facts

Active Ingredients
Zinc Oxide 10%, Titanium Dioxide 8%

Purpose
Sunscreen

Uses
■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer

Warnings
For external use only
Do not use ■ on damaged or broken skin
When using this product ■ keep out of eyes
■ rinse with water to remove
Stop use and ask doctor if ■ rash occurs
Keep out of reach of children

Directions
■ Shake well before use.
Apply liberally 15 minutes before sun exposure. Reapply ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours
■ Sun protection measures use a broad spectrum sunscreen with an SPF value of 50 or higher
■ Limit time in the sun, especially from 10 am - 2 pm
■ wear long-sleeve shirts, pants, hats and sunglasses
■ children under 6 months of age: ask a doctor

Other information
■ store at or below 77°F/25°C. Do not use if seal is broken
■ protect from excessive heat and direct sun

Inactive ingredients
Aloe Barbadensis Leaf Oil, Aqua, Ascorbic Acid, Barite, Cetearyl Alcohol, Citric Acid, Glycerine, Glyceryl Stearate, Hydroxyethyl Cellulose, Kalahari Melon Oil, Potassium Cetyl Phosphate, Potassium Sorbate, Retinol Palmitate, Ricinus Communis (Castor) Seed Oil (and) Hydrogenated Castor Oil (and) Copernicia Cerifera (Carnauba) Wax, Rosehip Fruit Oil, Sodium Benzoate, Sodium Lactate, Sorbitan Olivates, Soybean Oil, Tocopherol, Vanilla Planifolia Fruit Oil

Why You'll love It

✓

No Harmful Chemicals

✓

Reflects UVA/UVB Rays

✓

Reduces Skin Cancer Risk

✓

Slows signs of Aging

EEZYSUN
Natural Protection. Scientifically Proven.

SPF

50

MINERAL SUNSCREEN

How To Apply



Squeeze



Rub



Protect



DERMATOLOGICALLY APPROVED

Product of South Africa
Distributed By:
EazyBrands Corporation,
101 Blue Moon Crossing,
31322, Pooler, USA
eezysun.com



Explore More

**Broad Spectrum
Non-Oily
Water Resistant 80 min**

3.3 fl oz / 100 ml


WITH ALOE VERA

REEF-SAFE



0 735850 473284 >

SHAKE BEFORE USE



EEZYSUN SPF 50 ADULTS

titanium dioxide,zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70116-027
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	8 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)		ZINC CATION	10 g in 100 mL
Inactive Ingredients			

Ingredient Name	Strength
ALOE VERA LEAF POLYSACCHARIDES (UNII: W21O437517)	
WATER (UNII: 059QF0KO0R)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
CITRUS X LIMON FLOWERING TOP OIL (UNII: 4C38SS0J60)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
CASTOR OIL (UNII: D5340Y2I9G)	
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
ROSA MOSCHATA OIL (UNII: J99W255AWF)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
SOYBEAN OIL (UNII: 241ATL177A)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
VANILLA PLANIFOLIA OIL (UNII: 0A3F415158)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70116-027-01	1 in 1 CARTON	05/23/2025	
1		100 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/23/2025	

Labeler - BIO EARTH MANUFACTURING (PTY) LTD (639768436)