

ARNICARE VALUE PACK- arnica montana
Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arnicare Gel Value Pack

Active ingredients**

Arnicare Gel: Arnica Montana 1X HPUS 7%

Arnica 30C pellets: (in each pellet) Arnica Montana 30C HPUS (0.443 mg)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

temporarily relieves muscle pain and stiffness due to:

- minor injuries
- overexertion
- falls

reduces symptoms of bruising such as:

- pain
- swelling
- discoloration

Purpose*

Arnicare Gel: Arnica Montana 1X HPUS 7% Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Arnica 30C Pellets: Arnica montana 30C HPUS Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Arnicare Gel: For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

condition persists for more than 3 days or worsens
symptoms clear up and occur again within a few days.

ARNICA 30C PELLETS:

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

ARNICARE GEL: Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

ARNICA 30C PELLETS: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

ARNICARE GEL: alcohol, carbomer, purified water, sodium hydroxide

ARNICA 30C PELLETS: lactose, sucrose.

Arnicare.com

BoironUSA.com

Info@Boiron.com

1-800-BOIRON-1

1-800-264-7661

do not use if glued carton end flaps are open, if the tube seal is broken, or if pellet dispenser seal is broken

Quickly absorbed, non-greasy, fragrance-free, non-drowsy, no known drug interactions

Pain Relief*

Muscle Pain & Stiffness Swelling from Injuries Bruises*

Local & General Pain

Combine for Total Relief

Gel: 1 tube 2.6 oz (75g)

Pellets: + approx. 80 pellets

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Other information: Do not use if glued carton and flaps are open, if the tube seal is broken, or if the cap dispenser and/or is broken.

Inactive ingredients

ARNICARE GEL: alcohol, carbomer, purified water, sodium hydroxide
ARNICA 30C PELLETS: lactose, sucrose

Questions or comments?

ArnicaGel.com
BoironUSA.com
Info@Boiron.com
1-800-438-0044
(1-800-264-7661)

How to Use Arnica 30C Pellets



Turn tube upside down



Twist until 5 pellets are dispensed



Remove cap and pour pellets under the tongue

PAIN RELIEF*

Muscle Pain & Stiffness Swelling from Injuries Bruises*

Arnica®
—GEL & ORAL PELLETS
HOMEOPATHIC MEDICINE

- Local & General Pain
- Combine for Total Relief

VALUE PACK!



NET WT. 2.6 oz (75 g)
+ Approx. 80 pellets

BOIRON®

World Leader in Homeopathic Medicines

NDC 0220-9042-78

Two Forms for Total Relief

Use Arnica Gel for local pain relief.

- Quickly absorbed
- Non-greasy
- Fragrance-free

For general pain relief, Arnica 30C Pellets can be taken alone or as a complement to Arnica Gel.

- Non-drowsy
- No known drug interactions

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

please recycle



Drug Facts

Active Ingredients**

ARNICARE GEL:
Arnica montana..... Relieves muscle pain & stiffness, swelling
1X HPUS 7%..... from injuries, discoloration from bruising
ARNICA 30C PELLETS: (in each pellet)
Arnica montana..... Relieves muscle pain & stiffness, swelling
30C HPUS (0.443 mg)..... from injuries, discoloration from bruising
The letters "HPUS" indicate that the components in this product are officially recognized in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Uses*

- Temporarily relieves muscle pain and stiffness due to:
 - minor injuries
 - overexertion
 - falls
- relieves symptoms of bruising such as:
 - pain
 - swelling
 - discoloration

Warnings

ARNICARE GEL:
For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- Avoid contact with eyes, mucous membranes, wounds, lacerations or irritated skin.
- Use only as directed. Dryness or irritation may occur.
- Do not tightly wrap or bandage the treated area.
- Do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens.
- symptoms clear up and return within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

ARNICA 30C PELLETS:

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

ARNICARE GEL: Apply a thin layer of Arnica Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnica Gel.

ARNICA 30C PELLETS: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

*Homeopathic mother tincture made from Arnica montana fresh whole plant.

**CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

arnica natural
active ingredient

Use Arnica at the First Sign of Pain

Arnica Gel has a cooling effect for fast pain relief.

- Quickly absorbed by the skin
- Non-greasy
- Unscented
- Paraben-free

For general pain relief, Arnica 30C pellets can be taken alone or as a complement to Arnica Gel.

- Non-drowsy
- No drug interactions

The Boiron Promise At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing homeopathic medicines.

As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/promise for details.

PAIN RELIEF*

Muscle Pain & Stiffness Swelling from Injuries Bruising*

Arnica®
Gel

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Unscented, Paraben-Free
- Works Naturally with Your Body

VALUE PACK
Topical & Oral Pellets

NET WT. 2.6 oz (75 g)
Approx. 80 pellets

BOIRON®

World Leader in Homeopathic Medicines

NDC 0220-9042-79

Arnica®
Gel

Drug Facts

(continued)

Other information

Do not use if glued carton and flaps are open, if the tube seal is broken, or if the label sealing the clear tube cap is broken or missing.

- Store at 68-77°F (20-25°C)
- Arnica 30C Pellets: non-drowsy, no drug interactions

Inactive ingredients

Arnica Gel: alcohol, carbomer, purified water, sodium hydroxide
Arnica 30C Pellets: lactose, sucrose

Questions or comments?

www.ArnicaGel.com
www.BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Distributed by Boiron Inc.
6 Campus Boulevard
Newtown Square, PA 19073-2297



please recycle
Made in France



Drug Facts

Active ingredient**

Arnica Gel:
Arnica montana..... Trauma, muscle pain
1X HPUS 7%..... & stiffness, swelling from injuries,
discoloration from bruising
Arnica 30C Pellets:
Arnica montana..... Muscle pain & stiffness,
30C HPUS..... swelling from injuries,
discoloration from bruising

Purpose*

The letters "HPUS" indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*

- Temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls
- relieves pain, swelling and discoloration from bruises

Warnings

Arnica Gel:
For external use only.
Avoid contact with eyes, mucous membranes, damaged skin or wounds.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product: Use only as directed. Do not bandage tightly or use a heating pad. Stop use and ask a doctor if condition persists for more than 3 days or worsens.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Arnica 30C Pellets:
Ask a doctor before use in children under 2 years of age.

Stop use and ask a doctor if condition persists for more than 3 days or worsens.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Arnica Gel:
Apply a thin layer of Arnica Gel to affected area and massage gently as soon as possible after minor injury. Repeat 3 times a day or as needed.

Arnica 30C Pellets:
Adults and children 2 years of age and older:

At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

*These "Uses" have not been evaluated by the Food and Drug Administration.
**C, K, CK, and X are homeopathic dilutions; see www.BoironUSA.com for details.

ARNICARE VALUE PACK

arnica montana kit

Product Information

| | | | |
|---------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0220-9042 |
|---------------------|----------------|---------------------------|---------------|

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:0220-9042-79 | 1 in 1 KIT | 11/01/2008 | |

Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|--------|------------------|------------------------|
| Part 1 | 1 TUBE | 80 |
| Part 2 | 1 TUBE | 75 g |

Part 1 of 2

ARNICA

arnica montana pellet

Product Information

| | |
|---------------------------|---------------|
| Item Code (Source) | NDC:0220-0508 |
|---------------------------|---------------|

| | |
|--------------------------------|------|
| Route of Administration | ORAL |
|--------------------------------|------|

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|-----------|
| ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW) | ARNICA MONTANA | 30 [hp_C] |

Inactive Ingredients

| Ingredient Name | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) | |
| LACTOSE (UNII: J2B2A4N98G) | |

Product Characteristics

| | | | |
|---------------|----------------|---------------------|----------|
| Color | white | Score | no score |
| Shape | ROUND (Pellet) | Size | 4mm |
| Flavor | | Imprint Code | ; |

Contains**Packaging**

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---|----------------------|--------------------|
| 1 | | 80 in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 11/01/2008 | |

Part 2 of 2**ARNICARE**

arnica montana gel

Product Information

| | |
|-------------------------|---------------|
| Item Code (Source) | NDC:0220-9000 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-----------------|
| ARNICA MONTANA (UNII: O80TY208Z W) (ARNICA MONTANA - UNII:O80TY208Z W) | ARNICA MONTANA | 1 [hp_X] in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| WATER (UNII: 059QF0KO0R) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |
| CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---|----------------------|--------------------|
| 1 | | 75 g in 1 TUBE; Type 0: Not a Combination | | |

| Product | | | |
|------------------------------|--|----------------------|--------------------|
| Marketing Information | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 11/01/2008 | |
| Marketing Information | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 11/01/2008 | |

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------|---------|-----------|------------------------|
| Boiron | | 282560473 | manufacture(0220-9042) |

Revised: 11/2023

Laboratoires Boiron