

TOO COOL FOR SCHOOL DINO PLATZ CINEMA CITY (CC CONCEALER)- octinoxate, octisalate, titanium dioxide, and zinc oxide

Too Cool For School USA, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Too Cool For School

Drug Facts

Active ingredients	Purpose
Octinoxate 6.00%	Sunscreen
Octisalate 2.00%	Sunscreen
Titanium Dioxide 5.6%	Sunscreen
Zinc Oxide 1.92%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months : Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse event from use of this product to: Too Cool For School USA

INC.181 North 11th Street Suite 201, Brooklyn, NY 11211

Inactive Ingredients

WATER/EAU, CYCLOPENTASILOXANE, GLYCERIN, PROPYLENE GLYCOL, CAPRYLYL METHICONE, PEG-10 DIMETHICONE, ISOHEXADECANE, NIACINAMIDE, PHENYL TRIMETHICONE, PRUNUS AMYGDALUS DULCIS (SWEET ALMOND) OIL, TALC, DISTEARDIMONIUM HECTORITE, SILICA, MAGNESIUM SULFATE, C12-14 PARETH-3, DIPENTAERYTHRITYL HEXAHYDROXYSTEARATE/HEXASTEARATE/HEXAROSINATE, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER, PHENOXYETHANOL, TRIBEHENIN, DIMETHICONE, ALUMINUM HYDROXIDE, METHICONE, ALUMINUM STEARATE, FRAGRANCE, ETHYLHEXYLGLYCERIN, TOCOPHERYL ACETATE, POLYURETHANE-11, ADENOSINE, AMINOPROPYL DIMETHICONE, POLYMETHYLSILSEQUIOXANE, ARGANIA SPINOSA KERNEL OIL, IMPERATE CYLINDRICA ROOT EXTRACT, PRUNUS ARMENIACA (APRICOT) KERNEL OIL, PSEUDOAL TEROMONAS FERMENT EXTRACT, IRON OXIDES (CI 77491, CI 77492, CI 77499)

Dist. by ©Too Cool For School USA Inc.

PRINCIPAL DISPLAY PANEL - Kit Carton

Dinoplatz Cinema City

CC Cream with
Broadspectrum
SPF 30 Sunscreen
and Concealer

Cing Cong

CC Cream
30ml (1.01 fl.oz)
CC Concealer
2.8g (0.09 oz)




Too Cool For School products are not tested on animals.
Les produits cosmétiques Too Cool For School ne sont pas testés sur les animaux.

Dinoplatz Cinema City

CC Cream with Broad Spectrum SPF 30 Sunscreen and Concealer

CINEMA CITY
©TCFS



C R R R
C R R R

C
*
I
N
G
*
R
O
N
G

CC Cream : Light -Medium

Drug Facts

Active ingredients	Purpose
Ocinoxate 6.00%	Sunscreen
Ocylsalate 2.00%	Sunscreen
Titanium Dioxide 5.6%	Sunscreen
Zinc Oxide 1.92%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months - Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse event from use of this product to: Too Cool For School USA Inc, 181 North 11th Street Suite 201, Brooklyn, NY 11211

Inactive Ingredients

WATER/EAU, CYCLOPENTASILOXANE, GLYCERIN, PROPYLENE GLYCOL, CAPRYLYL METHACRYLATE, PEG-10 DIMETHICONE, ISOHEXADECANE, NIACINAMIDE, PHENYL TRIMETHICONE, PRUNUS AMYGDALUS DULCIS (SWEET ALMOND) OIL, TALC, DISTEARDIMONIUM HECTORITE, SILICA, MAGNESIUM SULFATE, C12-14 PARETH-3, DIPENTAERYTHRITYL HEXAHYDROXYSTEARATE/HEXASTEARATE/HEXAROSINATE VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER, PHENOXYETHANOL, TRIBENIN, DIMETHICONE, ALUMINUM HYDROXIDE, METHICONE, ALUMINUM STEARATE, FRAGRANCE, ETHYLHEXYLGLYCERIN, TOCOPHERYL ACETATE, POLYURETHANE-11, ADENOSINE, AMINO/PROPYL DIMETHICONE, POLYMETHYLSILSESQUOXANE, ARGANIA SPINOSA KERNEL OIL, IMPERATE CYLINDRICA ROOT EXTRACT, PRUNUS ARMENIACA (APRICOT) KERNEL OIL, PSEUDOALTERNANAS FERMENT EXTRACT, IRON OXIDES (CI 77491, CI 77492, CI 77499)

CC Cream 30ml (1.01 fl.oz)
CC Concealer 2.8g (0.09oz)

Dinoplatz Cinema City
Dinomic Duo: CC Cream+CC Concealer
Dist. by ©Too Cool For School USA Inc.
MADE IN KOREA

[PRODUCT FEATURES]

- Improves the complexion + reduces wrinkles + protects skin from the sun with SPF 30.
- This overachiever offers an easy alternative to traditional moisturizer, sunscreen, primer, makeup base, anti-aging serum in one.


[HOW TO USE] 1. Dispense and apply the CC cream using a foundation brush or fingertips, lightly dab onto the face and gently blend in. 2. Twist off the glass cap and gently sweep the concealer onto the desired areas.

Triple action avec protection contre les rayons UV (SPF30, PA++), éclaircissement de la peau et atténuation des rides! Grâce aux actifs hydratants qui offrent un bain hydratant à la peau, la peau est repulpée. Lisse comme la soie et unifiée. **[Conseils d'utilisation]** Appliquez une quantité adéquate sur un visage soigneusement hydraté. Grâce aux actifs hydratants qui offrent un bain hydratant à la peau, la peau est repulpée. Lisse comme la soie et unifiée. **[Conseils d'utilisation]** CC Crème : Appliquez une quantité adéquate sur le visage et étalez de manière uniforme. CC Correcteur : Appliquez par petites touches sur le contour de l'œil et les zones à retoucher. **[Précautions d'emploi]** 1. Arrêter immédiatement l'application en cas d'apparition d'effets indésirables. Si les symptômes s'aggravent, consultez un médecin ou un dermatologue. 2. Conservation : 1) Bien refermer le contenant après chaque utilisation 2) Ne pas laisser à la portée des enfants 3) Conserver à l'abri de la lumière et ne pas exposer à des températures trop élevées ou trop basses. **[FABRIQUÉ EN CORÉE]**

CC Concealer 2.8g 0.09 oz
INGREDIENTS : TITANIUM DIOXIDE, HEXYL LAURATE, ZINC OXIDE, CAPRYLYL METHACRYLATE, HEXYDECYL HYDROXYL METHYLAMINO PROPIONATE, OCTOXYL PEG-10 DIMETHICONE, OCTYLDODECANOL, C10-15 ALKYL METHACRYLATE, DIPENTAERYTHRITOL HEXAHYDROXYSTEARATE/HEXASTEARATE/HEXAROSINATE, HYDROGENATED POLYCYCLOPENTADIENE, EUPHORBIA CERIFERA (CANDILLIA) WAX, METHYL METHACRYLATE

USE 1: When the following side effects occur after using edakily stop use. Continue use will aggravate the rash. **USE 2:** When you experience itching, irritation, or other discomfort, after using our products, stop use immediately. **USE 3:** If the above symptoms occur on the applied area after use, do not use in areas where skin is broken or where there is eczema or dermatitis. **USE 4:** Caution for storage and use. Keep out of reach of children. **USE 5:** Do not use over the lid after use. **USE 6:** Keep out of reach of children. **USE 7:** Do not use over the lid after use. **USE 8:** Keep out of reach of children. **USE 9:** Do not use over the lid after use. **USE 10:** Keep out of reach of children. **USE 11:** Do not use over the lid after use. **USE 12:** Keep out of reach of children. **USE 13:** Do not use over the lid after use. **USE 14:** Keep out of reach of children. **USE 15:** Do not use over the lid after use. **USE 16:** Keep out of reach of children. **USE 17:** Do not use over the lid after use. **USE 18:** Keep out of reach of children. **USE 19:** Do not use over the lid after use. **USE 20:** Keep out of reach of children. **USE 21:** Do not use over the lid after use. **USE 22:** Keep out of reach of children. **USE 23:** Do not use over the lid after use. **USE 24:** Keep out of reach of children. **USE 25:** Do not use over the lid after use. **USE 26:** Keep out of reach of children. **USE 27:** Do not use over the lid after use. **USE 28:** Keep out of reach of children. **USE 29:** Do not use over the lid after use. **USE 30:** Keep out of reach of children. **USE 31:** Do not use over the lid after use. **USE 32:** Keep out of reach of children. **USE 33:** Do not use over the lid after use. **USE 34:** Keep out of reach of children. **USE 35:** Do not use over the lid after use. **USE 36:** Keep out of reach of children. **USE 37:** Do not use over the lid after use. **USE 38:** Keep out of reach of children. **USE 39:** Do not use over the lid after use. **USE 40:** Keep out of reach of children. **USE 41:** Do not use over the lid after use. **USE 42:** Keep out of reach of children. **USE 43:** Do not use over the lid after use. **USE 44:** Keep out of reach of children. **USE 45:** Do not use over the lid after use. **USE 46:** Keep out of reach of children. **USE 47:** Do not use over the lid after use. **USE 48:** Keep out of reach of children. **USE 49:** Do not use over the lid after use. **USE 50:** Keep out of reach of children. **USE 51:** Do not use over the lid after use. **USE 52:** Keep out of reach of children. **USE 53:** Do not use over the lid after use. **USE 54:** Keep out of reach of children. **USE 55:** Do not use over the lid after use. **USE 56:** Keep out of reach of children. **USE 57:** Do not use over the lid after use. **USE 58:** Keep out of reach of children. **USE 59:** Do not use over the lid after use. **USE 60:** Keep out of reach of children. **USE 61:** Do not use over the lid after use. **USE 62:** Keep out of reach of children. **USE 63:** Do not use over the lid after use. **USE 64:** Keep out of reach of children. **USE 65:** Do not use over the lid after use. **USE 66:** Keep out of reach of children. **USE 67:** Do not use over the lid after use. **USE 68:** Keep out of reach of children. **USE 69:** Do not use over the lid after use. **USE 70:** Keep out of reach of children. **USE 71:** Do not use over the lid after use. **USE 72:** Keep out of reach of children. **USE 73:** Do not use over the lid after use. **USE 74:** Keep out of reach of children. **USE 75:** Do not use over the lid after use. **USE 76:** Keep out of reach of children. **USE 77:** Do not use over the lid after use. **USE 78:** Keep out of reach of children. **USE 79:** Do not use over the lid after use. **USE 80:** Keep out of reach of children. **USE 81:** Do not use over the lid after use. **USE 82:** Keep out of reach of children. **USE 83:** Do not use over the lid after use. **USE 84:** Keep out of reach of children. **USE 85:** Do not use over the lid after use. **USE 86:** Keep out of reach of children. **USE 87:** Do not use over the lid after use. **USE 88:** Keep out of reach of children. **USE 89:** Do not use over the lid after use. **USE 90:** Keep out of reach of children. **USE 91:** Do not use over the lid after use. **USE 92:** Keep out of reach of children. **USE 93:** Do not use over the lid after use. **USE 94:** Keep out of reach of children. **USE 95:** Do not use over the lid after use. **USE 96:** Keep out of reach of children. **USE 97:** Do not use over the lid after use. **USE 98:** Keep out of reach of children. **USE 99:** Do not use over the lid after use. **USE 100:** Keep out of reach of children.





TOO COOL FOR SCHOOL DINO PLATZ CINEMA CITY (CC CONCEALER)

octinoxate, octisalate, titanium dioxide, and zinc oxide kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69926-003
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69926-003-02	1 in 1 CARTON		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE, WITH APPLICATOR	30 mL
Part 2	1 CONTAINER	2.8 g

Part 1 of 2

TOO COOL FOR SCHOOL CC

octinoxate, octisalate, titanium dioxide, and zinc oxide cream

Product Information

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	60 mg in 1 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	20 mg in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	56 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	19.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
ALMOND OIL (UNII: 66YXD4DKO9)	
TALC (UNII: 7SEV7J4R1U)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM SULFATE (UNII: DE08037SAB)	
C12-14 PARETH-3 (UNII: 93RY22U87E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ADENOSINE (UNII: K72T3FS567)	
ARGAN OIL (UNII: 4V59G5UW9X)	
APRICOT KERNEL OIL (UNII: 54JB35T06A)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		30 mL in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	09/01/2015	

Part 2 of 2

TOO COOL FOR SCHOOL CONCEALER

foundations stick

Product Information**Route of Administration**

TOPICAL

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
INGR	HEXYL LAURATE (UNII: 4CG9F9W01Q)	
INGR	ZINC OXIDE (UNII: SOI2LOH54Z)	
INGR	CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
INGR	HEXYLDECYL MYRISTOYL METHYLAMINOPROPIONATE (UNII: 1959TW0O9A)	
INGR	HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
INGR	OCTYLDODECANOL (UNII: 461N1O614Y)	
INGR	C30-45 ALKYL METHICONE (UNII: NFX970DSI2)	
INGR	CANDELILLA WAX (UNII: WL0328HX19)	
INGR	DIMETHICONE (UNII: 92RU3N3Y1O)	
INGR	MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
INGR	CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
INGR	LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
INGR	SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
INGR	DIMER DILINOLEYL DIMER DILINOLEATE (UNII: 0E2D5DBT7M)	
INGR	ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
INGR	ALUMINUM OXIDE (UNII: LMI26O6933)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
INGR	CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
INGR	GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
INGR	.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
INGR	TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
INGR	FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2.8 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		09/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2015	

Labeler - Too Cool For School USA, Inc (079860981)

Establishment

Name	Address	ID/FEI	Business Operations
KOLMAR KOREA Co.,Ltd		688732723	MANUFACTURE(69926-003)

Revised: 6/2015

Too Cool For School USA, Inc