

CITROMA- magnesium citrate liquid
Topco

Top Care 166.000 /166AA rev 1-AB
Lemon Magnesium Citrate

Tamper Evident Statement

DO NOT USE IF THE TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BORKEN OR SEPERATED FROM NECKRING

Active ingredient (in each fl oz)

Magnesium citrate 1.745 g

Purpose

Saline laxative

Uses

- for relief of occasional constipation (irregularity).
- Generally produces bowel movement in 1/2 to 6 hours

Warnings

for this product

Ask A Doctor before use if you have

- kidney disease
- a magnesium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

if pregnant or breast-feeding,

ask help professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away

Storage

Store at temperatures between 46° and 86°F (8° and 30° C)

Directions

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

other information

- **each fl oz contains:** magnesium 290 mg
- **each fl oz contains:** sodium 1 mg

Inactive ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions?

Call 1-888-423-0139

ADVERSE REACTION

Non-USP: Non-Carbonated, Non-Pasteurized; CONTAINS PRESERVATIVES.

DISTRIBUTED BY TOPCO ASSOCIATES LLC ELK GROVE VILLAGE, IL 60007

©TOPCO VIJA0123 QUESTIONS? 1-888-423-0139 topcare@topco.com

www.topcarebrand.com Formula blended in the USA

QUALITY GUARANTEED

This TopCare product is laboratory tested to guarantee its highest quality.
Your total satisfaction is guaranteed.

principal display panel

TopCare® health

NDC 36800-709-38

Magnesium Citrate

SALINE LAXATIVE


ORAL SOLUTION

For Relief of Occasional Constipation

LEMON FLAVOR

Scan here for more information or call 1-888-423-0139

10 FL OZ (296 mL)





NDC 36800-709-38

Magnesium Citrate

SALINE LAXATIVE
ORAL SOLUTION

For Relief of Occasional Constipation






Scan here for more information or call 1-888-423-0139

LEMON FLAVOR


DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING.

<p>Drug Facts</p> <p>Active ingredient (in each fl oz) Purpose Magnesium citrate 1.745 g Saline laxative</p> <p>Uses ■ for relief of occasional constipation (irregularity). ■ Generally produces bowel movement in ½ to 6 hours</p> <p>Warnings Ask a doctor before use if you have ■ kidney disease ■ a magnesium restricted diet ■ abdominal pain, nausea, or vomiting ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks ■ already used a laxative for a period longer than 1 week</p> <p>Ask a doctor or pharmacist before use if you are ■ taking any other drug. ■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.</p> <p>Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help ▶</p>	<p>Drug Facts (continued) or contact a Poison Control Center right away. Store at temperatures between 46° and 86° F (8° and 30° C)</p> <p>Directions ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <tr> <td style="width: 50%;">adults and children 12 years of age and over</td> <td style="width: 50%;">6.5 to 10 fl oz maximum 10 fl oz in 24 hours</td> </tr> <tr> <td>children 6 to under 12 years of age</td> <td>3 to 7 fl oz maximum 7 fl oz in 24 hours</td> </tr> <tr> <td>children 2 to under 6 years of age</td> <td>2 to 3 fl oz maximum 3 fl oz in 24 hours</td> </tr> <tr> <td>children under 2 years of age</td> <td>ask a doctor</td> </tr> </table> <p>Other information ■ each fl oz contains: magnesium 290 mg ■ each fl oz contains: sodium 1 mg</p> <p>Inactive ingredients benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water</p> <p>Questions? Call 1-888-423-0139</p>	adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours	children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours	children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours	children under 2 years of age	ask a doctor
adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours								
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours								
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours								
children under 2 years of age	ask a doctor								

0 36800 45529 0



L0017558SC



QUALITY GUARANTEED
This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

10 FL OZ (296 mL)

Non-USP: Non-Carbonated, Non-Pasteurized; CONTAINS: PRESERVATIVES.
DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007
©TOPCO VJ40123 QUESTIONS? 1-888-423-0139 topcare@topco.com www.topcarebrand.com FORMULA BLENDED IN THE USA

CITROMA

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-709
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-709-38	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/18/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	02/18/2018	

Labeler - Topco (006935977)**Registrant** - Consumer Product Partners, LLC (119091520)**Establishment**

Name	Address	ID/FEI	Business Operations
Consumer Product Partners, LLC		119091514	manufacture(36800-709)

Revised: 4/2025

Topco