ANTACID- calcium carbonate tablet, chewable Richmond Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Calcium Rich

Active Ingredient

(in each tablet)

Calcium Carbonate 500 mg

Purpose

Antacid

Uses

relieves

- acid indigestion
- heartburn
- sour stomach

Warnings

Ask a doctor before use if you have

- kidney stones
- a calcium-restricted diet

ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- chew 1-2 tablets as symptoms occurs.
- do not take more than 8 tablets in 24 hours
- do not use the maximum dosage for more than 2 weeks

Other Information

- each tablet contains: calcium 200 mg
- store at room temperature 15-30 °C (59-86 °F)

Inactive Ingredients

Al-lakes (D&C red #27, D&C yellow # 10, FD&C blue #1, FD&C yellow # 6), dextrose, flavors (cherry, lemon, lime, orange), magnesium stearate, maltodextrin

Questions or Comments

Call 804-270-4498, Monday-Friday, 8.30 am – 4.30 pm ET

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING


PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

Calcium Carbonate 500 mg

Antacid tablets

NDC: 54738-030-15 – 150 COUNT NDC: 54738-030-60 – 60 COUNT





SODIUM FREE

COMPARETO N ACTIVE INGREDIENT IN

NDC 54738-030-60

Calcium Rich ANTACID

REGULAR STRENGTH

Calcium Carbonate 500 mg

Relieves: ■ Acid Indigestion ■ Heartburn

■ Sour Stomach

Assorted Flavors
Chewable Tablets

60

AN EXCELLENT SOURCE OF CALCIUM

*Richmond Pharmaceuticals, Inc. is not affiliated with the owner of the trademark Tums \circledR .

Distributed by: Richmond Pharmaceuticals, Inc.

Richmond, VA 23233, USA

Drug Facts

Active ingredient (in each chewable tablet)

Purpose

Calcium carbonate 500 mg Antacid

Uses relieves

- acid indigestion
 heartburn
 sour stomach

Warnings

Ask a doctor before use if you have

■ kidney stones
■ a calcium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks Keep out of reach of children.

- **Directions** chew 1-2 tablets as symptoms occur
- do not take more than 8 tablets in 24 hours
- do not use the maximum dosage for more than 2 weeks

Other information • each tablet contains:

calcium 200 mg store at room temperature

Inactive ingredients Al-lakes (D&C red #27, D&C yellow #10, FD&C blue #1, FD&C yellow #6), dextrose, flavors (cherry, lemon, lime, orange), magnesium stearate, maltodextrin

Questions or comments?

call **804-270-4498**, 8:30 am – 4:30 pm EST, Monday - Friday



0.64"

NDC 54738-030-15

ACTIVE INGREDIENT IN

Calcium Rich ANTACID

REGULAR STRENGTH Calcium Carbonate 500 mg

Relieves

- Acid Indigestion
- Heartburn
- Sour Stomach

ASSORTED

150
CHEWABLE TABLETS

SODIUM FREE

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

*Richmond Pharmaceuticals, Inc. is not affiliated with the owner of the trademark Tums®.

Richmond Pharmaceuticals, Inc.

ANTACID

calcium carbonate tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54738-030
Route of Administration	ORAL		

l	Active Ingredient/Active Moiety				
l	Ingredient Name	Basis of Strength	Strength		
l	CALCIUM CARBONATE (UNII: H0 G9 379 FGK) (CALCIUM CATION - UNII: 2M8 3C4R6 ZB)	CALCIUM CARBONATE	500 mg		

Inactive Ingredients			
Ingredient Name	Strength		
DEXTROSE (UNII: IY9 XDZ35W2)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MALTO DEXTRIN (UNII: 7CVR7L4A2D)			
CHERRY (UNII: BUC5i9595W)			

Product Characteristics				
Color	yellow, pink, green	Score	no score	
Shape	ROUND	Size	16 mm	
Flavor	LIME (Cherry,Lemon,Orange)	Imprint Code	AP;043	
Contains				

ı	Packaging				
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
ı	1 NDC:54738-030-15	150 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2015		
l	2 NDC:54738-030-60	60 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2015		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	05/01/2015	

Labeler - Richmond Pharmaceuticals, Inc. (043569607)

Registrant - Advance Pharmaceutical Inc. (078301063)

Establishment				
Name	Address	ID/FEI	Business Operations	
Advance Pharmaceutical Inc.		078301063	manufacture(54738-030)	

Revised: 10/2017 Richmond Pharmaceuticals, Inc.