# NICOTINE- nicotine polacrilex gum, chewing Lucy Goods, Inc.

-----

Nicotine Polacrilex Gum Coated Ice Mint 4 mg ANDA204833 - Equate

#### **Drug Facts**

#### Active ingredient (in each chewing piece)

Nicotine Polacrilex 4 mg (nicotine)

#### **Purpose**

Stop smoking aid

#### Use

 reduces withdrawal symptoms, including nicotine craving associated with quitting smoking

#### Warnings

If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

#### Ask a doctor before use if you have

- a sodium-restricted diet
- heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.
- high blood pressure not controlled with medication. Nicotine can increase blood pressure.
- stomach ulcer or diabetes
- history of seizures

#### Ask a doctor or pharmacist before use if you are

- using a non-nicotine stop smoking drug
- taking prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

### Stop use and ask a doctor if

- mouth, teeth, or jaw problem occurs
- irregular heartbeat or palpitations occur
- you get symptoms of nicotine overdose such as nausea, vomiting, dizziness, diarrhea, weakness, and rapid heartbeat
- oral blistering occurs
- you have symptoms of an allergic reaction (such as difficulty breathing or rash)

#### Keep out of reach of children and pets.

Pieces of nicotine gum may have enough nicotine to make children and pets sick. Wrap used pieces of gum in paper and throw away in the trash. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

- if you are under 18 years of age, ask a doctor before use
- before using this product, read the enclosed User's Guide for complete directions and other important information
- begin using the gum on your quit day
- if you smoke your first cigarette more than 30 minutes after waking up, use 2 mg nicotine gum
- if you smoke your first cigarette within 30 minutes of waking up. use 4 mg nicotine gum according to the following 12 week schedule

Weeks 1 to 6	Weeks 7 to 9	Weeks 10 to 12
1 piece every 1 to 2 hours	1 piece every 2 to 4 hours	1 piece every 4 to 8 hours

- nicotine gum is a medicine and must be used a certain way to get the best results
- chew the gum slowly until it tingles. Then park it between your cheek and gum. When the tingle is gone, begin chewing again, until the tingle returns.
- repeat this process until most of the tingle is gone (about 30 minutes)
- do not eat or drink for 15 minutes before chewing the nicotine gum, or while chewing a piece
- to improve your chances of quitting, use a least 9 pieces per day for the first 6 weeks
- if you experience strong or frequent cravings, you may use a second piece within the hour. However, do not continuously use one piece after another since this may cause you hiccups, heartburn, nausea or other side effects.
- do not use more than 24 pieces a day
- it is important to complete treatment. If you feel you need to use the gum for a longer period to keep from smoking, talk to your health provider.

#### Other information

- each piece contains: calcium 115 mg, sodium 11 mg
- store at 20 25°C (68 77°F)
- protect from light

#### Inactive ingredients

acacia, acesulfame potassium, butylated hydroxytoluene, carnauba wax, FD&C red #40, gum base, hydroxypropyl cellulose, hypromellose, natural and artificial, cinnamon flavors, sodium bicarbonate, sodium carbonate, sucralose, talc, titanium dioxide, xylitol.

#### Questions or comments?

Call

#### **Principal Display Panel**

\*Compare to the active ingredient in Nicorrette® Gum

Nicotine Gum

Nicotine Polacrilex gum USP, 4 mg(nicotine)

Stop Smoking Aid

## FOR THOSE WHO SMOKE THEIR FIRST CIGARETTE WITHIN 30 MINUTES OF WAKING UP

If you smoke your first cigarette <u>MORE THAN</u> 30 MINUTES after waking up, use Nicotine Polacrilex gum, 2 mg

Sugar-free

COATED CINNAMON

#### TO INCREASE YOUR SUCCESS IN QUITTING:

- 1. You must be motivate to quit
- 2. **Use Enough** Chew **at least 9 pieces** of Nicotine Polacrilex Gum per day during the first six weeks
- 3. **Use long enough** Use Nicotine Polacrilex Gum for the full 12 weeks
- 4. Use with a Support Program as directed in the enclosed User's Guide

To remove the gum, tear off single unit

Peel off backing starting at corner with loose edge

Push gum through foil

- Not for sale to those under 18 years of age
- proof of age required
- not for sale in vending machines or from any source where proof of age cannot be verified

BLISTER PACKAGED FOR YOUR PROTECTION. DO NOT USE IF INDIVIDUAL SEALS ARE OPEN OR TORN.

<sup>\*</sup>This product is not manufactured or distributed by Haleon group of companies distributor of Nicorette® Gum.

Marketed By: Lucy Goods Inc. 2510 E Sunset Road Suite 5 #A656 Las Vegas, NV 89120

### Package Label

#### TO INCREASE YOUR SUCCESS IN QUITTING:

- You must be motivated to quit.
- Use Enough Chew at least 9 pieces of Nicotine Polacrilex Gum per day during the first six weeks.
   Use Long Enough Use Nicotine Polacrilex Gum for the full 12 weeks.
- 4. Use With a Support Program as directed in the enclosed User's Guide.



To remove the gum, tear off single unit.



Peel off backing starting at corner



Push gum through



\*Compare to the active ingredient in Nicorette® Gum

# Nicotine Gum

Nicotine polacrilex gum USP, 4 mg (nicotine) Stop Smoking Aid

FOR THOSE WHO SMOKE THEIR FIRST CIGARETTE **30 MINUTES** OF WAKING UP

If you smoke your first cigarette MORE THAN 30 MINUTES after waking up, use Nicotine Polacrilex Gum USP, 2 mg



Sugar-Free

100 Pieces, 4 mg EACH





Actual Size

# LUCY...

## Nicotine Gum

Nicotine polacrilex gum USP, 4 mg (nicotine) Stop Smoking Aid



Las Vegas, NV 89120 2510 E Sunset Road Suite 5 #A656 Marketed By: Lucy Goods Inc.

distributor of Micorette\* Gurn.

MacDive Ingredibints scale, sosatiene potesten, betydologi coletos, grandes ser, 1905 e 460, pur bast coletos, grandes, ratura and staticial comemo flavor, codem bicarborats, codem cuborate, socialese, talc, Banaum doxide, syfloti

шпб ацверы бы 2 авт

The Processor of age, ask a declar before use of age, ask a declar before use or a partial processor of age, ask a declar before or consistent of a partial processor of the foreign of a partial processor of the foreign of a partial processor of the foreign of a partial degree of a partial processor of the foreign of a partial degree of a partial processor of a part

Keep out of needs of children and pets, Flesco of nicitive gunn may have enough necessity of children and pets, else of Why used pecses of gunn in specif and there wave in the frame, in case of enoughas, got medical holp or center is Photon Center (Center (1-900-7822-1822) night away.

(fear) to griddeerd (fluoffib as flass) mobosen bigrefis ins to employing exist way in

m outprepayed occruz em mouth, but it is we problem court in me mouth, but it is we problem court at you get it symptoms of mouther eventoes each as mauses, vorrifing, disciness, definition, welcases, and reguld hearthest to creat blobbalt procurt.

100 Pieces, 4 mg EACH

Sugar-Free











#### **LUCY Nicotine Gum Coated Cinnamon Flavor**

(conunuos) szasy finun

#### **NICOTINE**

nicotine polacrilex gum, chewing

Product	Inform	ation
---------	--------	-------

Product Type HUMAN OTC DRUG Item Code (Source) NDC:72224-930

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name
Basis of Strength
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)
NICOTINE

NICOTINE
4 mg

**Inactive Ingredients Ingredient Name** Strength **ACACIA** (UNII: 5C5403N260) ACESULFAME POTASSIUM (UNII: 230V73Q5G9) CARNAUBA WAX (UNII: R12CBM0EIZ) FD&C RED NO. 40 (UNII: WZB9127XOA) HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH) **BUTYLATED HYDROXYTOLUENE** (UNII: 1P9D0Z171K) **SODIUM BICARBONATE** (UNII: 8MDF5V39QO) **SODIUM CARBONATE** (UNII: 45P3261C7T) TALC (UNII: 7SEV7J4R1U) TITANIUM DIOXIDE (UNII: 15FIX9V2JP) XYLITOL (UNII: VCQ006KQ1E) SUCRALOSE (UNII: 96K6UQ3ZD4) HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)

			CI	cteristics
v	raa	IICT.	( nars	CTAPICTICS
	ıvu	ucı	Cilaic	ictei istics

Color pink (Dark pink) Score no score

Shape	SQUARE	Size	14mm
Flavor	CINNAMON	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72224-930- 10	100 in 1 CARTON	04/25/2025	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA079219	04/25/2025	

## Labeler - Lucy Goods, Inc. (080875415)

Revised: 4/2025 Lucy Goods, Inc.