

**PSORIASIS IN-SHOWER TREATMENT- coal tar lotion/shampoo**  
**Kobayashi Healthcare International, Inc.**

-----  
**Psoriasis In-Shower Treatment**

**Active Ingredient**

Coal Tar 2% (from Coal Tar Topical Solution, USP 20%)

**Purpose**

Psoriasis / Seborrheic Dermatitis Treatment

**Uses**

For the relief of symptoms of psoriasis and/or seborrheic dermatitis including itching, scaling, flaking, redness and irritation of the skin. Helps prevent recurrence.

**Warnings**

For external use only.

**Ask a doctor before use**

- for prolonged periods
- if condition covers a large area of the body
- with other forms of psoriasis therapy such as ultraviolet radiation or prescription drugs

**When using this product**

avoid contact with the eyes. If contact occurs rinse thoroughly with water.

**Stop use and ask a doctor if**

- condition worsens
- condition does not improve after regular use of this product as directed.

**Use caution**

in exposing skin to sunlight after applying this product, as it may increase your tendency to sunburn for up to 24 hours after application.

**Warning:** This product contains chemicals known to the State of California to cause cancer.

**Keep out of reach of children.**

If swallowed, get medical help or contact a poison control center right away.

**Directions**

After cleansing, apply Psoriasis In-Shower Treatment to affected areas on body and scalp. Avoid applying to bottom of feet. Leave on for at least 2 minutes, then rinse off and gently towel dry. For best results, use at least twice a week or as directed by a doctor. The active ingredient, coal tar, in Psoriasis may affect very light hair color; test first on a few strands of hair before broader application to areas where light-colored hair is present. For use by normally healthy adults only; persons under 18 years of age or those with highly sensitive or allergic skin should use only as directed by a doctor.

**Other Information**

You may report serious side effects to the phone number provided under **Questions?** below.

**Inactive ingredients**

Aloe vera gel, caprylic/capric triglycerides, cetearyl alcohol, citric acid anhydrous, Dead Sea salts, ethanol, glycerin, glyceryl stearate SE, lavender oil, myristyl alcohol, oatmeal extract, olive oil, PEG-100 stearate, petrolatum, phenoxyethanol, polysorbate 80, shea oil, stearyl alcohol, sweet almond oil, water.

**Questions?**

1-800-792-2582

**+NEW**

# Psoriasis<sup>®</sup>

**MEDICATED  
IN-SHOWER  
TREATMENT**

**HEALS + SOOTHES**

**STOPS PSORIASIS  
ITCHING + PLAQUES + SCALING**

**EXTRA STRENGTH 2% COAL TAR  
WITH ALOE VERA & ESSENTIAL OILS**



**RINSE OFF | NO RESIDUE**

**TOPICAL TREATMENT  
NET WT 5 OZ (141.7 g)**

**Step 1:** After cleansing, apply to affected areas on body and scalp; leave on for at least 2 minutes.

**Step 2:** Rinse off and gently towel dry.

### Drug Facts

<b>Active ingredient</b>	<b>Purpose</b>
Coal Tar 2% . . . . .	Psoriasis/Seborrheic Dermatitis Treatment (from Coal Tar Topical Solution, USP 20%)

**Uses** For the relief of the symptoms of psoriasis and/or seborrheic dermatitis including itching, scaling, flaking, redness and irritation of the skin. Helps prevent recurrence.

### Warnings

**For external use only.**

**Ask a doctor before use** ■ for prolonged periods ■ if condition covers a large area of the body ■ with other forms of psoriasis therapy such as ultraviolet radiation or prescription drugs.

**When using this product** avoid contact with the eyes. If contact occurs rinse thoroughly with water.

**Stop use and ask a doctor if** ■ condition worsens ■ condition does not improve after regular use of this product as directed.

**Use caution** in exposing skin to sunlight after applying this product, as it may increase your tendency to sunburn for up to 24 hours after application.

**Warning:** This product contains chemicals known to the State of California to cause cancer.

**Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away.

**Directions** ■ After cleansing, apply PSORIASIN In-Shower Treatment to affected areas on body and scalp. ■ Avoid applying to bottom of feet. ■ Leave on for at least 2 minutes, then rinse off and gently towel dry. ■ For best results use at least twice a week or as directed by a doctor. ■ The active ingredient, coal tar, in PSORIASIN may affect very light hair color; test first on a few strands of hair before broader application to areas where light colored hair is present. ■ For use by normally healthy adults only; persons under 18 years of age or those with highly sensitive or allergic skin should use only as directed by a doctor.

**Other Information** ■ You may report serious side effects to the phone number provided under Questions? below.

**Inactive ingredients** Aloe vera gel, caprylic/capric triglycerides, cetearyl alcohol, citric acid anhydrous, Dead Sea salts, ethanol, glycerin, glyceryl stearate SE, lavender oil, myristyl alcohol, oatmeal extract, olive oil, PEG-100 stearate, petrolatum, phenoxyethanol, polysorbate 80, shea oil, stearyl alcohol, sweet almond oil, water.

### Questions? 1-800-792-2582

**CONTENTS SEALED** with safety seal under the tube cap. Unscrew cap, remove seal and replace cap prior to first use. Do not use if seal is broken or missing.

**Dist.:**  
ALVA-AMCO Pharmaceutical Companies,  
Inc., Niles, IL 60714 U.S.A.  
© 2020 ALVA  
© Reg. U.S. Patent & Trademark Office  
T170-ORD, 0620

Prod. No.: 1700005



## PSORIASIN IN-SHOWER TREATMENT

coal tar lotion/shampoo

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52389-670
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>COAL TAR</b> (UNII: R533ES02EC) (COAL TAR - UNII:R533ES02EC)	COAL TAR	20 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>CETEARYL BEHENATE</b> (UNII: 7ARI9LTH0U)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	
<b>ALOE VERA LEAF POLYSACCHARIDES</b> (UNII: W21O437517)	
<b>CAPRYLIC/CAPRIC/LINOLEIC TRIGLYCERIDE</b> (UNII: U73D397055)	
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)	
<b>ALMOND OIL</b> (UNII: 66YXD4DKO9)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)	
<b>OATMEAL</b> (UNII: 8PI54V663Y)	
<b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>WHITE PETROLATUM</b> (UNII: B6E5W8RQJ4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SHEANUT OIL</b> (UNII: O88E196QRF)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:52389-670-05	140 g in 1 TUBE; Type 0: Not a Combination Product	03/03/2021	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M032	03/03/2021	

**Labeler** - Kobayashi Healthcare International, Inc. (156391729)