

SINUS AND NASAL DECONGESTANT- pseudoephedrine hcl tablet, film coated
CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED

CVS 44-112

Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and over	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
children ages 6 to 11 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 15 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal Display Panel

CVS™

NDC 51316-121-22

**Non-Drowsy
SINUS & NASAL DECONGESTANT
Pseudoephedrine Hydrochloride
Nasal Decongestant**

actual size

Non-Drowsy

SINUS & NASAL DECONGESTANT
Pseudoephedrine Hydrochloride

Nasal Decongestant

Compare to Sudafed® Sinus Congestion active ingredient*

48

TABLETS

Maximum Strength[†] Relief of:

Nasal & sinus congestion, Sinus pressure

[†]Under OTC monograph.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by Kenvue Inc.,
owner of the registered trademark Sudafed® Sinus Congestion.
50844 ORG061911222

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2025 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
V-14022

CVS.com/returnpolicy
100% money back
guaranteed.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2025 CVS/pharmacy
CVS.com 1-800-SHOP CVS
V-14022
100% money back
guaranteed.
CVS.com/returnpolicy



#477076
FPO 80%
UPC# 050428137123
X XXXXXX XXXXXX X

SINUS & NASAL DECONGESTANT
Non-Drowsy
48 TABLETS

Drug Facts
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION
Active ingredient (in each tablet)
Pseudoephedrine HCl 30 mg
Purpose
Nasal decongestant
Uses
■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
■ temporarily relieves sinus congestion and pressure
Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have
■ heart disease ■ diabetes ■ thyroid disease ■ high blood pressure ■ difficulty in urination due to enlargement of the prostate gland
When using this product do not exceed recommended dosage.
Stop use and ask a doctor if
■ symptoms do not improve within 7 days or occur with fever
■ nervousness, dizziness, or sleeplessness occur
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Other information
■ each tablet contains: calcium 15 mg
■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ see end flap for expiration date and lot number
Inactive ingredients
croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin
Questions or comments? 1-800-426-9391
Drug Facts (continued)
Directions
adults and children
take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
12 years and over
children ages
6 to 11 years
take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years
do not use

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No Print/No Varnish
Lot & Exp

SINUS & NASAL DECONGESTANT
Non-Drowsy
48 TABLETS



B-0231-112-22-J
093061911222



actual size

SINUS & NASAL DECONGESTANT
Non-Drowsy
Pseudoephedrine Hydrochloride
Nasal Decongestant

Compare to Sudafed® Sinus Congestion active ingredient*

48
TABLETS

Maximum Strength¹ Relief of:
Nasal & sinus congestion, Sinus pressure
¹Under OTC monograph.

CVS 44-112

SINUS AND NASAL DECONGESTANT

pseudoephedrine hcl tablet, film coated

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-121	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)		PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg	
Inactive Ingredients				
Ingredient Name			Strength	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)				
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)				
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POLYDEXTROSE (UNII: VH2XOU12IE)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
TRIACETIN (UNII: XHX3C3X673)				
Product Characteristics				
Color	red	Score	no score	
Shape	ROUND	Size	7mm	
Flavor		Imprint Code	44;112	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-121-22	2 in 1 CARTON	09/24/2025	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012	09/24/2025	

Labeler - CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(51316-121)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(51316-121) , pack(51316-121)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(51316-121)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(51316-121)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(51316-121)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(51316-121)

Revised: 9/2025

CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED