

**RUBUS- rubus fruticosus, iris germanica, vaccinium myrtillus, syzygium jambolanum, okoubaka aubrevillei liquid
Marco Pharma International LLC.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts

Active Ingredients

Rubus Fruticosus 2xHPUS

Iris Germanica 4xHPUS

Vaccinium Myrtillus 3xHPUS

Syzygium Jambolanum 3xHPUS

Okoubaka Aubrevillei 6xHPUS

The letters HPUS indicates that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of United States.

Purpose

For temporary relief of pancreatic discomforts.

Keep out of reach of children.

Suggested use

Dosage: For acute conditions take 25 drops in water 3-4 times daily. For long-term usage, take 20 drops in water morning and evening.

Warnings

If pregnant or breast-feeding, consult a health professional before use. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

(Read Suggested Use Section)

Inactive Ingredients

Ethyl alcohol (52% by vol.) and Water

| | | |
|---|--|--|
| <p>Dosage: For acute conditions, take 25 drops in tepid water 3-4 times daily. For long term usage, take 20 drops in water morning and evening.</p> <p>Warnings: If pregnant or breastfeeding, consult with a health professional before use. Keep out of reach of children.</p> <p>Tamper Evident: Do not use if tamper evident ring is missing or detached from base of cap.</p> |  Rubus Homeopathic Combination Medicine NDC 60986-1011-3  INDICATIONS For diabetes mellitus. <hr/> 1.69 Fl Oz (50 mL) | <p>INGREDIENTS: 50 mL CONTAINS 10 mL Rubus fruticosus 2x HPUS, 10 mL Vaccinium myrtillus 3x HPUS, 10 mL Syzygium jambolanum 3x HPUS, 10 mL Iris germanica 4x HPUS, 10 mL Okoubaka aubrevillei 6x HPUS.</p> <p>Other Ingredients: Ethyl Alcohol (52% by volume), Water.</p> <p>HPUS indicates that the active ingredients are in the official Homeopathic Pharmacopoeia of the United States.</p> <p>Distributed by: Marco Pharma 851 NW Highland St., Roseburg, OR 97470 Made in Germany.</p> |
|---|--|--|

| | | |
|---|---|---|
| <p>Dosage: For acute conditions, take 25 drops in tepid water 3-4 times daily. For long term usage, take 20 drops in water morning and evening.</p> <p>Warnings: If pregnant or breastfeeding, consult with a health professional before use. Keep out of reach of children.</p> <p>Tamper Evident: Do not use if tamper evident ring is missing or detached from base of cap.</p> |  Rubus Homeopathic Combination Medicine NDC 60986-1011-4  INDICATIONS For diabetes mellitus. <hr/> 3.38 Fl Oz (100 mL) | <p>INGREDIENTS: 100 mL CONTAINS 20 mL Rubus fruticosus 2x HPUS, 20 mL Vaccinium myrtillus 3x HPUS, 20 mL Syzygium jambolanum 3x HPUS, 20 mL Iris germanica 4x HPUS, 20 mL Okoubaka aubrevillei 6x HPUS.</p> <p>Other Ingredients: Ethyl Alcohol (52% by volume), Water.</p> <p>HPUS indicates that the active ingredients are in the official Homeopathic Pharmacopoeia of the United States.</p> <p>Distributed by: Marco Pharma 851 NW Highland St., Roseburg, OR 97470 Made in Germany.</p> |
|---|---|---|

RUBUS

rubus fruticosus, iris germanica, vaccinium myrtillus, syzygium jambolanum, okoubaka aubrevillei liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:60986-1011 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|---------------------------|--------------------|
| BLACKBERRY (UNII: 8A6OMU3I8L) (BLACKBERRY - UNII:8A6OMU3I8L) | BLACKBERRY | 2 [hp_X] in 100 mL |
| IRIS X GERMANICA ROOT (UNII: 8N6VTJ9IWW) (IRIS X GERMANICA ROOT - UNII:8N6VTJ9IWW) | IRIS X GERMANICA ROOT | 4 [hp_X] in 100 mL |
| BILBERRY (UNII: 9P2U39H18W) (BILBERRY - UNII:9P2U39H18W) | BILBERRY | 3 [hp_X] in 100 mL |
| SYZYGIUM CUMINI SEED (UNII: 820LSF646I) (SYZYGIUM CUMINI SEED - UNII:820LSF646I) | SYZYGIUM CUMINI SEED | 3 [hp_X] in 100 mL |
| OKOUBAKA AUBREVILLEI BARK (UNII: MK2074187Z) (OKOUBAKA AUBREVILLEI BARK - UNII:MK2074187Z) | OKOUBAKA AUBREVILLEI BARK | 6 [hp_X] in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------------------|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:60986-1011-3 | 50 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 03/01/1992 | |
| 2 | NDC:60986-1011-4 | 100 mL in 1 PACKAGE; Type 0: Not a Combination Product | 03/01/1992 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic | | 03/01/1992 | |

Labeler - Marco Pharma International LLC. (161994277)

Registrant - Marco Pharma International LLC. (161994277)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------|---------|-----------|-------------------------|
| Nestmann Pharma GmbH | | 323426262 | manufacture(60986-1011) |

Revised: 1/2026

Marco Pharma International LLC.