

**SUN BUM MINERAL SUNSCREEN BROAD SPECTRUM SPF 50- titanium dioxide,
zinc oxide liquid
Sun Bum LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sun Bum Mineral Sunscreen Spray Broad Spectrum SPF 50

Drug Facts

Active ingredient

Titanium dioxide 3.4%

Zinc oxide 16%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at room temperature above 120°F.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- shake well before use
- hold container 4 to 6 inches from the skin to apply
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- do not spray directly into face. Spray on hands then apply to face
- do not apply in windy conditions
- use in well-ventilated area
- Reapply:
 - after 80 minutes of swimming or sweating, immediately after towel drying
 - at least every 2 hours.
- children under 6 months of age: ask a doctor.
- **Sun Protections Measures-** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

protect this product from excessive heat and direct sun.

Inactive ingredients

water, butyloctyl salicylat, helianthus annus (sunflower) seed oil, dicaprylyl carbonate, propanediol, isocetyl stearyl stearate, methyl dihydroabietate, cetearyl alcohol, polyester-8, sodium stearyl glutamate, coco-glucoside, aloe barbadensis leaf juice, musa sapientum (banana) fruit extract, tocopherol, glycerin, cellulose gum, bentonite, microcrystalline cellulose, caprylyl glycol, silica, polyhydroxystearic acid, citric acid, alumina, bisabolol, sodium gluconate, caprylhydroxamic acid

Questions?

1-877-978-6286

Package Labeling:

Sun Bum® Mineral Sunscreens are carefully formulated to help protect those of us who live and love in the sun.

Trust The Bum®

- Gluten Free
- Paraben Free
- Oxybenzone Free
- Retinyl Palmitate Free
- Vegan
- Hypoallergenic

Drug Facts

Active Ingredients Titanium dioxide 3.4%, Zinc oxide 16% **Purpose** Sunscreen

Uses
 • helps prevent sunburn • if used as directed with other sun protection measures, (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use on damaged or broken skin

When using this product
 • keep out of eyes. Rinse with water to remove.
 • use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
 • do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions
 • shake well before use • hold container 4 to 6 inches from the skin to apply • spray liberally and spread evenly by hand 15 minutes before sun exposure • do not spray directly into face. Spray on hands then apply to face • do not apply in windy conditions • use in well-ventilated area • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: ask a doctor • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses


Other information protect this product from excessive heat and direct sun

Inactive ingredients water, butyloctyl salicylate, helianthus annuus (sunflower) seed oil, dicaprylyl carbonate, propanediol, isocetyl stearoyl searate, methyl dihydroabietate, cetearyl alcohol, polyester-8, sodium stearoyl glutamate, coco-glucoside, aloe barbadensis leaf juice, muisa sapientum (banana) fruit extract, tocopherol, glycerin, cellulose gum, bentonite, microcrystalline cellulose, caprylyl glycol, silica, polyhydroxystearic acid, citric acid, alumina, bisabolol, sodium gluconate, caprylylhydroxamic acid

Questions? 1-877-978-6286



Mfg. for and Dist. by Sun Bum, LLC.
 PO Box 320598 Cocoa Beach, FL,
 32932 USA, © 2018 Sun Bum, LLC.
 Product of USA, R444103. 2Q M5655



Shake It Up



Copy Limit
 Height: 134.864 mm
 Width: 158.5 mm

Backgrounds Bleed to
 Outside Dimensions

50

**Mineral Sunscreen Spray
 Broad Spectrum SPF 50
 With Zinc Oxide & Titanium Dioxide
 Water Resistant (80 Minutes)**

**Fragrance Free for Sensitive Skin
 Hypoallergenic
 Vegan**

Net Wt. 6 OZ / 170 g

SUN BUM MINERAL SUNSCREEN BROAD SPECTRUM SPF 50			
titanium dioxide, zinc oxide liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69039-624
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	34 mg in 1 g	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	160 mg in 1 g	
Inactive Ingredients			
Ingredient Name	Strength		

WATER (UNII: 059QF0KO0R)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
SUNFLOWER OIL (UNII: 3W1JG795YI)
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)
PROPANEDIOL (UNII: 5965N8W85T)
ISOCETYL STEAROYL STEARATE (UNII: IJV4LS383R)
METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)
COCO GLUCOSIDE (UNII: ICS790225B)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
BANANA (UNII: 4AJZ4765R9)
TOCOPHEROL (UNII: R0ZB2556P8)
GLYCERIN (UNII: PDC6A3C0OX)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)
BENTONITE (UNII: A3N5ZCN45C)
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
ALUMINUM OXIDE (UNII: LMI26O6933)
LEVOMENOL (UNII: 24WE03BX2T)
SODIUM GLUCONATE (UNII: R6Q3791S76)
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69039-624-01	170 g in 1 BOTTLE; Type 0: Not a Combination Product	02/22/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/22/2021	

Labeler - Sun Bum LLC (028642574)