# LOPERAMIDE HCL- loperamide hydrochloride capsule, liquid filled TARGET Corporation

-----

#### **Drug Facts**

# Active ingredient (in each capsule)

Loperamide HCl 2 mg

# **Purpose**

Anti-diarrheal

#### Use

controls symptoms of diarrhea, including Travelers' Diarrhea

#### Warnings

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.

**Heart alert:** Taking more than directed can cause serious heart problems or death.

#### Do not use

- if you have bloody or black stool
- in children under 12 years of age

## Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease

#### Ask a doctor or pharmacist before use if you are

taking antibiotics.

# When using this product

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

#### Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging.

These may be signs of a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- not for use in children under 12 years of age
- adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

#### Other information

- store at 20°-25°C (68°-77°F). Protect from light.
- avoid excessive heat above 40°C (104°F)
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date.

# **Inactive ingredients**

butylated hydroxyanisole, edible ink, FD&C blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil and purified water.

#### Questions or comments?

call 1-800-910-6874

#### **Principal Display Panel**

Compare to active ingredient in Imodium® A-D\*\*

#### anti-diarrheal

loperamide hydrochloride capsules, 2 mg

controls the symptoms of diarrhea

suitable for adults and children 12 years and over

**SOFTGELS\*** 

\*each liquid-filled capsule contains 2 mg Loperamide hydrochloride

# THIS PRODUCT IS PACKAGED IN A CHILD RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

#### KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

\*\*This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals, distributor of Imodium® A-D.

Dist. by Target Corporation

Minneapolis, MN 55403

©201Target Brands, Inc.

Shop Target.com

#### **Product Label**

a serious condition.

- you get abdominal swelling or bulging. These may be signs of
  - diarrhea lasts for more than 2 days
    - symptoms get worse

Stop use and ask a doctor if

occur. Be careful when driving or operating machinery. When using this product tiredness, drowsiness, or dizziness may

Ask a doctor or pharmacist before use if you are taking antibiotics.

- fever mucus in the stool a history of liver disease Ask a doctor before use if you have
  - in children under 12 years of age

  - if you have bloody or black stool

esu ton od

problems or death.

Heart alert: Taking more than directed can cause serious heart reaction to loperamide HCI.

Allergy alert: Do not use if you have ever had a rash or other allergic *SbujuseM* 

**USB** Controls symptoms of diambea, including Travelers' Diambea.

Loperamide HCl 2 mg...... lsərmsib-tinA... Purpose

Active ingredient (in each capsule)

Drug Facts

CSII 1-800-910-6874 Questions or comments?

hydrogenated castor oil, purified water FD&C blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 Inactive ingredients butylated hydroxyanisole, edible ink,

- see side panel for lot number and expiration date
- do not use if carton or blister unit is open or torn

  - avoid excessive heat above 40°C (104°F)

■ store at 20°-25°C (68°-77°F). Protect from light.

Other information

but no more than 4 softgels in 24 hours the first loose stool; 1 softgel after each subsequent loose stool;

■ adults and children 12 years of age and over: 2 softgels after

■ not for use in children under 12 years of age

by diarrhea ■ drink plenty of clear fluids to help prevent dehydration caused

Directions or contact a Poison Control Center right away. Keep out of reach of children. In case of overdose, get medical help

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

upaup

# anti-diarrheal

loperamide hydrochloride capsules, 2 mg

Compare to active ingredient in Imodium® A-D\*\*

NDC 11673-520-24

# anti-diarrheal

loperamide hydrochloride capsules, 2 mg

controls the symptoms of diarrhea

suitable for adults and children 12 years and over





IN A CHILD-RESISTANT AND TAMPER-EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT. OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

24 SOFTGELS\*

\*each liquid-filled capsule contains 2 mg loperamide hydrochloride

245 05 0340 R00 IDC-000450-01-031 Dist. by Target Corporation Minneapolis, MN 55403 ©2017 Target Brands, Inc.

REV # 9/16 PLD-A45J FC003890



#### **TARGET Anti-diarrheal**

## LOPERAMIDE HCL

loperamide hydrochloride capsule, liquid filled

## **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11673-520

ORAL **Route of Administration** 

# Active Ingredient/Active Moiety

ı	,		
	Ingredient Name	Basis of Strength	Strength
	LOPERAMIDE HYDRO CHLO RIDE (UNII: 77TI35393C) (LOPERAMIDE -	LOPERAMIDE	2 mg
	UNII:6 X9 O C3 H4 II)	HYDROCHLORIDE	2 1115

Inactive Ingredients				
Ingredient Name	Strength			
BUTYLATED HYDRO XYANISOLE (UNII: REK4960K2U)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6 A3C0 OX)				
GLYCERYL MO NO CAPRYLATE (UNII: TM2TZD4G4A)				
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)				
WATER (UNII: 059QF0KO0R)				

<b>Product Characteristics</b>	roduct Characteristics			
Color	BLUE	Score	no score	
Shape	OVAL	Size	10 mm	
Flavor		Imprint Code	P13	
Contains				

# **Packaging**

#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:11673-520-48	4 in 1 BOX	10 /0 1/20 11	12/30/2021
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11673-520-24	2 in 1 BOX	10/01/2011	12/30/2021
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
NDA	NDA021855	10/01/2011	12/30/2021			

# Labeler - TARGET Corporation (006961700)

Revised: 10/2019 TARGET Corporation