LELY QUARESS PREMO PURE- iodine solution Lely North America, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Warning

For External Use Only

Causes eye irritation.

Wash skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Directions:

Lely Quaress Premo Pure is intended to be used with Lely robotic milking systems.

NOTE: Lely Quaress Premo Pure must be diluted before use.

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER USE DILUTIONS:

Percent	+ Lely Quaress Premo	+ Water By	= Final RTU
<u>Iodine</u>	ˈ <u>Pure</u>	' <u>Part</u>	<u>Product</u>
1.00%	1	3	4
0.75%	1	4.30	5.30
0.50%	1	7	8
0.25%	1	15	16

IMPORTANT: Never use concentrated product on teats. Once concentrated teat dip product has been properly diluted, do not further dilute with water or mix with any other teat dips. Do not reuse or return any unused product to the original container. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling.

Robotics Milking Pre-Milking/Prepping Directions

Pre-milking/prepping: When used with the Lely robotic milking system teats should be prepped according to the recommendations of Lely, using the appropriate Astri brush wash product and procedure.

Pre-Milk Dipping Directions

Pre-milk/prepping: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip or teat spray to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Pre-Milk Spraying or Dipping Directions

Pre-milk spraying or dipping: Before each cow is milked, spray or dip entire teat with ready-to-use (diluted) Lely Quaress Premo Pure. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying or Dipping Directions

Post-milk spraying or dipping: Using fresh final ready-to-use (diluted) product spray or dip entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin spraying or dipping teats twice daily for about 10 days before calving.

PRECAUTION: Lely Quaress Premo Pure is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Principal display panel and representative container

Lely Quaress
Premo Pure
Sanitizing teat spray
18.9 I / 5 US gal
Lely Astronaut

	ACTIVE INGREDIENTS 4.0%	INERT INGREDIENTS 96.0%
Active ingredients 4.0%	HIII ALANIE INNINE 4 U%	(contains propylene glycol, glycerin)
Inert Ingredients 96.0%		

Distributed by:

Lely North America \cdot 1948 Lely Park Way \cdot Pella, Iowa 50219 USA \cdot tel: 1 888 245 4684 Manufactured by:

Ecolab · 1 Ecolab Place · St. Paul MN 55102 USA · tel: 1 800 392 3392

© 2023 Ecolab USA Inc. · All rights reserved | Todos los derechos reservados

Made in United States | Hecho en Estados Unidos

www.ecolab.com





Lely Quaress Premo Pure

Sanitizing teat spray
Spray desinfectante para pezones

18.9 l / 5 US gal

Lely Astronaut

TOTAL INGREDIENTS	100.0%	ACTIVE INGREDIENTS	4.0%	INERT INGREDIENTS	96.0%
Active Ingredients Inert Ingredients	4.0% 96.0%	Titratable Iodine	4.0%	(contains propylene glycol, gl	lycerin)

DIRECTIONS: Lely Quaress Premo Pure is intended to be used with Lely robotic milking systems. NOTE: Lely Quaress Premo Pure must be diluted before use. DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER Percent lodine + Lely Quaress Premo Pure + Water By Part = 1.00% = 1 Final RTU Product 4.30 5.30 0.75% 0.50% 7 15 IMPORTANT: Never use concentrated product on teats. Once concentrated teat dip product has been properly diluted, do not further dilute with water or mix with any other teat dips. Do not reuse or return any unused product to the original container. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling. Robatics Milking Pre-pilking/Pre-piping Directions Pre-milking/pre-piping in Directions Pre-milking/pre-piping in Directions Pre-milking/pre-piping: When used with the Lely robotic milking system teats should be prepped according to the recommendations of Lely, using the appropriate Astri brush wash product and procedure. Pre-milking pirections Pre-milking pre-piping: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip or teat spray to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping. Pre-milk Spraying or Dipping Directions Pre-milk spraying or dipping: Before each cow is milked, spray or dip entire teat with ready-to-use (diluted) Lely Quaress Premo Pure. Wipe teats after spraying using single-service towels to avoid contamination of milk. Post-Milk Spraying or dipping: Directions Post-milk spraying or dipping Directions Post-milk spraying or dipping: Directions Post-milk spraying or dipping: Directions Post-milk spraying or dipping: Directions Post-milk spraying or dipping Directions Post-milk spraying or dipping: Directions Post-milk spraying or dipping Directions IMPORTANT: Never use concentrated product on teats. Once concentrated teat dip product has been properly

An aid in reducing the spread of organisms which may cause mastitis

completely dry. Expanded Usage: When freshening cows, begin spraying or dipping teats twice daily for about 10 days before

calving. PRECAUTION: Lely Quaress Premo Pure is not intended to cure or help the healing of chapped or irritated teats. As vith any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, lave the condition examined and, if necessary, treated by a veterinarian.

KEEP OUT OF REACH OF CHILDREN NOT FOR HUMAN USE

Lely Quaress Premo Pure

DIRECTIONS:

Warning

For External Use Only

Causes eye irritation.

Wash skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing, I feye irritation persists: Get medical advice/attention.

Container Insing, it eye in Industry persons der unband abuncapier indo.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1800 328 0026. If located outside the United States and Canada, call collect

1651 222 5352 (number is in the US).

Lely Quaress Premo Pure

Ayuda a evitar la proliferación de organismos que pueden causar mastitis INSTRUCCIONES:

Lel Quaress Preimo Pure debe ser usado con los sistemas roboticos de ordeñado marca Lely. AVISO: Lely Quaress Preimo Pure diditir antes de usar. NO MEZCLAR CON NADA QUE NO SEA AGUA POTABLE FRÍA

UTILIZAR DILUCIONES:

Porcentaje de yodo	+	Lely Quaress Premo Pure	+	Agua Por Parte	=	Producto RTU final
1.00%		1		3		4
0.75%		1		4.30		5.30
0.50%		1		7		8
0.25%		1		15		16

IMPORTANTE: Nunca utilice producto concentrado en los pezones. Una vez que el sellador de pezones concentrado haya sido diluido adecuadamente, no lo diluya más con agua ni lo mezcle con ningún otro producto sellador de pezones. No reutilice ni devuelva producto no utilizado al envase original. Si se transfiere de este contendo a cualquier otro, asegúrese de que el otro contenedor esté completamente limpio que esté correctamente

Instrucciones de pre-ordeño/preparación para sistema de ordeño robótico
Pre-ordeño/preparación: Cuando se utilicen con el sistema de ordeño robótico Lely, los pezones deben prepararse
de acuerdo con las recomendaciones de Lely, utilizando el producto de limpieza, cepillo Aspri y el procedimiento
adecuado.

Instrucciones de inmersión previo al ordeño Pre-ordeño/preparación: Lave bien los pezones justo antes del próximo ordeño con una solución de lavado de ubres o selladores de pezones de pre-ordeño para evitar la contaminación de la leche. Posteriormente, los pezone deberán secarse con paños desechables o de uso único. Utilice los procedimientos adecuados para el lavado o pre-inmersión de las ubres.

inmersión de las ubres.

Instrucciones de rodo o inmersión previo al ordeño.

Rodo o inmersión pervio al ordeño Antes de ordeñar cada vaca, rocie o sumerja todo el pezón con Lely Quaress
Premo Pure (diludo). Limpie los pezones después de rociar usando paños desechables o de uso único para evitar la
contaminación de la leche.

Instrucciones de rocio o immersión post-ordeño
Rociado o baño posterior al ordeño: Usando producto fresco final listo para usarse (diluido), rocie o sumerja la
totalidad de cada pezón inmediatamente después de cada ordeño y deje secar al aire. No exponga las vacas a climas
helados hasta que el producto esté completamente seco.

Uso Extendido: Al refrescar vacas, comience a rociar o sumergir los pezones dos veces al dia durante
aproximadamente 1 o dias antes del parto.

PRECAUCIÓN: Lely Quaress Premo Pure no está pensado para curar ni ayudar a sanar los pezones agrietados o
irritados. Como cualquier germicida, el producto puede causar irritación o sensibilización en los animales sensibles.

Si los pezones están agrietados o irritados, encargue a un veterinario que examine la condición y la trate si es
necesario.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USO HUMANO

Provoca irritación ocular.

rse la piel cuidadosamente después de la manipulación.

Lavarse la piel cuidadosamente despues de la manipulacion.
EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico.
LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO
INFORMACIÓN DE EMERGENCIA SOBRE SALIUD: 1800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

Distributed by:

Lely North America · 1948 Lely Park Way · Pella, Iowa 50219 USA · tel: 1 888 245 4684

Ecolab · 1 Ecolab Place · St. Paul MN 55102 USA · tel: 1 800 392 3392

© 2023 Ecolab USA Inc. - All rights reserved | Todos los derechos reservados Made in United States | Hecho en Estados Unidos

6302428



LELY QUARESS PREMO PURE

iodine solution

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86190-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	40 mg in 1 mL

Inactive Ingredients			
Ingredient Name	Strength		
GLYCERIN (UNII: PDC6A3C0OX)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:86190-010-21	208000 mL in 1 DRUM				
2	NDC:86190-010-16	18900 mL in 1 PAIL				
3	NDC:86190-010-17	56700 mL in 1 DRUM				
4	NDC:86190-010-44	1150000 mL in 1 CONTAINER				

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	10/30/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Labeler - Lely North America, Inc. (798881780)

Revised: 10/2023 Lely North America, Inc.