

**INSTANT- instant liquid
Unlimited Sales**

Hand Sanitizer PLD template II

Active Ingredient

Ethyl Alcohol 60%.....Antiseptic

purpose

Antiseptic

Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

Warnings

- Flammable. Keep away from fire or flame.
- For external use only.

do not use

- In the eyes

When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

Directions for Use

- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).

- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

| | |
|--|------------------------------|
| Drug Facts | |
| Active Ingredient Ethyl Alcohol 60% | Purpose Antiseptic |
| Uses • Sanitizer to help decrease bacteria on the skin. • Recommended for repeated use. | |
| Warnings • Flammable. Keep away from fire or flame. • For external use only. Do not use • In the eyes. | |
| When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If Swallowed, seek medical assistance or consult a poison control center immediately. | |
| Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. | |
| Keep out of reach of children. | |
| Directions Place a "palmful" (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds. | |
| Other Information Store below 95°F. • Close spout to avoid evaporation. | |
| Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer. | |

Sold by
UNLIMITED SALES, INC.
817 Buck Hendry Way • Stuart, FL 34994
1-800-338-1521
Visit us @ ProlineSolutionsStore.com



| | |
|--|---------------------------------|
| Datos Médicos | |
| Ingrediente Activo Alcohol etílico 60% | Propósito Antiséptico |
| Usos • Desinfectante para ayudar a disminuir las bacterias en la piel. • Recomendado para uso repetitivo. | |
| Advertencia • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente. | |
| No use • En los ojos. | |
| Cuando usando este producto • No use cerca de los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un médico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente. | |
| Para el uso y pregúntele a un doctor • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • Mantenga lejos de los niños. | |
| Direcciones Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad más pequeña (2.5 gramos) en una mano, difundiéndola sobre las dos manos hasta la muñeca, y frótese en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos. | |
| Otra Información Almacene bajo de 95°F. • Cierre el pico para evitar evaporación. | |
| Ingredientes inactivo Agua, Trietanolamina, Fragancia, Acrílico Polímero. | |

Made in USA NDC 48324-693-03 60006011

INSTANT

instant liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:48324-693 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|-----------------|
| ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) | ALCOHOL | 67 mL in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------|----------|
| CARBOMER 940 (UNII: 4Q93RCW27E) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:48324-693-03 | 3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 05/14/2020 | |

Marketing Information

| Marketing | Application Number or Monograph | Marketing Start | Marketing End |
|-----------|---------------------------------|-----------------|---------------|
|-----------|---------------------------------|-----------------|---------------|

| Category | Citation | Date | Date |
|--------------------|------------|------------|------|
| OTC Monograph Drug | 505G(a)(3) | 05/14/2020 | |

Labeler - Unlimited Sales (122170467)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------------|---------|-----------|------------------------|
| QuestSpecialty Corporation | | 103840377 | manufacture(48324-693) |

Revised: 12/2024

Unlimited Sales