

**ANTIBACTERIAL WIPES UNSCENTED- benzethonium chloride solution
ZHANGZHOU WANSIKE ELECTRONICS CO., LTD**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**80593-008
ANTIBACTERIAL WIPES UNSCENTED**

Active Ingredient(s)

Benzalkonium Chloride 0.28%

Purpose

Effective Against□

*Staphylococcus aureus *Pseudomonas aeruginosa *E.coli
*Salmonella choleraesuis *Proteus vulgaris

Use

Avoid contamination of food. Avoid direct contact with eyes as may cause eye irritation, In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists seek medical attention.

Warnings

1. Unscrew lid from dispenser and remove foil seal from top.
2. Take first towelette from centre of roll and place through the dispensing eye on lid.
3. Replace lid back and open dispensing cap.
4. Pull towelettes out through the dispensing eye for disinfecting use.
5. Close dispensing cap after each use to avoid evaporation of product liquid.
6. Do not mix with other detergents or disinfectant solutions.

Do not use

Do not mix with other detergents or disinfectant solutions.

1. Unscrew lid from dispenser and remove foil seal from top.
2. Take first towelette from centre of roll and place through the dispensing eye on lid.
3. Replace lid back and open dispensing cap.
4. Pull towelettes out through the dispensing eye for disinfecting use.
5. Close dispensing cap after each use to avoid evaporation of product liquid.
6. Do not mix with other detergents or disinfectant solutions.

/

/

Directions

Instructions for use□

- 1.Unscrew lid from dispenser and remove foil seal from top.
- 2.Take first towelette from centre of roll and place through the dispensing eye on lid.
- 3.Replace lid back and open dispensing cap.
- 4.Pull towelettes out through the dispensing eye for disinfecting use.
- 5.Close dispensing cap after each use to avoid evaporation of product liquid.
- 6.Do not mix with other detergents or disinfectant solutions.

Other information

/

Inactive ingredients

Isopropyl Alcohol 18%
Phenoxyethanol 0.3%
Propylene glycol 0.3%
Pure Water

Package Label - Principal Display Panel

80593-008-01 180 solution in 1 Bag



ORIGIN DENTAL

Disinfecting Wipes

Store below 25°C

Contains

Benzalkonium chloride 0.28% v/v

Isopropyl alcohol 18% v/v

Inert ingredient 81.72% v/v

180pcs

Towelette Size:15.2X23.2cm

Precautions:

Avoid contamination of food. Avoid direct contact with eyes as may cause eye irritation. In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists seek medical attention.

Effective Against:

*Staphylococcus aureus*Pseudomonas aeruginosa*E.coil

*Salminella choleraesuis*Proteus vulgaris

Instructions for use:

1. Unscrew lid from dispenser and remove foil seal from top.
2. Take first towelette from centre of roll and place through the dispensing eye on lid.
3. Replace lid back and open dispensing cap.
4. Pull towelettes out through the dispensing eye for disinfecting use.
5. Close dispensing cap after each use to avoid evaporation of product liquid.
6. Do not mix with other detergents or disinfectant solutions.

Imported & Exclusively Distributed by:

Origin Dental Pty Ltd

Suite 204/70 Caatlereagh St Sydney NSW 2000

(02)9414 7658 | supply@origindental.com.au

80593-008-02 220 solution in 1 Bag



ORIGIN DENTAL

Disinfecting Wipes

Store below 25°C

Contains

Benzalkonium chloride 0.28% v/v

Isopropyl alcohol 18% v/v

Inert ingredient 81.72% v/v

220pcs

Towelette Size:15.2X23.2cm

Precautions:

Avoid contamination of food. Avoid direct contact with eyes as may cause eye irritation. In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists seek medical attention.

Effective Against:

*Staphylococcus aureus*Pseudomonas aeruginosa*E.coil
*Salminella choleraesuis*Proteus vulgaris

Instructions for use:

1. Unscrew lid from dispenser and remove foil seal from top.
2. Take first towelette from centre of roll and place through the dispensing eye on lid.
3. Replace lid back and open dispensing cap.
4. Pull towelettes out through the dispensing eye for disinfecting use.
5. Close dispensing cap after each use to avoid evaporation of product liquid.
6. Do not mix with other detergents or disinfectant solutions.

Imported & Exclusively Distributed by:

Origin Dental Pty Ltd

Suite 204/70 Caatlereagh St Sydney NSW 2000

(02)9414 7658 | supply@origindental.com.au

80593-008-03 80 solution in 1 canister

Precautions:
Avoid contamination of food. Avoid direct contact with eyes as may cause eye irritation. In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists seek medical attention.

Effective Against:
*Staphylococcus aureus*Pseudomonas aeruginosa*E.coil
*Salminella choleraesuis*Proteus vulgaris



ORIGIN DENTAL

Disinfecting Wipes

Store below 25°C

Contains
Benzalkonium chloride 0.28% v/v
Isopropyl alcohol 18% v/v
Inert ingredient 81.72% v/v

80pcs
Towelette Size:15.2X23.2cm

Instructions for use:

1. Unscrew lid from dispenser and remove foil seal from top.
2. Take first towelette from centre of roll and place through the dispensing eye on lid.
3. Replace lid back and open dispensing cap.
4. Pull towelettes out through the dispensing eye for disinfecting use.
5. Close dispensing cap after each use to avoid evaporation of product liquid.
6. Do not mix with other detergents or disinfectant solutions.

Imported & Exclusively Distributed by:
Origin Dental Pty Ltd
Suite 204/70 Caatlereagh St Sydney NSW 2000
(02)9414 7658 | supply@origindental.com.au

80593-008-04 100 solution in 1 canister

Precautions:
Avoid contamination of food. Avoid direct contact with eyes as may cause eye irritation. In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists seek medical attention.

Effective Against:
*Staphylococcus aureus*Pseudomonas aeruginosa*E.coil
*Salminella choleraesuis*Proteus vulgaris



ORIGIN DENTAL

Disinfecting Wipes

Store below 25°C

Contains
Benzalkonium chloride 0.28% v/v
Isopropyl alcohol 18% v/v
Inert ingredient 81.72% v/v

100pcs
Towelette Size:15.2X23.2cm

Instructions for use:

1. Unscrew lid from dispenser and remove foil seal from top.
2. Take first towelette from centre of roll and place through the dispensing eye on lid.
3. Replace lid back and open dispensing cap.
4. Pull towelettes out through the dispensing eye for disinfecting use.
5. Close dispensing cap after each use to avoid evaporation of product liquid.
6. Do not mix with other detergents or disinfectant solutions.

Imported & Exclusively Distributed by:
Origin Dental Pty Ltd
Suite 204/70 Caatlereagh St Sydney NSW 2000
(02)9414 7658 | supply@origindental.com.au

80593-008-05 160 solution in 1 canister

Precautions:
Avoid contamination of food. Avoid direct contact with eyes as may cause eye irritation. In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists seek medical attention.

Effective Against:
*Staphylococcus aureus*Pseudomonas aeruginosa*E.coil
*Salminella choleraesuis*Proteus vulgaris



ORIGIN DENTAL

Disinfecting Wipes

Store below 25°C

Contains
Benzalkonium chloride 0.28% v/v
Isopropyl alcohol 18% v/v
Inert ingredient 81.72% v/v

160pcs
Towelette Size:15.2X23.2cm

Instructions for use:

1. Unscrew lid from dispenser and remove foil seal from top.
2. Take first towelette from centre of roll and place through the dispensing eye on lid.
3. Replace lid back and open dispensing cap.
4. Pull towelettes out through the dispensing eye for disinfecting use.
5. Close dispensing cap after each use to avoid evaporation of product liquid.
6. Do not mix with other detergents or disinfectant solutions.

Imported & Exclusively Distributed by:
Origin Dental Pty Ltd
Suite 204/70 Caatlereagh St Sydney NSW 2000
(02)9414 7658 | supply@origindental.com.au

80593-008-06 180 solution in 1 canister

Precautions:
Avoid contamination of food. Avoid direct contact with eyes as may cause eye irritation. In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists seek medical attention.

Effective Against:
Staphylococcus aureus
Pseudomonas aeruginosa
E. coli
Salmonella choleraesuis
Proteus vulgaris



ORIGIN DENTAL

Disinfecting Wipes

Store below 25°C

Contains
Benzalkonium chloride 0.28% v/v
Isopropyl alcohol 18% v/v
Inert ingredient 81.72% v/v

180pcs
Towelette Size: 15.2X23.2cm

Instructions for use:

1. Unscrew lid from dispenser and remove foil seal from top.
2. Take first towelette from centre of roll and place through the dispensing eye on lid.
3. Replace lid back and open dispensing cap.
4. Pull towelettes out through the dispensing eye for disinfecting use.
5. Close dispensing cap after each use to avoid evaporation of product liquid.
6. Do not mix with other detergents or disinfectant solutions.

Imported & Exclusively Distributed by:
Origin Dental Pty Ltd
Suite 204/70 Caatlereagh St Sydney NSW 2000
(02)9414 7658 | supply@origindental.com.au

80593-008-07 220 solution in 1 canister

Precautions:
Avoid contamination of food. Avoid direct contact with eyes as may cause eye irritation. In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists seek medical attention.

Effective Against:
Staphylococcus aureus
Pseudomonas aeruginosa
E. coli
Salmonella choleraesuis
Proteus vulgaris



ORIGIN DENTAL

Disinfecting Wipes

Store below 25°C

Contains
Benzalkonium chloride 0.28% v/v
Isopropyl alcohol 18% v/v
Inert ingredient 81.72% v/v

220pcs
Towelette Size: 15.2X23.2cm

Instructions for use:

1. Unscrew lid from dispenser and remove foil seal from top.
2. Take first towelette from centre of roll and place through the dispensing eye on lid.
3. Replace lid back and open dispensing cap.
4. Pull towelettes out through the dispensing eye for disinfecting use.
5. Close dispensing cap after each use to avoid evaporation of product liquid.
6. Do not mix with other detergents or disinfectant solutions.

Imported & Exclusively Distributed by:
Origin Dental Pty Ltd
Suite 204/70 Caatlereagh St Sydney NSW 2000
(02)9414 7658 | supply@origindental.com.au

80593-008-08 300 solution in 1 canister



ORIGIN DENTAL

Disinfecting Wipes

Store below 25°C

Contains

Benzalkonium chloride 0.28% v/v

Isopropyl alcohol 18% v/v

Inert ingredient 81.72% v/v

300pcs

Towelette Size:15.2X23.2cm

Instructions for use:

- 1.Unscrew lid from dispenser and remove foil seal from top.
- 2.Take first towelette from centre of roll and place through the dispensing eye on lid.
- 3.Replace lid back and open dispensing cap.
- 4.Pull towelettes out through the dispensing eye for disinfecting use.
- 5.Close dispensing cap after each use to avoid evaporation of product liquid.
- 6.Do not mix with other detergents or disinfectant solutions.

Imported & Exclusively Distributed by:

Origin Dental Pty Ltd

Suite 204/70 Caatlereagh St Sydney NSW 2000

(02)9414 7658 | supply@origindental.com.au

Precautions:

Avoid contamination of food.Avoid direct contact with eyes as may cause eye irritation.In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes.If irritation persists seek medical attention.

Effective Against:

*Staphylococcus aureus*Pseudomonas aeruginosa*E.coil

*Salminella choleraesuis*Proteus vulgaris

Precautions:

Avoid contamination of food.Avoid direct contact with eyes as may cause eye irritation.In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes.If irritation persists seek medical attention.

Effective Against:

*Staphylococcus aureus*Pseudomonas aeruginosa*E.coil

*Salminella choleraesuis*Proteus vulgaris

Instructions for use:

- 1.Unscrew lid from dispenser and remove foil seal from top.
- 2.Take first towelette from centre of roll and place through the dispensing eye on lid.
- 3.Replace lid back and open dispensing cap.
- 4.Pull towelettes out through the dispensing eye for disinfecting use.
- 5.Close dispensing cap after each use to avoid evaporation of product liquid.
- 6.Do not mix with other detergents or disinfectant solutions.

Imported & Exclusively Distributed by:

Origin Dental Pty Ltd

Suite 204/70 Caatlereagh St Sydney NSW 2000

(02)9414 7658 | supply@origindental.com.au



ORIGIN DENTAL

Disinfecting Wipes

Store below 25°C

Contains

Benzalkonium chloride 0.28% v/v

Isopropyl alcohol 18% v/v

Inert ingredient 81.72% v/v

500pcs

Towelette Size:15.2X23.2cm

80593-008-10 800 solution in 1 canister

Precautions:

Avoid contamination of food. Avoid direct contact with eyes as may cause eye irritation. In case of direct eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists seek medical attention.

Effective Against:

Staphylococcus aureus
Pseudomonas aeruginosa
E.coli
Salmonella choleraesuis
Proteus vulgaris

Instructions for use:

1. Unscrew lid from dispenser and remove foil seal from top.
2. Take first towelette from centre of roll and place through the dispensing eye on lid.
3. Replace lid back and open dispensing cap.
4. Pull towelettes out through the dispensing eye for disinfecting use.
5. Close dispensing cap after each use to avoid evaporation of product liquid.
6. Do not mix with other detergents or disinfectant solutions.

Imported & Exclusively Distributed by:
Origin Dental Pty Ltd
Suite 204/70 Caatlereagh St Sydney NSW 2000
(02)9414 7658 | supply@origindental.com.au



ORIGIN DENTAL

Disinfecting Wipes

Store below 25°C

Contains

Benzalkonium chloride 0.28% v/v

Isopropyl alcohol 18% v/v

Inert ingredient 81.72% v/v

800pcs

Towelette Size: 15.2X23.2cm

ANTIBACTERIAL WIPES UNSCENTED

benzethonium chloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80593-008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.28 g in 100

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PHENOXYETHANOL (UNII: H1E492ZZ3T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80593-008-01	180 in 1 BAG; Type 0: Not a Combination Product	03/30/2020	
2	NDC:80593-008-03	80 in 1 CANISTER; Type 0: Not a Combination Product	03/30/2020	
3	NDC:80593-008-09	500 in 1 CANISTER; Type 0: Not a Combination Product	03/30/2020	
4	NDC:80593-008-04	100 in 1 CANISTER; Type 0: Not a Combination Product	03/30/2020	
5	NDC:80593-008-02	220 in 1 BAG; Type 0: Not a Combination Product	03/30/2020	
6	NDC:80593-008-05	160 in 1 CANISTER; Type 0: Not a Combination Product	03/30/2020	
7	NDC:80593-008-06	180 in 1 CANISTER; Type 0: Not a Combination Product	03/30/2020	
8	NDC:80593-008-07	220 in 1 CANISTER; Type 0: Not a Combination Product	03/30/2020	
9	NDC:80593-008-10	800 in 1 CANISTER; Type 0: Not a Combination Product	03/30/2020	
10	NDC:80593-008-08	300 in 1 CANISTER; Type 0: Not a Combination Product	03/30/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	03/30/2020	

Labeler - ZHANGZHOU WANSIKE ELECTRONICS CO., LTD (560452758)

Establishment

Name	Address	ID/FEI	Business Operations
ZHANGZHOU WANSIKE ELECTRONICS CO., LTD		560452758	manufacture(80593-008)

Revised: 3/2021

ZHANGZHOU WANSIKE ELECTRONICS CO., LTD