

SLAP HAPPY- slap happy liquid
Beaver Research Company

Hand Sanitizer PLD template II

Active Ingredient

Ethyl Alcohol 60%.....Antiseptic

purpose

Antiseptic

Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

Warnings

- Flammable. Keep away from fire or flame.
- For external use only.

do not use

- In the eyes

When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

Directions for Use

- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).

- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

600004512

Made in USA

HMIS Ratings: Health - 1, Flammability - 3, Reactivity - 0, Personal - A.

Drug Facts	
Active ingredient	Purpose
Ethyl Alcohol 60%	Antiseptic
Uses	
<ul style="list-style-type: none"> • Handwash to help decrease bacteria on the skin. • Recommended for repeated use. 	
Warnings	
<ul style="list-style-type: none"> • Flammable. Keep away from fire or flame. • For external use only. 	
Do not use	
<ul style="list-style-type: none"> • In the eyes. 	
When using this product	
<ul style="list-style-type: none"> • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately. 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.	
Directions	
Place a 'palmful' (5 grams) of product in one hand.	
<ul style="list-style-type: none"> • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds. 	
Other information	
Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients	
Water, Triethanolamine, Fragrance, Acrylic Polymer.	



BEAVER[®]



SLAP HAPPY

Gel Antiseptic Handwash
Gel Antiséptico Lavamano

Kills 99.9% of Most Common Germs
Evaporates Quickly
Leaves Hands Soft

WARNING
FLAMMABLE. KEEP OUT OF
REACH OF CHILDREN
See Additional Cautions on Side Panel

NET CONTENTS: 4 FL. OZ.

600004614

Made in USA

HMIS Ratings: Health - 1, Flammability - 3, Reactivity - 0, Personal - A.

Drug Facts	
Active ingredient	Purpose
Ethyl Alcohol 60%	Antiseptic
Uses	
<ul style="list-style-type: none"> Sanitize to help decrease bacteria on the skin. Recommended for repeated use. 	
Warnings • Flammable. Keep away from fire or flame.	
• For external use only.	
Do not use • In the eyes.	
When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor.	
Keep out of reach of children.	
Directions	
Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
Other information	
Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients	
Water, Triethanolamine, Fragrance, Acrylic Polymer.	



BEAVER[®]



SLAP HAPPY

Hand Sanitizer

Kills 99.9% of Most Common Germs

Evaporates Quickly

Leaves Hands Soft

WARNING

FLAMMABLE. KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel

NET CONTENTS: 8 FL. OZ.



Kills 99.9% of Most Common Germs

Evaporates Quickly
Leaves Hands Soft

WARNING
FLAMMABLE. KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel
NET CONTENTS: 1 GALLON

Drug Facts	
Active ingredient	Purpose
Ethyl Alcohol 60%	Antiseptic
Uses	
<ul style="list-style-type: none"> Sanitize to help decrease bacteria on the skin. Recommended for repeated use. 	
Warnings • Flammable. Keep away from fire or flame. • For external use only.	
• In the eyes.	
When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor.	
Keep out of reach of children.	
Directions	
Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
Other information	
Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.	

Made in USA

600004614



NDC 50254-693-03



290047

SLAP HAPPY

slap happy liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50254-693
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	67 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOMER 940 (UNII: 4Q93RCW27E)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50254-693-03	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/02/2020	
2	NDC:50254-693-02	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/02/2020	
3	NDC:50254-693-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/02/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/02/2020	

Labeler - Beaver Research Company (044960466)**Establishment**

Name	Address	ID/FEI	Business Operations
QuestSpecialty Corporation		103840377	manufacture(50254-693)

Revised: 12/2024

Beaver Research Company