

SANI-LOTION- sani-lotion liquid
Tifco Industries

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Hand Sanitizer PLD template II

Active Ingredient

Ethyl Alcohol 60%.....Antiseptic

purpose

Antiseptic

Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

Warnings

- Flammable. Keep away from fire or flame.
- For external use only.

do not use

- In the eyes

When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

Directions for Use

- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).
- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

Drug Facts	
Active ingredient	Purpose
Ethyl Alcohol 60%	Antiseptic
Uses	
• Sanitizer to help decrease bacteria on the skin. • Recommended for repeated use.	
Warnings • Flammable. Keep away from fire or flame. • For external use only.	
Do not use • In the eyes.	
When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.	
Directions	
Place a 'palmful'(5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
Other information	
Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients	
Water, Triethanolamine, Fragrance, Acrylic Polymer.	

Made in USA

NDC 81434-693-02

600004821



Manufactured For:

tifco industries

PO Box 40277
Houston, TX 77240
Reno, NV 89515

800-868-4326
www.tifco.com
tifco@tifco.com

PROFESSIONAL CHEMICALS

SANI-LOTION

GEL ANTISEPTIC 95351 SANITIZER

- **Kills 99.9% of Most Common Germs**
- **Evaporates Quickly**
- **Leaves Hands Soft**
- **Sanitizes Hands Without Water or Towel**

WARNING FLAMMABLE
KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel

NET CONTENTS: 8 FL. OZ.

MADE IN THE U.S.A.

SDS AVAILABLE AT WWW.TIFCO.COM

Drug Facts	
Active ingredient Ethyl Alcohol 60%	Purpose Antiseptic
Uses • Handwash to help decrease bacteria on the skin. • Recommended for repeated use.	
Warnings • Flammable. Keep away from fire or flame. • For external use only.	
Do not use • In the eyes.	
When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.	
Directions Place a palmful (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
Other information Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.	

Made in USA NDC 81434-693-01 600004479



Manufactured For:

tifco industries

PO Box 40277
Houston, TX 77240
Reno, NV 89515

800-868-4326
www.tifco.com
tifco@tifco.com



PROFESSIONAL CHEMICALS

SANI-LOTION

GEL ANTISEPTIC 9523 HANDWASH

- Kills 99.9% of Most Common Germs
- Evaporates Quickly
- Leaves Hands Soft
- Sanitizes Hands Without Water or Towel

WARNING FLAMMABLE
KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel

NET CONTENTS: 4 FL. OZ.

MADE IN THE U.S.A.

SDS AVAILABLE AT WWW.TIFCO.COM

Drug Facts	
Active ingredient Ethyl Alcohol 60%	Purpose Antiseptic
Uses • Sanitizer to help decrease bacteria on the skin. • Recommended for repeated use.	
Warnings • Flammable. Keep away from fire or flame. • For external use only.	
Do not use • In the eyes.	
When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.	
Directions Place a palmful (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
Other information Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.	



PROFESSIONAL CHEMICALS

SANI-LOTION

GEL ANTISEPTIC 95350 SANITIZER

- Kills 99.9% of Most Common Germs
- Evaporates Quickly
- Leaves Hands Soft
- Sanitizes Hands Without Water or Towel

WARNING / ADVERTENCIA
FLAMMABLE. KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel
INFLAMMABLE. NO SE DEJE AL ALCANCE DE LOS NIÑOS
Vea Precauciones Adicionales a Lado

NET CONTENTS: 1 GALLON

SDS AVAILABLE AT WWW.TIFCO.COM

Datos Médicos	
Ingrediente Activo Alcohol etílico 60%	Propósito Antiséptico
Usos • Lave con las manos para disminuir la bacteria en la piel. • Recomendado para uso repetitivo.	
Advertencia • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente.	
No use • En los ojos.	
Cuando usando este producto • No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un médico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente.	
Pare el uso y pregúntele a un doctor • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • Mantenga lejos de los niños.	
Direcciones Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.	
Otra Información Almacene bajo de 95°F. • Cierre el pico para evitar evaporación.	
Ingredientes inactivo Agua, Trietanolamina, Fragancia, Acrílico Polímero.	



Manufactured For:

tifco industries

NDC 81434-693-03

PO Box 40277
Houston, TX 77240
Reno, NV 89515

800-868-4326
www.tifco.com
tifco@tifco.com

600004479

SANI-LOTION

sani-lotion liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:81434-693

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	67 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOMER 940 (UNII: 4Q93RCW27E)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81434-693-03	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/17/2010	
2	NDC:81434-693-02	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/17/2010	
3	NDC:81434-693-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/17/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	11/17/2010	

Labeler - Tifco Industries (008106627)

Establishment

Name	Address	ID/FEI	Business Operations
QuestSpecialty Corporation		103840377	manufacture(81434-693)

Revised: 3/2021

Tifco Industries