

SANI-LOTION- sani-lotion liquid
Tifco Industries

Hand Sanitizer PLD template II

Active Ingredient

Ethyl Alcohol 60%.....Antiseptic

purpose

Antiseptic

Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

Warnings

- Flammable. Keep away from fire or flame.
- For external use only.

do not use

- In the eyes

When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

Directions for Use

- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).

- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

Drug Facts	
Active ingredient	Purpose
Ethyl Alcohol 60%	Antiseptic
Uses	
• Sanitizer to help decrease bacteria on the skin. • Recommended for repeated use.	
Warnings • Flammable. Keep away from fire or flame. • For external use only.	
Do not use • In the eyes.	
When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.	
Directions	
Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
Other information	
Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients	
Water, Triethanolamine, Fragrance, Acrylic Polymer.	

Made in USA

NDC 81434-693-02

600004821



Manufactured For:

tifco industries

PO Box 40277
Houston, TX 77240
Reno, NV 89515

800-868-4326
www.tifco.com
tifco@tifco.com


PROFESSIONAL CHEMICALS

SANI-LOTION

GEL
ANTISEPTIC 95351
SANITIZER

- **Kills 99.9% of Most Common Germs**
- **Evaporates Quickly**
- **Leaves Hands Soft**
- **Sanitizes Hands Without Water or Towel**

WARNING
FLAMMABLE
KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel

NET CONTENTS: 8 FL. OZ.



SDS AVAILABLE AT WWW.TIFCO.COM

Drug Facts	
Active ingredient Ethyl Alcohol 60%	Purpose Antiseptic
Uses • Handwash to help decrease bacteria on the skin. • Recommended for repeated use.	
Warnings • Flammable. Keep away from fire or flame. • For external use only.	
Do not use • In the eyes.	
When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.	
Directions Place a palmful (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
Other information Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.	

Made in USA NDC 81434-693-01 600004479



Manufactured For:

tifco industries

PO Box 40277
Houston, TX 77240
Reno, NV 89515

800-868-4326
www.tifco.com
tifco@tifco.com



PROFESSIONAL CHEMICALS

SANI-LOTION

GEL ANTISEPTIC HANDWASH 9523

- Kills 99.9% of Most Common Germs
- Evaporates Quickly
- Leaves Hands Soft
- Sanitizes Hands Without Water or Towel

WARNING FLAMMABLE
KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel

NET CONTENTS: 4 FL. OZ.

MADE IN THE U.S.A.

SDS AVAILABLE AT WWW.TIFCO.COM

Drug Facts	
Active ingredient Ethyl Alcohol 60%	Purpose Antiseptic
Uses • Sanitizer to help decrease bacteria on the skin. • Recommended for repeated use.	
Warnings • Flammable. Keep away from fire or flame. • For external use only.	
Do not use • In the eyes.	
When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.	
Directions Place a palmful (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
Other information Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.	



PROFESSIONAL CHEMICALS

SANI-LOTION

GEL ANTISEPTIC SANITIZER 9535

- Kills 99.9% of Most Common Germs
- Evaporates Quickly
- Leaves Hands Soft
- Sanitizes Hands Without Water or Towel

WARNING / ADVERTENCIA
FLAMMABLE. KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel
INFLAMABLE. NO SE DEJE AL ALCANCE DE LOS NIÑOS
Vea Precauciones Adicionales a Lado

NET CONTENTS: 1 GALLON

SDS AVAILABLE AT WWW.TIFCO.COM

Datos Médicos	Propósito
Ingrediente Activo Alcohol etílico 60%	Antiséptico
Usos • Lave con las manos para disminuir la bacteria en la piel. • Recomendado para uso repetitivo.	
Advertencia • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente.	
No use • En los ojos.	
Cuando usando este producto • No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un médico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente.	
Pare el uso y pregúntele a un doctor • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • Mantenga lejos de los niños.	
Direcciones Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.	
Otra Información Almacene bajo de 95°F. • Cierre el pico para evitar evaporación.	
Ingredientes inactivo Agua, Trietanolamina, Fragancia, Acrílico Polímero.	



Manufactured For:

tifco industries

NDC 81434-693-03

PO Box 40277
Houston, TX 77240
Reno, NV 89515

800-868-4326
www.tifco.com
tifco@tifco.com

600004479

SANI-LOTION

sani-lotion liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:81434-693

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	67 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOMER 940 (UNII: 4Q93RCW27E)	
TROLAMINE (UNII: 903K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81434-693-03	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/17/2010	
2	NDC:81434-693-02	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/17/2010	
3	NDC:81434-693-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/17/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	11/17/2010	

Labeler - Tifco Industries (008106627)

Establishment

Name	Address	ID/FEI	Business Operations
QuestSpecialty Corporation		103840377	manufacture(81434-693)

Revised: 12/2024

Tifco Industries