

HAN-SAN- han-san liquid
Pro-Line Industrial Products

Hand Sanitizer PLD template II

Active Ingredient

Ethyl Alcohol 60%.....Antiseptic

purpose

Antiseptic

Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

Warnings

- Flammable. Keep away from fire or flame.
- For external use only.

do not use

- In the eyes

When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

Directions for Use

- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).

- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

HAN-SAN

GEL ANTISEPTIC HAND SANITIZER

- EVAPORATES QUICKLY
- LEAVES HANDS SOFT

WARNING/ADVERTENCIA:
FLAMMABLE
 KEEP OUT OF REACH OF CHILDREN
 See Additional Cautions on Side Panel

INFLAMABLE
 NO SE DEJE AL ALCANCE DE LOS NIÑOS
 Vea Precauciones Adicionales a Lado

NET CONTENTS: 4 FL. OZ.



Drug Facts

Active ingredient	Purpose
Ethyl Alcohol 60%	Antiseptic

Uses

- Handwash to help decrease bacteria on the skin.
- Recommended for repeated use.

Warnings • **Flammable. Keep away from fire or flame.**
 • **For external use only.**

Do not use • In the eyes.

When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor.
Keep out of reach of children.

Directions
 Place a 'palmful' (5 grams) of product in one hand.
 • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
 • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds).
 • Will air dry in 15 seconds.

Other information
 Store below 95°F. • Close spout to avoid evaporation.

Inactive ingredients
 Water, Triethanolamine, Fragrance, Acrylic Polymer.

Sold By:
Pro-Line Industrial Products, Inc.
 PO Box 401 • Dixon, CA 95620
 800-263-9436 • fax 888-676-9716
 Made in USA www.prolineindustrial.com 600004487

NDC 81504-693-01

HAN-SAN

GEL ANTISEPTIC HAND SANITIZER

- EVAPORATES QUICKLY
- LEAVES HANDS SOFT

WARNING/ADVERTENCIA:

FLAMMABLE
KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel
INFLAMABLE
NO SE DEJE AL ALCANCE DE LOS NIÑOS
Vea Precauciones Adicionales a Lado

NET CONTENTS: 8 FL. OZ.



Sold By:
Pro-Line Industrial Products, Inc.
PO Box 401 • Dixon, CA 95620
800-263-9436 • fax 888-676-9716
www.prolineindustrial.com

Drug Facts

Active ingredient Ethyl Alcohol 60% **Purpose** Antiseptic

Uses
• Handwash to help decrease bacteria on the skin. • Recommended for repeated use.

Warnings • Flammable. Keep away from fire or flame. • For external use only.
Do not use • In the eyes.

When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. **Keep out of reach of children.**

Directions
Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.

Other information Store below 95°F. • Close spout to avoid evaporation.

Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.

Datos Médicos

Ingrediente Activo Alcohol etílico 60% **Propósito** Antiséptico

Usos
• Lave con las manos para disminuir la bacteria en la piel • Recomendado para uso repetitivo

Advertencia • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente.
No use • En los ojos

Cuando usando este producto • No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un medico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente.

Para el uso y pregúntele a un doctor • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • **Mantenga lejos de los niños.**

Direcciones
Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.

Otra Información Almacene bajo de 95°F. • Cierre el pico para evitar evaporación.

Ingredientes inactivo Agua, Trietanolamina, Fragancia, Acrílico Polímero.

Made in USA

600004652

NDC 81504-693-02

Drug Facts

Active ingredient Ethyl Alcohol 60% **Purpose** Antiseptic

Uses
• Handwash to help decrease bacteria on the skin. • Recommended for repeated use.

Warnings • Flammable. Keep away from fire or flame. • For external use only.
Do not use • In the eyes.

When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. **Keep out of reach of children.**

Directions
Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.

Other information Store below 95°F. • Close spout to avoid evaporation.

Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.

HAN-SAN

GEL ANTISEPTIC HAND SANITIZER

- EVAPORATES QUICKLY
- LEAVES HANDS SOFT

WARNING/ADVERTENCIA:
FLAMMABLE
KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel
INFLAMABLE
NO SE DEJE AL ALCANCE DE LOS NIÑOS
Vea Precauciones Adicionales a Lado
NET CONTENTS: 1 GALLON



Datos Médicos

Ingrediente Activo Alcohol etílico 60% **Propósito** Antiséptico

Usos
• Lave con las manos para disminuir la bacteria en la piel. • Recomendado para uso repetitivo.

Advertencia • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente.
No use • En los ojos

Cuando usando este producto • No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un medico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente.

Para el uso y pregúntele a un doctor • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • **Mantenga lejos de los niños.**

Direcciones
Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.

Otra Información Almacene bajo de 95°F. • Cierre el pico para evitar evaporación.

Ingredientes inactivo Agua, Trietanolamina, Fragancia, Acrílico Polímero.

Made in USA

NDC 81504-693-03

600004651

HAN-SAN

han-san liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:81504-693

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	67 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81504-693-03	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/16/2016	
2	NDC:81504-693-02	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/16/2016	
3	NDC:81504-693-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/16/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	09/16/2016	

Labeler - Pro-Line Industrial Products (079904171)**Establishment**

Name	Address	ID/FEI	Business Operations
QuestSpecialty Corporation		103840377	manufacture(81504-693)

Revised: 12/2024

Pro-Line Industrial Products