#### TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin-b sulfate ointment Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### Triple Antibiotic Ointment (Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate)

# **Drug Facts**

# Active ingredients (in each gram)

Bacitracin zinc, USP 400 units Neomycin 3.5 mg Polymyxin B sulfate, USP 5,000 units

# Purpose

First aid antibiotic

### Uses

First aid to help prevent infection in

- minor cuts
- scrapes
- burns

# Warnings

### For external use only

### Allergy alert:

• do not use if allergic to any of the ingredients

# Do not use

- in the eyes
- over large areas of the body

# Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

## Stop use and ask a doctor if

- you need to use longer than one week
- condition persists or gets worse
- a rash or other allergic reaction develops

# Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center(1-800-222-1222) right away.

# Directions

- clean affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## Other information

- Store at 15<sup>o</sup>-30<sup>o</sup>C (59<sup>o</sup>-86<sup>o</sup>F) Protect from freezing.
- Before using any medication, read all label directions. Keep carton, it contains important information.

### Inactive ingredient

white petrolatum

### **Questions or comments?**

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

### Principal display panel

Compare to the active ingredients in Neosporin® Original Ointment<sup>++</sup>

### Triple Antibiotic Ointment

BACITRACIN ZINC /

NEOMYCIN SULFATE /

POLYMYXIN B SULFATE / FIRST AID ANTIBIOTIC

### **Original Strength Triple Antibiotic**

- First aid antibiotic ointment
- help prevent infection in minor cuts, scrapes & burns

DISTRIBUTED BY: WALGREEN CO.

# 200 WILMOT RD., DEERFIELD, IL 60015

# Package label

	Facts	Drug Facts (continued)
Active	e ingredients (in each gram) Purpose in Zinc, USP 400 units	Do not use if you are allergic to any of the ingredients in the eyes over large areas of the body
Neomyci	in 21nc, USP 400 units in 3.5 mg in B Sulfate, USP 5,000 units	Ask a doctor before use if you have deep or puncture wounds animal bites serious burns
	First aid to help prevent infection in minor scrapes Durns	Stop use and ask a doctor if you need to use longer than one week condition persists or gets worse rash or other allergic reaction develops
Warni For exte	ings ernal use only.	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.
Dava Con	te (appliqued)	Drug Fosts (copliqued)
Direction	ts (continued) Is ■ clean the affected area	Drug Facts (continued) ■ before using any medication, read all label directions. Keep carton, it
area of the	all amount of this product (an amount equal to the surface tip of a finger) on the area 1 to 3 times daily vered with a sterile bandage	contains important information. Inactive ingredient white petrolatum
Other info		Questions or comments?
	°-30°C (59°-86°F). Protect from freezing.	Call 1-877-753-3935 Monday-Friday 9AM-5PM EST
NET WT 0.5 0Z (14 g)	BACITRACIN ZINC / NEOMYCIN SULFATE / POLYMYXIN B SULFATE / FIRST AID ANTIB Original Strength Triple Anti - First aid antibiotic ointment - Helps prevent infection in minor cuts, scrapes & burns	Compare to the active ingredients in Neosporin® Original Dintment"
)Z (14	NC/NEOMYCIN SU SULFATE/FIRST A biotic ointment t infection in mir	ive ingredi



Ρ	roduct Infori	mation							
Pı	oduct Type		HUMAN OTC DRUG	ltem	Code (S	ource)		NDC:03	63-0179
Re	oute of Admini	stration	TOPICAL						
A	tive Ingredi	ent/Active	Moiety						
		Ingre	dient Name				sis of ength		Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW					21)	BACITRACIN			00 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7					297)	NEOMYCIN		3	.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLY UNII:J2VZ 07J96K)			371312D4) (POLYMYXIN I	В-	POLYMYXIN B			5	000 [iU] in 1
	active Ingree	Ir	ngredient Name					Stre	ngth
PE		Ir	-					Stre	ngth
PE	TROLATUM (UNII	<b>ir</b> : 4T6H12BN9U	-			eting Star Date	rt	Mark	ngth eting End Date
РЕ <b>Р</b> а #	TROLATUM (UNII	<b>ir</b> : 4T6H12BN9U	kage Description	0		Date	rt	Mark	eting End
PE Pa #	TROLATUM (UNII Ackaging Item Code NDC:0363-0179-	ור 4T6H12BN9U Pac 1 in 1 CARTON	kage Description			Date	rt	Mark	eting End
PE <b>P</b> a # 1	TROLATUM (UNII Ackaging Item Code NDC:0363-0179-	Ir : 4T6H12BN9U Pac 1 in 1 CARTON 14 g in 1 TUBI	<b>Exage Description</b> E; Type 0: Not a Combine	ation		Date 15	rt	Mark	eting End
PE <b>P</b> i # 1 1	TROLATUM (UNII Ackaging Item Code NDC:0363-0179- 34	Ir 4T6H12BN9U Pac 1 in 1 CARTON 14 g in 1 TUBI Product 1 in 1 CARTON	<b>Exage Description</b> E; Type 0: Not a Combine	ation 0	1/19/200	Date 15	rt	Mark	eting End
PE	TROLATUM (UNII Ackaging Item Code NDC:0363-0179- 34	Ir 4T6H12BN9U Pac 1 in 1 CARTON 14 g in 1 TUBI Product 1 in 1 CARTON 28 g in 1 TUBI	<b>Exage Description</b> I E; Type 0: Not a Combina	ation 0	1/19/200	Date 15	rt	Mark	eting End
PE # 1 2 2	TROLATUM (UNII Ackaging Item Code NDC:0363-0179- 34	Ir 4T6H12BN9U Pac 1 in 1 CARTON 14 g in 1 TUBI Product 1 in 1 CARTON 28 g in 1 TUBI Product	<b>Ckage Description</b> I E; Type 0: Not a Combina I E; Type 0: Not a Combina	ation 0	1/19/200	Date 15	rt	Mark	eting End

# Labeler - Walgreens (008965063)

Revised: 11/2022

Walgreens