

ZENTRIP MOTION SICKNESS- meclizine hydrochloride tablet
Sato Pharmaceutical Co., LTD

ZenTrip Motion Sickness (12 Tablets - 25mg each)

Active ingredient (in each tablet)

Meclizine hydrochloride 25mg

Purpose

Antiemetic

Uses

- for the prevention and treatment of the nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use in children under 12 years of age unless directed by a physician

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a physician or pharmacist before use if you are

- taking sedatives or tranquilizers

When using this product

- you may get drowsy
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase the drowsiness effect
- avoid alcoholic beverages

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- to prevent motion sickness, take it at least one hour before traveling
- adults and children 12 years of age and over: take 1 to 2 tablets (25 to 50mg) once

daily, or as directed by a physician.

Other information


- store at 20-30°C (68-86°F)

Inactive ingredients

acesulfame potassium, erythritol, hydroxypropyl cellulose, mannitol, menthol, silicon dioxide colloidal, sodium stearyl fumarate, and yellow ferric oxide.

ZenTrip Motion Sickness - 12Tablets





13校	20.12.24	営業	角崎	品名	Zentrip Motion Sicknss 12Tカートン US-A								製版一校	—			
受注番号	1095-20-0133	制作	久世	刷色										製版	—	担当	—
商品ID	0062-4225	校正	加藤	色名	K	C	M	Y	特オレンジ1	特オレンジ2				色校	—	本機	—

富士スガキ株式会社

ZENTRIP MOTION SICKNESS

meclizine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49873-805
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	
MANNITOL (UNII: 3OWL53L36A)	
MENTHOL (UNII: L7T10EIP3A)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ERYTHRITOL (UNII: RA96B954X6)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	
HYDROXYPROPYL CELLULOSE (160000 WAMW) (UNII: RFW2ET671P)	

Product Characteristics

Color	yellow	Score	score with uneven pieces
-------	--------	-------	--------------------------

Shape	ROUND	Size	13mm
Flavor		Imprint Code	SJ
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49873-805-01	2 in 1 BOX	05/01/2021	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	05/01/2021	

Labeler - Sato Pharmaceutical Co., LTD (690575642)

Establishment

Name	Address	ID/FEI	Business Operations
Sato Pharmaceutical Co., LTD		715699133	manufacture(49873-805) , pack(49873-805) , label(49873-805)

Revised: 11/2023

Sato Pharmaceutical Co., LTD