

**HAND SANITIZER- hand sanitizer liquid  
Kandel & Son**

-----  
**Hand Sanitizer PLD template II**

**Active Ingredient**

Ethyl Alcohol 60%.....Antiseptic

**purpose**

Antiseptic

**Uses**

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

**Warnings**

- Flammable. Keep away from fire or flame.
- For external use only.

**do not use**

- In the eyes

**When Using**

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

**Stop Use**

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

**Directions for Use**

- Place a palmful ( 5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).

- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

<b>Drug Facts</b>	
<b>Active ingredient</b> Ethyl Alcohol 60%	<b>Purpose</b> Antiseptic
<b>Uses</b> • Handwash to help decrease bacteria on the skin. • Recommended for repeated use.	
<b>Warnings</b> • Flammable. Keep away from fire or flame. • For external use only.	
<b>Do not use</b> - In the eyes.	
<b>When using this product</b> - Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
<b>Stop use and ask a doctor if</b> - Irritation develops. If condition persists for more than 72 hours consult a doctor. <b>Keep out of reach of children.</b>	
<b>Directions</b> Place a palmful (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
<b>Other information</b> Store below 95°F. • Close spout to avoid evaporation.	
<b>Inactive ingredients</b> Water, Triethanolamine, Fragrance, Acrylic Polymer.	

**Kandel and Son**  
155 Dupont Street, Plainview, NY 11803  
Telephone: 516-931-4455  
Fax: 516-931-5500  
www.kandelanson.com



**HAND SANITIZER**

**Kills 99.9% of Most Common Germs**

Pleasant Fragrance  
Soothing Gel

NET CONTENTS: 1 GALLON

**WARNING: FLAMMABLE.**  
KEEP OUT OF REACH OF CHILDREN  
See Additional Cautions on Side Panel

<b>Datos Médicos</b>	
<b>Ingredientes Activo</b> Alcohol etílico 60%	<b>Propósito</b> Antiséptico
<b>Uso</b> • Lave con las manos para disminuir la bacteria en la piel. • Recomendado para uso repetido.	
<b>Advertencias</b> • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente.	
<b>No use</b> - En los ojos.	
<b>Cuando usar este producto</b> - No use cerca de los ojos. Si contacta con los ojos, lávelos con agua por 15 minutos. Consulte con un médico si persiste la irritación. • Si se tragó, busque asistencia médica o consulte con el control venenoso inmediatamente.	
<b>Pare el uso y pregúntele a un doctor</b> - Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulte con un doctor. <b>Mantenga lejos de los niños.</b>	
<b>Direcciones</b> Coloque 5 gramos del producto en la palma de una mano. • Difunda en ambas manos y frote dentro de la piel hasta que se seque. • Coloque una cantidad más pequeña (2.5 gramos) en una mano, difunda sobre las dos manos hasta la muñeca y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.	
<b>Otra información</b> Almacene bajo 95°F. • Cierre el pico para evitar evaporación.	
<b>Ingredientes inactivos</b> Agua, Trietanolamina, Fragancia, Acrílico Polímeros.	

Made in USA NDC 80823-693-03 60004630



**HAND SANITIZER**

**Kills 99.9% of Most Common Germs**

Pleasant Fragrance  
Soothing Gel

NET CONTENTS: 8 FL OZ.

**WARNING: FLAMMABLE.**  
KEEP OUT OF REACH OF CHILDREN  
See Additional Cautions on Side Panel



155 Dupont Street, Plainview, NY 11803  
Telephone: 516-931-4455  
Fax: 516-931-5500  
www.kandelanson.com

**Drug Facts**

**Active ingredient** ..... **Purpose**  
Ethyl Alcohol 60% ..... Antiseptic

**Uses**  
• Handwash to help decrease bacteria on the skin. • Recommended for repeated use.

**Warnings** • Flammable. Keep away from fire or flame. • For external use only.

**Do not use** - In the eyes.

**When using this product** • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.  
• If swallowed, seek medical assistance or consult a poison control center immediately.

**Stop use and ask a doctor if** • Irritation develops. If condition persists for more than 72 hours consult a doctor. **Keep out of reach of children.**

**Directions**  
Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.

**Other information** Store below 95°F. • Close spout to avoid evaporation.

**Inactive ingredients** Water, Triethanolamine, Fragrance, Acrylic Polymer.

Made in USA NDC 80823-693-02 60004637



**HAND SANITIZER**

*Kills 99.9% of Most Common Germs*

*Pleasant Fragrance*

*Soothing Gel*

**NET CONTENTS: 4 FL OZ.**

**WARNING: FLAMMABLE.**  
**KEEP OUT OF REACH OF CHILDREN**  
 See Additional Cautions on Side Panel



155 Dupont Street, Plainville, NY 11803  
 Telephone: 516-931-4455  
 Fax: 516-931-5500  
 www.kandelanson.com

**Drug Facts**

Active ingredient	Purpose
Ethyl Alcohol 60%	Antiseptic

**Uses**  
 • Handwash to help decrease bacteria on the skin. • Recommended for repeated use.

**Warnings** • **Flammable. Keep away from fire or flame.**  
 • **For external use only.**

**Do not use** • In the eyes.

**When using this product** • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

**Stop use and ask a doctor if** • Irritation develops. If condition persists for more than 72 hours consult a doctor. **Keep out of reach of children.**

**Directions**  
 Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.

**Other information** • Store below 95°F. • Close spout to avoid evaporation.

**Inactive ingredients** Water, Triethanolamine, Fragrance, Acrylic Polymer.

Made in USA      NDC 80823-693-01      600005006

**HAND SANITIZER**

hand sanitizer liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:80823-693
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	67 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
CARBOMER 940 (UNII: 4Q93RCW27E)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

		<b>Marketing Start</b>	<b>Marketing End</b>
--	--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80823-693-02	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2020	
2	NDC:80823-693-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2020	
3	NDC:80823-693-03	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	05/01/2020	

**Labeler** - Kandel & Son (012087672)

## Establishment

Name	Address	ID/FEI	Business Operations
QuestSpecialty Corporation		103840377	manufacture(80823-693)

Revised: 12/2024

Kandel & Son