

**HAND SANITIZER- hand sanitizer liquid
Kandel & Son**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Hand Sanitizer PLD template II

Active Ingredient

Ethyl Alcohol 60%.....Antiseptic

purpose

Antiseptic

Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

Warnings

- Flammable. Keep away from fire or flame.
- For external use only.

do not use

- In the eyes

When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

Directions for Use


- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).
- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

Drug Facts	
Active ingredient Ethyl Alcohol 60%	Propósito Antiséptico
Uso • Handwash to help decrease bacteria on the skin. • Recommended for repeated use.	
Warnings - Flammable. Keep away from fire or flame. • For external use only.	
Do not use - In the eyes.	
When using this product - Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or contact a poison control center immediately.	
Stop use and ask a doctor if - Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.	
Directions Place a palmful (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) in one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
Other information Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.	

Kendall
Kendall and Sons
Since 1922, we've never stopped cleaning.

1000 North Platteau, ST. LOUIS, MO 63107
Telephone: 314.331.1400
Fax: 314.331.0200
www.kendall.com



HAND SANITIZER

Kills 99.9% of Most Common Germs

Pleasant Fragrance
Soothing Gel

NET CONTENTS: 1 GALLON

WARNING: FLAMMABLE
KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel

Datos Médicos	
Ingredientes Activo Alcohol etílico 60%	Propósito Antiséptico
Uso • Lave con la mano para disminuir la bacteria en la piel. • Recomendado para uso repetitivo.	
Advertencia - Inflamable. Mantenga alejado del fuego. • Para uso externo solamente.	
No use - En los ojos.	
Cuando usar este producto - No use cerca de los ojos. Si contacta con ellos, lavelos agua con agua por 15 minutos. Consulte con un médico si persiste la irritación. • Si se traga, busque asistencia médica o consulte con el control venenoso inmediatamente.	
Pare el uso y pregúntele a un doctor • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulte con un doctor. • Mantenga lejos de los niños.	
Direcciones Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frote dentro de la piel hasta que se seque. • Coloque una cantidad más pequeña (2.5 gramos) en una mano, difunde sobre las dos manos hasta la muñeca y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.	
Otra información Almacene bajo 95°F. • Cierre el pico para evitar evaporación.	
Ingredientes Inactivos Agua, Trietanolamina, Fragancia, Polímeros Acrílicos.	

Made in USA NDC: 01923-093-03 0000460



CAM PRO

Powerful and Professional Cleaning

HAND SANITIZER

Kills 99.9% of Most Common Germs

Pleasant Fragrance

Soothing Gel

NET CONTENTS: 8 FL OZ.

WARNING: FLAMMABLE.
KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel



155 Dupont Street, Plainview, NY 11803
Telephone: 516-931-4455
Fax: 516-931-5500
www.kandelandson.com

Drug Facts

Active ingredient **Purpose**
Ethyl Alcohol 60% Antiseptic

Uses

• Handwash to help decrease bacteria on the skin. • Recommended for repeated use.

Warnings • **Flammable. Keep away from fire or flame.** • **For external use only.**

Do not use • In the eyes.

When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
• If swallowed, seek medical assistance or consult a poison control center immediately.

Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. **Keep out of reach of children.**

Directions

Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.

Other information Store below 95°F. • Close spout to avoid evaporation.

Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.

Made in USA

NDC 80823-693-02

600004637



HAND SANITIZER

Kills 99.9% of Most Common Germs

Pleasant Fragrance

Soothing Gel

NET CONTENTS: 4 FL OZ.

WARNING: FLAMMABLE.
KEEP OUT OF REACH OF CHILDREN
 See Additional Cautions on Side Panel



155 Dupont Street, Plainville, NY 11803
 Telephone: 516-931-4455
 Fax: 516-931-5500
 www.kandelanson.com

Drug Facts

Active ingredient	Purpose
Ethyl Alcohol 60%	Antiseptic

Uses
 • Handwash to help decrease bacteria on the skin. • Recommended for repeated use.

Warnings • **Flammable. Keep away from fire or flame.**
 • **For external use only.**

Do not use • In the eyes.

When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. **Keep out of reach of children.**

Directions
 Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.

Other information • Store below 95°F. • Close spout to avoid evaporation.

Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.

Made in USA NDC 80823-693-01 600005006

HAND SANITIZER

hand sanitizer liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80823-693
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	67 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOMER 940 (UNII: 4Q93RCW27E)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

Marketing Start	Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80823-693-02	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2020	
2	NDC:80823-693-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2020	
3	NDC:80823-693-03	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	05/01/2020	

Labeler - Kandel & Son (012087672)

Establishment

Name	Address	ID/FEI	Business Operations
QuestSpecialty Corporation		103840377	manufacture(80823-693)

Revised: 3/2021

Kandel & Son