

**CALYPXO PAIN RELIEF- methyl salicylate, menthol cream**  
**Asclemed USA, Inc**

-----  
**Drugs Facts**

**Active Ingredients**

Methyl Salicylate.....10.00%

Menthol.....3.00%

**Purpose**

Topical Analgesic

Topical Analgesic

**Uses**

For temporary relief of minor aches and pains associated with simple backaches, arthritis, bruises, sprains and cramps.

**Warning**

**For external use only.**

Avoid contact with eyes and mucous membranes.

Do not bandage tightly or cover treated areas.

Do not use with heating pad.

Do not apply to open wounds or damages skin.

A mild burning sensation may occur. If severe burning sensation occurs, discontinue use immediately.

If symptoms persist for more than seven days, discontinue use and consult physician.

**Keep out of reach of children.** If swallowed, consult physician.

If pregnant or breast feeding, contact physician prior to use.

**Directions**

For adults apply directly to affected area. Repeat as necessary, but do not use more than 3-4 times daily.

**Additional Information**

Store at room temperature.

## Other Ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aloe Barbadensis Leaf (Aloe Vera Gel) Juice, Aqua (Deionized Water), Cetyl Alcohol, Diazolidinyl Urea, Isopropyl Myristate, Methyl Paraben, PEG-8, Propyl Paraben, Propylene Glycol, Sodium lauryl Sulfate, Triethanolamine.

## Principal Display Panel

**NDC 76420-450-12**

**Calypxo**

**Pain Relief Cream**

4 oz (113g)

Distributed by:

**Enovachem**

**PHARMACEUTICALS**

**Torrance, CA 90501**

(310) 320-0100

**Calypxo**  
Pain Relief Cream

4 oz (113 g)

Distributed by  **Enovachem**  
PHARMACEUTICALS  
Torrance, CA 90501

(310) 320-0100

### Drug Facts

Active Ingredients	Purpose
Methyl Salicylate _____ 10.00%	Topical Analgesic
Menthol _____ 3.00%	Topical Analgesic

### Uses

For temporary relief of minor aches and pains associated with simple backache, arthritis, bruises, sprains and cramps.

### Warning

For external use only.

Avoid contact with eyes and mucous membranes.

Do not bandage tightly or cover treated areas.

Do not use with heating pad.

Do not apply to open wounds or damaged skin.

A mild burning sensation may occur. If severe burning sensation occurs, discontinue use immediately.

If symptoms persist for more than seven days, discontinue use and consult physician.

Keep out of reach of children. If swallowed, consult physician.

If pregnant or breast feeding, contact physician prior to use.

### Directions

For adults apply directly to affected area. Repeat as necessary, but do not use more than 3-4 times daily.

**Additional Information** Store at room temperature.

### Other Ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aloe Barbadensis Leaf (Aloe Vera Gel) Juice, Aqua (Deionized Water), Cetyl Alcohol, Diazolidinyl Urea, Isopropyl Myristate, Methyl Paraben, PEG-8, Propyl Paraben, Propylene Glycol, Sodium lauryl Sulfate, Triethanolamine.

**NDC 76420-450-12**

3 76420 45012 2

## CALYPXO PAIN RELIEF

methyl salicylate, menthol cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76420-450
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	10 g in 100 g
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	3 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:76420-450-12	113 g in 1 BOTTLE; Type 0: Not a Combination Product	01/15/2014	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	01/15/2014	

**Labeler** - Asclemed USA, Inc (059888437)