

**E MEI SHAN MEDICATED- camphor, menthol plaster**  
**Zhejiang Dingtai Pharmaceutical Co., Ltd**

-----  
**DRUG FACTS**

Active Ingredients

Camphor 3.1%

Menthol 2.6%

Purpose

External Analgesic

External Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints due to:

■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings

For external use only

Allergy alert: This product contains natural rubber latex which may cause allergic reactions

Report any unexpected side effects from the use of this product to the FDA MedWatch Program

Do not use

■ on irritated or damaged skin ■ on wounds

Ask a doctor or pharmacist before use if you have

■ any concerns about using this product

When using this product

■ avoid contact with the eyes or mucous membranes

■ do not bandage tightly

■ do not apply heat to the area in the form of heating pads, hot water bottles, or lamps (doing so increases the risk of serious burns)

■ avoid placing on extremely hairy areas of skin to avoid irritation upon removing the plaster

Stop use and ask a doctor if

■ condition worsens

- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive irritation of the skin develops
- nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs
- you feel actual pain or experience blistering or burning after application (it is normal to feel a warming or cooling sensation)
- when using for pain of arthritis:
  - pain persists for more than 10 days
  - redness is present
  - in conditions affecting children under 12 years of age

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- adults and children 2 years of age and older: remove the protective film from the plaster. Apply to affected area not more than 3 to 4 times daily.
- children under 2 years of age: consult your physician

#### Other information

- keep plasters tightly closed in the zip-lock pouch
- store at 15° to 30° C (59° to 86° F) in a dry place away from sunlight

#### Inactive ingredients

Butylated hydroxytoluene, dong quai root, fragrant angelica root, ginger root, lanolin, light mineral oil, natural latex rubber, petrolatum, rosin, star anise fruit, and zinc oxide on a cotton pad

#### Questions or comments?

(888) 221-3496 M-F 9 am to 5 pm

- you may also report serious side effects to this phone number

#### E MEI SHAN MEDICATED PLASTER

NDC 69070-300-01

Simple backache, Arthritis, Strains, Bruises, Sprains

5 Plaster

Each Plaster 7 x 10 cm (2.76 x 3.94 in)

## Drug Facts 藥品資料

**Active Ingredients 有效成份**  
Camphor 樟腦 3.1% External Analgesic 外用止痛  
Menthol 薄荷腦 2.0% External Analgesic 外用止痛

**Uses 作用** For the temporary relief of minor aches and pains of muscles and joints due to: 暫時緩解以下情況引起的肌肉和關節疼痛:  
■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains  
背痛 關節炎 扭傷 瘀傷 扭傷

**Warnings 警告** For external use only 只限外用  
Allergy alert 過敏警告: This product contains natural rubber latex which may cause allergic reactions. 本品含有天然橡膠乳膠，可能引起過敏反應。

Do not use 不能用於:  
■ on inflamed or damaged skin 發炎或破損皮膚 ■ on wounds 傷口

Ask a doctor or pharmacist before use if you have:  
■ any concerns about using this product 對使用本品有任何疑慮

**When using this product 在使用本品時**  
■ avoid contact with the eyes or mucous membranes 避免接觸眼睛或黏膜  
■ do not bandage tightly 勿用包紮過緊  
■ do not apply heat to the area in the form of heating pads, hot water bottles, or lamps (doing so increases the risk of serious burns) 不要以加熱墊、熱水瓶或加熱燈的形式對患處施加熱量 (這樣做會增加嚴重灼傷的風險)  
■ avoid playing on extremely hairy areas of skin to avoid irritation upon removing the plaster 避免貼在毛髮濃密處，以免在撕掉膏藥時引起皮膚發炎

**Stop use and ask a doctor if 立即停止使用並向醫生諮詢，如果**  
■ condition worsens 病情惡化  
■ symptoms persist for more than 7 days 症狀持續七天以上  
■ symptoms clear up and occur again within a few days 症狀好轉後幾天內復發  
■ excessive irritation of the skin develops 皮膚有嚴重刺激或發炎  
■ nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs 噁心、嘔吐、腹部不適、腹瀉或出現皮疹  
■ you feel actual pain or experience blistering or burning after application 若出現刺痛或起水疱或灼傷感 (溫暖或清涼的感覺是正常的)  
■ when using for pain of arthritis 用於治療關節炎引起的疼痛時:  
■ pain persists for more than 10 days 疼痛持續超過10天  
■ redness is present 發紅  
■ in conditions affecting children under 12 years of age 影響12歲以下兒童的情況

Report any unexpected side effects from the use of this product to the FDA MedWatch Program.

## Drug Facts 藥品資料 (continued) 續

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away 放置於兒童接觸不到的地方。如果被吞食，請立即聯繫醫療服務控制中心。

### Directions 使用說明

■ adults and children 2 years of age and older: remove the protective film from the plaster. Apply to affected area not more than 3 to 4 times daily.  
成人及2歲以上兒童：從膏藥上取下保護膜。貼於患處，每日不超過3至4次。

■ children under 2 years of age: consult your physician 2歲以下兒童：向醫生諮詢

### Other information 其他資訊

■ keep plasters tightly closed in the zip-lock pouch 將膏藥密封保存於拉鍊袋中  
■ store at 15° to 30°C (59° to 86°F) in a dry place away from sunlight 在攝氏15°至30° (華氏59°至86°) 下保存於乾燥避光之處

### Inactive ingredients 非活性成分

Butyral hydroxytoluene, dong quai root, fragrant angelica root, ginger root, lanolin, light mineral oil, natural latex rubber, petrolatum, rosin, star anise fruit, and zinc oxide on a cotton pad 二丁基對基甲氧基、當歸、白芷、干薑、桂枝、輕質礦油、天然橡膠、松香、八角茴香、氧化鋅

### Questions or comments? 問題或意見? (888) 221-3496

■ you may also report serious side effects to this phone number.  
■ you can use this toll-free number to report serious side effects.

製造商 Manufacturer By:  
浙江鼎泰藥業股份有限公司  
ZHEJIANG DINGTAI PHARMACEUTICAL CO., LTD.  
ZHEJIANG 314500, CHINA

美國總代理 U.S. Distributor:  
SOLSTICE MEDICINE COMPANY  
美國蘇氏藥業有限公司  
215 W. Ann Street  
Los Angeles, CA 90012  
Toll Free: 1-888-221-3496  
www.solsticemed.com

Product of China 中國產品

Lot No.

Exp. Date:

## 峨眉山風濕膏®

SOLSTICE  
MEDICINE COMPANY

NDC 69070-300-01



民間秘方  
療效顯著

精工提煉  
使用方便

## 峨眉山風濕膏®

**E MEI SHAN®**  
MEDICATED PLASTER

※新劑型 ※新配方 ※可拉長或伸縮

✓ Simple backache 一般腰背痛 ✓ Arthritis 關節炎 ✓ Strains 損傷 ✓ Bruises 瘀傷 ✓ Sprains 扭傷

5 PLASTER (五貼裝) 每貼 (7厘米 x 10厘米)  
Each Plaster 7 x 10 cm (2.76 x 3.94 in)

**E MEI SHAN®**  
MEDICATED PLASTER

峨眉山牌

NEW PACKAGING STARTING 9 SEPTEMBER 2018  
自二零一八年九月起用此新裝

camphor, menthol plaster

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69070-300
<b>Route of Administration</b>	TRANSDERMAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	31 mg
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	26 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ANGELICA SINENSIS ROOT</b> (UNII: B66F4574UG)	
<b>ANGELICA DAHURICA ROOT</b> (UNII: 1V63N2S972)	
<b>GINGER</b> (UNII: C5529G5JPQ)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>NATURAL LATEX RUBBER</b> (UNII: 2LQ0UUW8IN)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>ROSIN</b> (UNII: 88S87KL877)	
<b>STAR ANISE</b> (UNII: XKC1657P78)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69070-300-01	1 in 1 BOX	09/17/2018	
1		5 in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	part348	09/17/2018	

**Labeler** - Zhejiang Dingtai Pharmaceutical Co., Ltd (420598724)

**Establishment**

Name	Address	ID/FEI	Business Operations
Zhejiang Dingtai Pharmaceutical Co., Ltd		420598724	manufacture(69070-300)

Revised: 11/2024

Zhejiang Dingtai Pharmaceutical Co., Ltd