

DIABETIC FIRST AID GEL- benzalkonium chloride, lidocaine hydrochloride gel
Lavior Pharma Inc.

Active Ingredients

Benzalkonium Chloride 0.13%Topical Antiseptic
Lidocaine Hydrochloride 0.5%Topical Analgesic

Purpose

Topical Antiseptic
Topical Analgesic

Uses

First aid to help prevent infection in minor:

■cuts ■scrapes ■burns

Temporarily relieves pain and itching associated with:

■minor burns ■cuts ■scrapes ■insect bites ■minor skin irritations

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- in large quantities, particularly over raw surfaces or blistered areas

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition or symptoms get worse or last more than 1 week
- symptoms clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:

- clean the affected area
- apply a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Children under 12 years of age: consult a doctor

Other information

Store at room temperature

Inactive Ingredients

Water, Glycerin, Inula Viscosa Flower/Leaf/Stem Extract, Aloe Barbadensis Leaf Juice, Xanthan Gum, Phenoxyethanol, Allantoin, Tocopheryl Acetate, Ethylhexylglycerin, Gluconolactone, Polyvinyl Alcohol, Alcohol, Citric Acid, Sodium Benzoate, Potassium Sorbate

Questions?

Call (305) 627-3680 or visit www.lavior.com



Drug Facts	
Active Ingredients	Purpose
Benzalkonium Chloride 0.13%	Topical antiseptic
Lidocaine Hydrochloride 0.5%	Topical analgesic
Uses First aid to help prevent infection in minor: • cuts • scrapes • burns	
temporarily relieves pain and itching associated with: • minor burns • cuts • scrapes • insect bites • minor skin irritations	
Warnings For external use only	
Do not use	
• in the eyes • over large areas of the body • in large quantities, particularly over raw surfaces or blistered areas	
Ask a doctor before use if you have	
• deep or puncture wounds • animal bites • serious burns	
Stop use and ask a doctor if • condition or symptoms get worse or last more than 1 week • symptoms clear up and occur again within a few days	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions:	
Adults and children 12 years of age and older:	
• clean the affected area • apply a small amount of this product on the area 1 to 3 times daily • may be covered with a sterile bandage • if bandaged, let dry first	
Children under 12 years of age: consult a doctor	
Other information Store at room temperature 20° – 25°C (68° – 77°F).	
Inactive ingredients	
Water, Glycerin, Aloe Barbadensis Leaf Juice, Alcohol, Xanthan Gum, Phenoxethanol, Allantoin, Inula Viscosa Flower/Leaf/Stem Extract, Tocopheryl Acetate, Ethylhexylglycerin, Gluconolactone, Polyvinyl Alcohol, Alcohol Denat., Citric Acid, Potassium Sorbate, Sodium Benzoate, Sodium Acetate, Methyl Acetate, Methyl Alcohol	
Questions?	
Call toll free 1-844-474-2552 or visit www.lavior.com	

NDC 71521-390-30



MADE IN THE USA
Lavior Pharma Inc.
20177 NE 16th Pl, Miami, FL 33179
info@lavior.com - www.lavior.com
Manufactured in a cGMP facility



LAVOR



LAVOR

LAVOR Diabetic First Aid Gel is an all-in-one product specifically formulated for diabetic skin. Essential for any first aid kit, this remarkable gel protects against infection and soothes minor cuts, scrapes, and burns.

Specifically formulated to kill germs and help prevent infection, LAVOR gel also alleviates pain and discomfort.

Why choose LAVOR Diabetic First Aid Gel?

- First line of defense for diabetics
- Prevents infection and relieves pain and itching
- Essential for any first aid kit

DIABETIC FIRST AID GEL

INFECTION PREVENTION & PAIN RELIEVER
MINOR CUTS | SCRAPES | BURNS

Specifically formulated for people with diabetes

PHYSICIANS CHOICE & CLINICALLY PROVEN



Topical Antiseptic/Analgesic
0.13% Benzalkonium Chloride
0.5% Lidocaine Hydrochloride

1 fl. oz/30ml



8 60007 87775 9

At LAVOR, we are committed to providing top-of-the-line diabetic skin care solutions and dedicated to helping people with diabetes improve their quality of life.



DIABETIC FIRST AID GEL

benzalkonium chloride, lidocaine hydrochloride gel

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:71521-390

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	0.5 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALCOHOL (UNII: 3K9958V90M)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
ALLANTOIN (UNII: 344S277G0Z)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
DITTRICHIA VISCOSA WHOLE (UNII: 3SYW69FH88)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71521-390-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	03/31/2021	
2	NDC:71521-390-15	15 g in 1 TUBE; Type 0: Not a Combination Product	03/17/2022	
3	NDC:71521-390-30	30 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/31/2021	

Labeler - Lavior Pharma Inc. (080685327)

