# GEL ANTISEPTIC HANDWASH- gel antiseptic handwash liquid Shop Bee's Wax LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Hand Sanitizer PLD template II

## **Active Ingredient**

Ethyl Alcohol 60%......Antiseptic

### purpose

**Antiseptic** 

#### Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

## **Warnings**

- Flammable. Keep away from fire or flame.
- For external use only.

#### do not use

• In the eyes

## When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

## Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

#### **Directions for Use**

- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).
- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer





NET CONTENTS: 8 FL. OZ.

DISTRIBUTED BY EMPIRE HOLDINGS

844-673-3729

Drug Facts

Active ingredient
Ethyl Alcohol 60% . . . . .

Purpose

. . Antiseptic

Uses

· Handwash to help decrease bacteria on the skin. · Recommended for repeated use.

Warnings • Flammable. Keep away from fire or flame. • For external use only Do not use • In the eyes.

When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed seek medical assistance or consult a poison control center immediately.

Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.

#### Directions

Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.

**Other information** Store below 95°F. • Close spout to avoid evaporation.

Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.

#### Datos Médicos

Ingrediente Activo

Propósito

· Lave con las manos para desminuir la bacteria en la piel · Recomendado para uso repetitivo

Advertencia • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente
No use • En los ojos

Cuando usando este producto • No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un medico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente.

Pare el uso y pregúntele a un doctor • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • Mantenga lejos de los niños

#### Direccione

Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.

Otra Información Almacene bajo de 95°F. • Cierre el pico para evitar evaporación.

Ingredientes inactivo Agua, Trietanolamina, Fragancia, Acrílico Polímero.

NDC 81628-693-02 600005027







Datos Médicos

Ingrediente Activo

Articologo

Ingrediente Instanable. Maniferte la baderia en la jela . Recomendado para uso repetitivo.

Advertencia: Inflamable. Maniferte la baderia en la jela . Recomendado para uso repetitivo.

Advertencia: Inflamable. Maniferte la jela . Para uso externo sobamente.

No use . En los cipo.

Diamo de cando este productio . No use cerca los cipo. Si contacto courar, lave los cipos con agua por 15 minutos. Consulte con un medico al pessible la inflacción . Si la ingliera, busquia estiencia medica o consentia con el activo. Inflamable ante la las inflaccios. Si la ingliera, busquia estiencia medica o consentia con el activo. Inflamable ante la las inflamables por más de 2 Pariona, constata con un adocti. A fantencia pela de los inflamas ambas manos y fotar derito de la jeli ha tala que se seque. Coloque una canticida man poquenta (2.5 granne) en una mano, difidurá sobre las dos manos hasta la mulica, y frote en la jeli hasta que se seque. Coloque una canticida man poquenta (2.5 granne) en una mano, difidurá sobre las dos manos hasta la mulica, y frote en la jeli hasta que se seque. Coloque una canticida más poquenta. Cando en una mano. Aditurá sobre las dos manos hasta la mulica, y frote en la jeli hasta que se seque. Coloque una canticida más poquenta. Cando en una mano. Aditurá sobre las dos en afica. Por la companión de la productiva de servicio de la productiva de servicio de la manos de la productiva de la militar de la militar

## **GEL ANTISEPTIC HANDWASH**

gel antiseptic handwash liquid

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:81628-693 Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	67 mL in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
<b>CARBOMER 940</b> (UNII: 4Q93RCW27E)		
TROLAMINE (UNII: 903K93S3TK)		
WATER (UNII: 059QF0KO0R)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81628- 693-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/22/2020	
2	NDC:81628- 693-03	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/22/2020	
3	NDC:81628- 693-02	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/22/2020	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333A	11/16/2012		

## Labeler - Shop Bee's Wax LLC (116958891)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
QuestSpecialty Corporation		103840377	manufacture(81628-693)	

Revised: 3/2021 Shop Bee's Wax LLC