

BACTIMICINA CHILDRENS PAIN AND FEVER- acetaminophen liquid
DLC Laboratories, Inc.

BACTIMICINA[®] CHILDREN'S PAIN AND FEVER

Drug Facts

Active ingredient (in each 5 mL = 1 teaspoonful)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

Temporarily:

- reduces fever
- relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed (see overdose warning)**
- **shake well before using**
- mL = milliliter; tsp = teaspoonful
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL or tsp) *
Under 24	Under 2 years	Ask a doctor
24-35	2-3 years	5 mL (1 tsp)
36-47	4-5 years	7.5 mL (1½ tsp)
48-59	6-8 years	10 mL (2 tsp)
60-71	9-10 years	12.5 mL (2½ tsp)

72-95	11 years	15 mL (3 tsp)
-------	----------	---------------

* or as directed by a doctor

Attention: use only enclosed dosage cup specifically designed for use with this product. Do not use any other dosing device.

Other information

- **each teaspoon (5 mL) contains:** sodium 2 mg
- store at room temperature
- dosage cup provided
- **do not use if printed bottle wrap is missing or broken**
- see bottom panel for lot number and expiration date

Inactive ingredients

citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, hydroxypropyl methycellulose, purified water, sodium benzoate, sorbitol, xanthan gum

Questions

1-800-858-3889

Manufactured by
DLC Laboratories, Inc.
Paramount, CA 90723 USA

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Label

Alcohol Free

Voltee Para

Español

TRUSTED SINCE 1978

New Look

Children's

Bactimicina®

Ages 2-11 Years

Acetaminophen 160 mg/5 mL

Pain & Fever

Pain/Fever Reducer

Oral Suspension

Ibuprofen-Free • Asprin Free

Natural

Cherry Flavor

4 FL OZ (118 mL) Dosing Cup Included



BACTIMICINA CHILDRENS PAIN AND FEVER

acetaminophen liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24286-1550
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
CORN SYRUP (UNII: 9G5L16BK6N)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
WATER (UNII: 059QF0KO0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY (Cherry Flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24286-1550-4	1 in 1 BOX	11/17/2014	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/17/2014	

Labeler - DLC Laboratories, Inc. (093351930)**Establishment**

Name	Address	ID/FEI	Business Operations
DLC Laboratories, Inc.		093351930	manufacture(24286-1550) , label(24286-1550)

