PAIN RELIEVER- acetaminophen tablet, film coated WALGREENS CO.

Pain Reliever

Drug Facts

Active Ingredient (in each tablet)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

 temporarily relieves minor aches and pains due to:
 the common cold
 headache
 backache
 minor pain of arthritis
 toothache
 muscular aches
 premenstrual and menstrual cramps
 temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

more than 4,000 mg of acetaminophen in 24 hours
 with other drugs containing acetaminophen
 3 or more alcoholic drinks every day while using this product.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash. If a skin reaction occurs, stop use and seek medical help right away.

Do not use • with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if the user has liver disease

Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin

Stop use and ask a doctor if • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults & children 12 years & over	 take 2 tablets every 4 to 6 hours while symptoms last do not take more than 10 tablets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children 6 years to under 12 years	 take 1 tablet every 4 to 6 hours while symptoms last do not take more than 5 tablets in 24 hours do not use for more than 5 days unless directed by a doctor
children under 6 years	ask a doctor

Other information

• store between 20–25°C (68–77°F)

Inactive ingredients


hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl pyrrolidone, pre-gelatinized starch, stearic acid, talc, titanium dioxide

Questions or comments?

1-888-333-9792

Principal Display Panel

Label



Caton



R

Product Informa Product Type Route of Administr Active Ingredien ACETAMINOPHEN (UN Inactive Ingredia HYPROMELLOSES (UN MAGNESIUM STEARA MICROCRYSTALLINE POLYETHYLENE GLYC PYRROLIDONE (UNII: F STARCH, CORN (UNII: S TEARIC ACID (UNII: 4 TALC (UNII: 7SEV7J4R1	ration ht/Active ingre NII: 36209ITL ents NII: 3NXW29V TE (UNII: 700 CELLULOSE COL, UNSPE	edient Name 9D) (ACETAMINO Ingredien '3WO) 097M6I30) E (UNII: OP1R32D	PHEN - UNI		Code (Sou	urce) Basis of S ACETAMINOPH	IEN	
Product Type Route of Administr Active Ingredien ACETAMINOPHEN (UN Inactive Ingredie HYPROMELLOSES (UN MAGNESIUM STEARA MICROCRYSTALLINE POLYETHYLENE GLYC PYRROLIDONE (UNII: H STARCH, CORN (UNII: 4	ration ht/Active ingre NII: 36209ITL ents NII: 3NXW29V TE (UNII: 700 CELLULOSE COL, UNSPE	ORAL Moiety edient Name .9D) (ACETAMINO (ACETAMINO (3WO) 097M6130) E (UNII: OP1R32D	PHEN - UNI			Basis of S	trength IEN	Strength 325 mg
Route of Administr Active Ingredien ACETAMINOPHEN (UN Inactive Ingredie HYPROMELLOSES (UN MAGNESIUM STEARA MICROCRYSTALLINE POLYETHYLENE GLYC PYRROLIDONE (UNII: H STARCH, CORN (UNII: 4	nt/Active Ingra NII: 36209ITL ents NII: 3NXW29V TE (UNII: 700 CELLULOSE COL, UNSPE	Moiety edient Name .9D) (ACETAMINO (ACETAMINO (3WO) 097M6130) E (UNII: OP1R32D	PHEN - UNI t Name			Basis of S	IEN	325 mg
Active Ingredien ACETAMINOPHEN (UN Inactive Ingredie HYPROMELLOSES (UN MAGNESIUM STEARA MICROCRYSTALLINE POLYETHYLENE GLYC PYRROLIDONE (UNII: H STARCH, CORN (UNII: 4	nt/Active Ingra NII: 36209ITL ents NII: 3NXW29V TE (UNII: 700 CELLULOSE COL, UNSPE	Moiety edient Name .9D) (ACETAMINO (ACETAMINO (3WO) 097M6130) E (UNII: OP1R32D	PHEN - UNI t Name	1:36209	ITL9D)		IEN	325 mg
ACETAMINOPHEN (UN Inactive Ingredie HYPROMELLOSES (UN MAGNESIUM STEARA MICROCRYSTALLINE POLYETHYLENE GLYC PYRROLIDONE (UNII: F STARCH, CORN (UNII: 4	Ingra NII: 36209ITL ents NII: 3NXW29V TE (UNII: 700 CELLULOSE COL, UNSPE	edient Name 9D) (ACETAMINO Ingredien '3WO) 097M6I30) E (UNII: OP1R32D	PHEN - UNI t Name	1:36209	UTL9D)		IEN	325 mg
Inactive Ingredie HYPROMELLOSES (UM MAGNESIUM STEARA MICROCRYSTALLINE POLYETHYLENE GLYC PYRROLIDONE (UNII: F STARCH, CORN (UNII: 4	NII: 36209ITL ents NII: 3NXW29V TE (UNII: 700 CELLULOSE COL, UNSPE	9D) (ACETAMINO Ingredien (3WO) 097M6I30) E (UNII: OP1R32D	PHEN - UNI t Name	1:36209	ITL9D)		IEN	325 mg
Inactive Ingredie HYPROMELLOSES (UM MAGNESIUM STEARA MICROCRYSTALLINE POLYETHYLENE GLYC PYRROLIDONE (UNII: F STARCH, CORN (UNII: 4	ents NII: 3NXW29V TE (UNII: 700 CELLULOSE COL, UNSPE	Ingredien (3WO) 097M6I30) E (UNII: OP1R32D	t Name	1:36209	HTL9D)	ACETAMINOPH		-
HYPROMELLOSES (UM MAGNESIUM STEARA MICROCRYSTALLINE POLYETHYLENE GLYC PYRROLIDONE (UNII: M STARCH, CORN (UNII: 4	NII: 3NXW29V TE (UNII: 70) CELLULOSE COL, UNSPE	/3WO) 097M6I30) E (UNII: OP1R32D					St	trength
MAGNESIUM STEARA MICROCRYSTALLINE POLYETHYLENE GLYC PYRROLIDONE (UNII: H STARCH, CORN (UNII: STEARIC ACID (UNII: 4	CELLULOSE	/3WO) 097M6I30) E (UNII: OP1R32D					S	trength
MAGNESIUM STEARA MICROCRYSTALLINE POLYETHYLENE GLYC PYRROLIDONE (UNII: H STARCH, CORN (UNII: STEARIC ACID (UNII: 4	CELLULOSE	097M6I30) E (UNII: OP1R32D						
MICROCRYSTALLINE POLYETHYLENE GLYC PYRROLIDONE (UNII: F STARCH, CORN (UNII: STEARIC ACID (UNII: 4	CELLULOSE COL, UNSPE	(UNII: OP1R32D						
POLYETHYLENE GLYC PYRROLIDONE (UNII: F STARCH, CORN (UNII: STEARIC ACID (UNII: 4	COL, UNSPE							
PYRROLIDONE (UNII: F STARCH, CORN (UNII: STEARIC ACID (UNII: 4								
STARCH, CORN (UNII: STEARIC ACID (UNII: 4	KKISNKGENI		MQ0SDW1A	4)				
STEARIC ACID (UNII: 4								
TITANIUM DIOXIDE (L		(2IP)						
Product Charact	teristics							
Color white Score			Score			r	no score	
Shape R		ND Size]	L0mm	
Flavor			Imprint C	Code		9	599	
Contains								
Packaging								
# Item Code	Pac	ckage Description			Marketing Start Ma Date			ting End ate
1 NDC:0363-9026- 10 1	in 1 CARTON	Ν			07/19/2022			
	00 in 1 BOTTLE; Type 0: Not a Combination roduct							
Marketing In	format	ion						
Marketing Category		ication Number or Monograph Citation						eting End Date
	M013				07/19/20	22		

Labeler - WALGREENS CO. (008965063)

Revised: 12/2023

WALGREENS CO.