

**NUVICARE DAYTIME COLD AND FLU SOFTGEL- acetaminophen,
dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid
filled
NUVICARE LLC**

**Nuicare DayTime Cold and Flu Softgel (Acetaminophen 325mg,
Dextromethorphan HBr 10mg, Phenylephrine HCl 5mg)**

Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325mg

Dextromethorphan HBr 10mg

Phenylephrine HCl 5mg

Purpose

Acetaminophen 325mg.....Pain reliever/fever reducer
Dextromethorphan HBr 10mg..... Cough suppressant
Phenylephrine HCl 5mg Nasal decongestant

Uses:

temporarily relieves common cold and flu symptoms:

- minor aches & pains
- headache
- sore throat
- nasal congestion
- fever
- cough due to minor throat & bronchial irritation

Warning

Allergy Alert: acetamenophen may cause severe skin recations. Symptoms may include:

■ skin reddening ■ blisters ■ rash. if a skin reactions occurs, stop use and seek medical help right away.

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

■ more than 4 doses in 24 hrs, which is the maximum daily amount for this product ■

with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while using this product.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to enlarged prostate gland
- persistent or chronic cough as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product, do not exceed recommended dosage.

Stop use and ask a doctor if

- pain, cough or nasal congestion get worse or last more than 7 days
- new symptoms occur
- nervousness, dizziness or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ take only as directed- see **OVERDOSE WARNING**

■ do not exceed 8 softgels per 24 hrs.

| | |
|---|---|
| Adults and children age 12 yrs and over | take 2 softgels with water every 4 hrs. |
| Children 4 to under 12 yrs | ask a doctor |
| Children under 4 yrs | do not use |

Other information

■ store at room temperature between 20-25°C (68-77 °F)


■ avoid excessive heat, cold and humidity

Inactive ingredients

Polyethylene Glycol400, Propylene Glycol, Povidone K30, purified water, Gelatin, Glycerol, Sorbitol Sorbitan solution, FD & C Red No. 40, FD &C Yellow No. 6.

Questions or Comments?

Call 1-718-337-8733 or email: support@nuvicare.com





NUVICARE DAYTIME COLD AND FLU SOFTGEL

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:84324-023 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------------|----------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 325 mg |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| POVIDONE (UNII: FZ989GH94E) | |
| WATER (UNII: 059QF0KO0R) | |
| Gelatin (UNII: 2G86QN327L) | |
| Sorbitol (UNII: 506T60A25R) | |
| SORBITAN (UNII: 6O92ICV9RU) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |

Product Characteristics

| | | | |
|----------|------------------|--------------|----------|
| Color | red | Score | no score |
| Shape | capsule (Oblong) | Size | 21mm |
| Flavor | | Imprint Code | DL01 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:84324-023-01 | 1 in 1 CARTON | 06/09/2025 | |
| 1 | | 10 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 06/09/2025 | |

Labeler - NUVICARE LLC (119257565)

