CHILDRENS ACETAMINOPHEN- acetaminophen suspension Bryant Ranch Prepack

Children's Acetaminophen Drug Facts

Active ingredient (in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily:

- reduces fever
- relieves minor aches and pains due to:
 - · the common cold
 - flu
 - headache
 - sore throat
 - toothache

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child has ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if your child has

liver disease

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin

When using this product

do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see overdose warning)
- shake well before using
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and squeeze your child's dose into the dosing cup
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL)*
under 24	under 2 years	ask a doctor
24-35	2-3 years	5 mL
36-47	4-5 years	7.5 mL
48-59	6-8 years	10 mL

60-71	9-10 years	12.5 mL
72-95	11 years	15 mL

^{*}or as directed by a doctor

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information

- each 5 mL contains: sodium 3 mg
- store at 20-25°C (68-77°F)
- do not use if printed neckband is broken or missing

Inactive ingredients

anhydrous citric acid, calcium sulfate, carrageenan, D&C red #33, FD&C blue #1, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, microcrystalline cellulose and carboxymethylcellulose sodium, propylene glycol, purified water, sodium benzoate, sorbitol solution, tribasic sodium phosphate

Questions or comments?

1-800-719-9260

HOW SUPPLIED

Children's Acetaminophen 160 mg per 5 mL Pain Reliever – Fever Reducer Oral Suspension

NDC 72162-2279-2: 118 mL in a BOTTLE

Repackaged/Relabeled by: Bryant Ranch Prepack, Inc. Burbank, CA 91504

Children's Acetaminophen 160 mg per 5 mL

Pain Reliever - Fever Reducer

Oral Suspension



Drug Facts
Active Ingredient (in each 5 mL)
Acetaminophen 160 mg. Purpose .Pain reliever/fever

temporanily: "reduces tever "releives minor aches and pains due to: "the common cold" wheatable "socie throat inobnaben "common cold" wheatable "socie throat inobnaben "but on the common cold with heatable "socie throat inobnaben "socie in 24 hours, which is the maximum daily amount." with other drugs containing actelaminophen. Allergy maximum daily amount. "with other drugs containing actelaminophen. Allergy include: "skin reduction;" but include: "skin reduction; but include: "skin reduction; but include: "skin reduction; collars, stop use and seek medical help right away. Sore throat warring; if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomitting, consult a doctor promptly. On or use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, sak a doctor or pharmacist. "If your child has ever had an altergic reaction to this product or any of its ingredients. Keep out of reach of children. Overdose warning; in case of overdose, get medical help or contact is stilled even if you do not notice any signs or symbolisms.

Other Information.

Such Similar of the still still a skin or symbolisms. The short of the stilled in exhaust of the stilled i

printed riectorian is dructer in missing 'variage risser' variage inser' variage inser' variage inser' variage inser' variage inser in the code for more information.

Directions

Directions

and the code of the

NDC 72162-2279-2

Children's Acetaminophen Pain Reliever-Fever Reducer **Oral Suspension**

160 mg per 5 mL



4 FL OZ (118 mL)

Relabeled by: Bryant Ranch Prepack, Inc. Burbank, CA 91504 USA





Insert

CHILDRENS ACETAMINOPHEN

acetaminophen suspension

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72162-2279(NDC:45802-201)	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	160 mg in 5 mL	

Inactive Ingredients	
Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CALCIUM SULFATE, UNSPECIFIED FORM (UNII: WATODDB505)	
CARRAGEENAN (UNII: 5C69YCD2YJ)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SODIUM PHOSPHATE, TRIBASIC (UNII: A752Q30A6X)	

Product Characteristics				
Color	PURPLE (viscous)	Score		
Shape		Size		
Flavor	GRAPE	Imprint Code		
Contains				

Packaging	Packaging				
# Item Co	de Package Description	Marketing Start Date	Marketing End Date		
1 NDC:72162- 2279-2	1 in 1 CARTON	04/09/2014			
1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/09/2014	

Labeler - Bryant Ranch Prepack (171714327)

Registrant - Bryant Ranch Prepack (171714327)

Establishment			
Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(72162-2279), RELABEL(72162-2279)

Revised: 8/2024 Bryant Ranch Prepack