

**RITE AID SUNSCREEN SPF 50- avobenzone homosalate octisalate octocrylene
oxybenzone lotion
RITE AID CORPORATION**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Avobenzone 3.0 %

Homosalate 13.0%

Octisalate 5.0%

Octocrylene 7.0%

Oxybenzone 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decrease the risk of skin cancer and early skin aging caused by sun

Warnings

For External use only

Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If product is swallowed get medical help or contact a Poison Control Center right away.

- May stain some fabrics.

Other Information

protect this product from excessive heat and direct sun

Directions

- apply literally 15 minutes before sun exposure

- reapply: after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Sun protection measures.

Spending time in the sun increase your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 am - 2 pm
- Wear long sleeves shirts, pants, hats and sunglasses
- children under 6 month of age: Ask a doctor

Inactive Ingredients

Water, Sorbitol, Stearic Acid, Triethanolamine, Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Sorbitan Isostearate, VP/Eicosene Copolymer, Dimethicone, Polyglyceryl-3 Distearate, Carbomer, Tocopherol, Disodium EDTA, Methylparaben, Propylparaben, Fragrance.

Principal Display Panel

25% MORE FREE

RITE

AID

RENEWAL

SUNSCREEN

LOTION

BROAD SPECTRUM

SPF 50

UVA/UVB Protection

Water Resistant (80 Minutes)

Vitamin E

RECOMMENDED

SKIN

CANCER

FOUNDATION

RECOMMENDED AS

AN EFFECTIVE

UVA/UVB SUNSCREEN

10 FL OZ



Drug Facts

Active ingredients	Purpose
Avobenzone 3.0%, Homosalate 13.0%, Octisalate 5.0%, Octocrylene 7.0%, Oxobenzone 4.0%	Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. • May stain some fabrics.

Directions
• apply liberally 15 minutes before sun exposure
• reapply after 80 minutes of swimming or sweating • Immediately after toweling dry
• at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats and sunglasses
• children under 6 months of age: Ask a doctor

Inactive ingredients Water, Sorbitol, Stearic Acid, Triethanolamine, Aluminum Starch Octylsuccinate, Benzyl Alcohol, Sorbitan Isostearate, VP/Eicosene Copolymer, Dimethicone, Polyglyceryl-3 Distearate, Carbomer, Tocopherol, Disodium EDTA, Methylparaben, Propylparaben, Fragrance.

Other information • protect this product from excessive heat and direct sun

DISTRIBUTED BY:
RITE AID, 30 HUNTER LANE
CAMP HILL, PA 17011

MADE IN USA

IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.

0 1 5 2 2 0 2 2 0 1 1 0

9000000

BACK & UPC
REFLEX BLUE

DASHED LINE INDICATES
PRINT AREA (1/16TH IN.
FROM D&E LINE)

(295 mL)

RITE

AID

RENEWAL

SUNSCREEN

LOTION

BROAD SPECTRUM

SPF 50

UVA/UVB Protection

Water Resistant (80 Minutes)

Vitamin E

RECOMMENDED
SKIN
CANCER
FOUNDATION
RECOMMENDED AS
AN EFFECTIVE
UVA/UVB SUNSCREEN

8 FL OZ



Active ingredients	Purpose
Avobenzone 3.0%, Homosalate 13.0%, Octisalate 5.0%, Octocrylene 7.0%, Oxybenzone 4.0%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. • May stain some fabrics.

Directions
• apply liberally 15 minutes before sun exposure
• reapply: after 80 minutes of swimming or sweating • immediately after towel drying
• at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats and sunglasses
• children under 6 months of age: Ask a doctor

Inactive ingredients Water, Sorbitol, Stearic Acid, Triethanolamine, Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Sorbitan Isostearate, VP/Eicosene Copolymer, Dimethicone, Polyglyceryl-3 Distearate, Carbomer, Tocopherol, Disodium EDTA, Methylparaben, Propylparaben, Fragrance.

Other information • protect this product from excessive heat and direct sun

DISTRIBUTED BY:
RITE AID, 30 HUNTER LANE
CAMP HILL, PA 17011

MADE IN USA

IF YOU'RE NOT
SATISFIED, WE'LL
HAPPILY REFUND
YOUR MONEY.

93205736

DASHED LINE INDICATES
PRINT AREA (1/16TH IN.
FROM D&LINE)

(236 mL)

RITE AID SUNSCREEN SPF 50

avobenzone homosalate octisalate octocrylene oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:118 22-9005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	13 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
SORBITOL (UNII: 506T60A25R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 9O3K93S3TK)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
TOCOPHEROL (UNII: R0ZB2556P8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-9005-6	226 g in 1 BOTTLE, PLASTIC		
2	NDC:11822-9005-7	286 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/22/2013	

Labeler - RITE AID CORPORATION (014578892)

Revised: 7/2013

RITE AID CORPORATION