

**DOCTORRELIEF- menthol, methyl salicylate and camphor (synthetic) gel**  
**Biotanico Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DoctorRelief**

**Actives**

Active ingredients Purpose

Menthol 60mg/patch.....Topical analgesic

Wintergreen oil 20mg/patch..... Topical analgesic

Camphor 10mg/patch.....Topical analgesic

Topical analgesic

**Indication**

Uses

Temporary relief minor aches and pains of muscles and joints associated with:

- Arthritis ■ Bruises ■ Simple backache ■ Strains ■ Sprains

**Warnings**

For external use only

When using this product:

- Use only as directed
- Avoid contact with eyes ,mucous membranes or rashes
- Do not apply to broken, wounded or damaged skin
- Do not bandage or cover with any type of wrap except clothing
- Do not use with a heating pad or apply external heat
- Discontinue use at least 1 hour before a bath or shower and do not use immediately after a bath or shower

**Questions**

Stop use and ask a doctor if

- Rash, itching or excessive skin irritation develops
- Condition worsens or does not improve after regular use
- Symptoms persist for more than 7 days or clear up and occur again within a few days

**OTC-Keep out of reach of childrens**

**\*\*Keep out of reach of children\*\***

If swallowed, get medical help or contact a Poison Control Center immediately

**Dosages**

Directions

Adult and children 12 years of age and over

- Clean and dry affected area

- Open pouch and remove patch. If desired, cut patch to size
  - Peel off protective backing and apply sticky side to affected area
  - Apply to affected area not more than 3 times daily
  - Wash hands with soap after applying patch
- Children under 12 years of age
- Consult a doctor

### **Warning and Precautions**

- This product may cause allergic reaction in some individuals.

### **Ask Doctor**

Ask a doctor if symptoms persist for more than 7 days or clear up and occur again within a few days

### **Inactives**

Trichosanthes Cucumenina seed, etc.

### **Storage and handling section**

- Store in cool dry place from directly sunlight





# Herbal Soothe Ultimate Relief Patch

**Contains 10 Patches**  
Each Patch: 11x16cm(4x6 in)/NET WT 6g

*Dr. Relief*®

## Herbal Soothe Ultimate Relief Patch

### EXTERNAL PAIN RELIEVING BANDAGE

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Menthol 60mg/patch.....	Topical analgesic
Wintergreen Oil 20mg/patch.....	Topical analgesic
Camphor 10mg/patch.....	Topical analgesic
<b>Uses</b> temporary relief for minor aches and pains of muscles and joints associated with: ■Arthritis ■Bruises ■Simple backache ■Strains ■Sprains	
<b>Warnings</b> For external use only	
<b>When using this product</b>	
<ul style="list-style-type: none"> <li>■ Use only as directed</li> <li>■ Avoid contact with eyes, mucous membranes or rashes</li> <li>■ Do not apply to broken, wounded or damaged skin</li> <li>■ Do not bandage or cover with any type of wrap except clothing</li> <li>■ Do not use with a heating pad or apply external heat</li> <li>■ Discontinue use at least 1 hour before bath or shower, do not use immediately after bath or shower</li> </ul>	
<b>Stop use and ask a doctor if</b>	
<ul style="list-style-type: none"> <li>■ Rash, itching or excessive skin irritation develops</li> <li>■ Condition worsens or does not improve after regular use</li> <li>■ Symptoms persist for more than 7 days or clear up and occur again within a few days</li> </ul>	
<b>Keep out of reach of children**</b> If swallowed, get medical help or contact a Poison Control Center immediately	
<b>Directions</b>	
<b>For Adult and children 12 years of age and over</b>	
<ul style="list-style-type: none"> <li>■ Clean and dry affected area.</li> <li>■ Open pouch and remove patch. If desired, cut patch to size.</li> <li>■ Peel off protective backing and apply sticky side to affected area.</li> <li>■ Apply to affected area no more than 3 times daily</li> <li>■ Wash hands with soap after applying patch</li> </ul>	
<b>Children under 12 years of age</b>	
<ul style="list-style-type: none"> <li>■ Consult a doctor before use</li> </ul>	
<b>Cautions</b>	
<ul style="list-style-type: none"> <li>■ Do not apply on ulcerative, or suppurative skin area</li> <li>■ This product may cause allergic reaction in some individuals</li> </ul>	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>■ Store in cool dry place away from direct sunlight</li> <li>■ Re-seal package after opening</li> </ul>	
<b>Other ingredients</b> Trichosanthes kirilowi radix, Rheum officinale rhizoma, Angelica	

BACK

dahurica radix, Phellodendron chinense cortex, Curcuma longa rhizoma, Arisaema erubescens rhizoma, Glycyrrhiza uralensis radix, Magnolia officinalis cortex, Citrus reticulata pericarpium, Atractylodes lancea rhizoma, Natural rubber, Silicon dioxide, Lanolin, Zinc oxide, Indigo Carmine (FD&C Blue #2), FD&C Yellow #4, FD&C Yellow #5, FD&C Red #40, Q.S. Sesame Oil to 1g

**Imported by:**  
**KPC Products, Inc.**  
16 Goddard  
CA 92618, USA

**Manufactured by:**  
**Biotanico Inc.**  
No. 1 Nanke 1<sup>st</sup> Rd., Xinshi Dist.  
Tainan City, 74147 Taiwan



**KPC Products, Inc.**  
16 Goddard, Irvine, CA 92618, USA  
[www.KPC.com](http://www.KPC.com)



4 719633 949515

Product of Taiwan

FRONT

**Dr. Relief®**

# Herbal Soothe

## Ultimate Relief P

**Relieves pain and discomfort  
on overworked muscles and  
joints!**

External Analgesic  
For external use only

**Contains 10 P**  
Each Patch: 11x16cm(4x6)

Patches  
NET WT 6g

atch  
ne

Dr. Relief®

# Herbal Soothe

Ultimate Relief Patch

EXTERNAL PAIN RELIEVING BANDAGE

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Menthol 60mg/patch.....	Topical analgesic
Wintergreen Oil 20mg/patch.....	Topical analgesic
Camphor 10mg/patch.....	Topical analgesic
<b>Uses</b> temporary relief for minor aches and pains of muscles and joints associated with: <ul style="list-style-type: none"> <li>■ Arthritis ■ Bruises ■ Simple backache ■ Strains ■ Sprains</li> </ul>	
<b>Warnings</b>	
For external use only	
<b>When using this product</b>	
<ul style="list-style-type: none"> <li>■ Use only as directed</li> <li>■ Avoid contact with eyes, mucous membranes or rashes</li> <li>■ Do not apply to broken, wounded or damaged skin</li> <li>■ Do not bandage or cover with any type of wrap except clothing</li> <li>■ Do not use with a heating pad or apply external heat</li> <li>■ Discontinue use at least 1 hour before bath or shower, do not use immediately after bath or shower</li> </ul>	
<b>Stop use and ask a doctor if</b>	
<ul style="list-style-type: none"> <li>■ Rash, itching or excessive skin irritation develops</li> <li>■ Condition worsens or does not improve after regular use</li> <li>■ Symptoms persist for more than 7 days or clear up and occur again within a few days</li> </ul>	
<b>Keep out of reach of children**</b>	
If swallowed, get medical help or contact a Poison Control Center immediately	
<b>Directions</b>	
<b>For Adult and children 12 years of age and over</b>	
<ul style="list-style-type: none"> <li>■ Clean and dry affected area.</li> <li>■ Open pouch and remove patch. If desired, cut patch to size.</li> <li>■ Peel off protective backing and apply sticky side to affected area.</li> <li>■ Apply to affected area no more than 3 times daily</li> <li>■ Wash hands with soap after applying patch</li> </ul>	
<b>Children under 12 years of age</b>	
<ul style="list-style-type: none"> <li>■ Consult a doctor before use</li> </ul>	
<b>Cautions</b>	
<ul style="list-style-type: none"> <li>■ Do not apply on ulcerative, or suppurative skin area</li> <li>■ This product may cause allergic reaction in some individuals</li> </ul>	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>■ Store in cool dry place away from direct sunlight</li> <li>■ Re-seal package after opening</li> </ul>	
<b>Other ingredients</b> Trichosanthes kirilowi radix, Rheum officinale rhizoma, Angelica dahurica radix, Phellodendron chinense cortex, Curcuma longa rhizoma, Arisaema erubescens rhizoma, Glycyrrhiza uralensis radix, Magnolia officinalis cortex, Citrus reticulata pericarpium, Atractylodes lancea rhizoma, Natural rubber, Silicon dioxide, Lanolin, Zinc oxide, Indigo Carmine (FD&C Blue #2), FD&C Yellow #4, FD&C Yellow #5, FD&C Red #40, Q.S. Sesame Oil to 1g	

Imported by:  
KPC Products, Inc.  
16 Goddard  
CA 92618, USA

Manufactured by:  
Biotanico Inc.  
No. 1 Nanke 1<sup>st</sup> Rd., Xinshi Dist.  
Tainan City, 74147 Taiwan

BACK



KPC Products, Inc.



**DOCTORRELIEF**

menthol, methyl salicylate and camphor (synthetic) gel

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57842-7733
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Menthol</b> (UNII: L7T10EIP3A) (Menthol - UNII:L7T10EIP3A)	Menthol	60 mg
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	20 mg
<b>Camphor (synthetic)</b> (UNII: 5TJD82A1ET) (Camphor (synthetic) - UNII:5TJD82A1ET)	Camphor (synthetic)	10 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>TRICHOSANTHES KIRILOWII ROOT</b> (UNII: V409XGE0TS)	125 mg
<b>RHEUM OFFICINALE ROOT</b> (UNII: A47JP5ZG9M)	62 mg
<b>ANGELICA DAHURICA ROOT</b> (UNII: 1V63N2S972)	63 mg
<b>PHELODENDRON CHINENSIS BARK</b> (UNII: 2866QMZ434)	63 mg
<b>TURMERIC</b> (UNII: 856YO1Z64F)	63 mg
<b>ARISAEMA ERUBESCENS ROOT</b> (UNII: 3E8P1PU8SY)	25 mg
<b>GLYCYRRHIZA URALENSIS</b> (UNII: 42B5YD8F0K)	25 mg
<b>MAGNOLIA OFFICINALIS BARK</b> (UNII: 5M609NV974)	25 mg
<b>TANGERINE</b> (UNII: KH3E3096OO)	25 mg
<b>ATRACTYLODES LANCEA ROOT</b> (UNII: CAZ6282J2O)	25 mg
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	20 mg
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	0.05 mg
<b>SESAME OIL</b> (UNII: QX10HYY4QV)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>YELLOW OB</b> (UNII: QE535CBH7S)	

**Product Characteristics**

<b>Color</b>	yellow (FD&C YELLOW NO. 5) , blue (FD&C BLUE NO. 2) , red (FD&C RED NO. 40)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57842-7733-1	10 in 1 BOX; Type 0: Not a Combination Product	01/03/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	01/03/2018	

**Labeler** - Biotanico Inc. (658835665)

**Registrant** - Biotanico Inc. (658835665)

## Establishment

Name	Address	ID/FEI	Business Operations
Biotanico Inc.		658835665	manufacture(57842-7733)

Revised: 1/2018

Biotanico Inc.