

LAXATIVE GENTLE- bisacodyl tablet, delayed release
Kroger Company

Kroger 44-327

Active ingredient (in each tablet)

Bisacodyl USP, 5 mg

Purpose

Stimulant laxative

Uses

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- you may have stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive humidity
- see end flap for expiration date and lot number

Inactive ingredients

acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, propylene glycol, propylparaben, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments?

1-800-632-6900

Principal Display Panel

**COMPARE TO the active ingredient in
DULCOLAX® LAXATIVE TABLETS *See side panel**

NDC 30142-827-12

Kroger®

Gentle
**Laxative
Tablets**

Bisacodyl USP, 5 mg

**STIMULANT
LAXATIVE**

Gentle, Dependable

Constipation Relief

**RELIEF IN
6-12 HRS**

actual
size

100 COMFORT
COATED TABLETS

**TAMPER EVIDENT:
DO NOT USE IF PACKAGE
IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS
OF TAMPERING**

*This product is not manufactured or
distributed by Sanofi-Aventis Deutschland
GMBH, owner of the registered trademark
Dulcolax® Laxative Tablets.
50844 REV0119B32712

DISTRIBUTED BY
THE KROGER CO.
CINCINNATI, OHIO 45202

QUALITY GUARANTEE
800-632-6900
www.kroger.com

OVERNIGHT RELIEF



Gentle Laxative Tablets

Bisacodyl USP, 5 mg

STIMULANT LAXATIVE

COMPARE TO the active ingredient in **DULCOLAX® LAXATIVE TABLETS** *See side panel NDC 30142-827-12



Gentle Laxative Tablets

Bisacodyl USP, 5 mg

STIMULANT LAXATIVE

Gentle, Dependable Constipation Relief



RELIEF IN **6-12 HRS**

actual size



100 COMFORT COATED TABLETS

0 4 1 2 6 0 3 8 0 7 0
100% SIZE
12-digit UPC-A
(non-suppressed)
For Position Only



DISTRIBUTED BY
THE KROGER CO.
CINCINNATI, OHIO 45202
QUALITY GUARANTEE
800-632-6900
www.kroger.com

B-1050-327-12-R
REV0119832712



Gentle
Laxative Tablets
Bisacodyl USP, 5
STIMULANT LAXATIVE

in stock

store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

avoid excessive humidity

see end flap for expiration date and lot number

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- you may have stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Questions or comments?
1-800-632-6900

Inactive ingredients: acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn starch, D & C yellow #10 aluminum lake, FD & C yellow #6, aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polyethylene glycol, polyethylene glycol, propylparaben, sheilaac glaze, propylene glycol, propylparaben, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

*This product is not manufactured or distributed by Sanofi-Aventis Deutschland GmbH, owner of the registered trademark Dulcolax® Laxative Tablets.
50844 REV0119832712

HE IR



Kroger 44-327

LAXATIVE GENTLE

bisacodyl tablet, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-827
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
AMMONIA (UNII: 5138Q19F1X)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX25C1OH)	
SHELLAC (UNII: 46N107B71O)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

WATER (UNII: 059QF0KO0R)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-827-12	4 in 1 CARTON	03/25/2002	
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/25/2002	

Labeler - Kroger Company (006999528)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(30142-827) , pack(30142-827)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(30142-827) , pack(30142-827)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(30142-827)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(30142-827)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(30142-827)

Revised: 11/2023

Kroger Company