

**INFLUAFORCE- echinacea (angustifolia), lomatium dissectum, myrrha, nasturtium aquaticum, tabebuia impetiginosa, hydrastis canadensis, propolis, bryonia (alba), eupatorium perfoliatum, ferrum phosphoricum, gelsemium sempervirens, ipecacuanha, mercurius corrosivus, pyrogenium, influenzinum liquid**  
**BioActive Nutritional, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Drug Facts:**

**ACTIVE INGREDIENTS:**

Echinacea (Angustifolia) 3X, Lomatium Dissectum 3X, Myrrha 3X, Nasturtium Aquaticum 3X, Tabebuia Impetiginosa 3X, Hydrastis Canadensis 5X, Propolis 6X, Bryonia (Alba) 12X, Eupatorium Perfoliatum 12X, Ferrum Phosphoricum 12X, Gelsemium Sempervirens 12X, Ipecacuanha 12X, Mercurius Corrosivus 12X, Pyrogenium 30X, 60X, 200X, Influenzinum 10C, 30C, 200C.

**INDICATIONS:**

For temporary relief of minor aches and pains in muscles and joints, fever with dryness of mucous membranes and dry cough; muscular soreness and fatigue with headache.

**WARNINGS:**

**If pregnant or breast-feeding,** ask a health care professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

Store in cool, dry place.

**KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

**INDICATIONS:**

For temporary relief of minor aches and pains in muscles and joints, fever with dryness of mucous membranes and dry cough; muscular soreness and fatigue with headache.

**INACTIVE INGREDIENTS:**

Demineralized Water, 25% Ethanol

**QUESTIONS:**

BioActive Nutritional, Inc.  
 1803 N. Wickham Rd.  
 Melbourne, FL 32935  
 bioactivenutritional.com

**PACKAGE LABEL DISPLAY:**

**BIOActive Nutritional**  
**INFLUAFORCE**  
**HOMEOPATHIC**  
**1 FL OZ (30 ml)**



**WARNINGS:** If pregnant or breast-feeding, ask a health care professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

**LOT:**

Distributed by:  
 BioActive Nutritional, Inc.  
 1803 N. Wickham Rd.  
 Melbourne, FL 32935  
 bioactivenutritional.com

**INFLUAFORCE**  
**HOMEOPATHIC**

**ACTIVE INGREDIENTS:**  
 Echinacea 3X, Lomatium Dissectum 3X, Myrrha 3X, Nasturtium Aquaticum 3X, Tabebuia Impetiginosa 3X, Hydrastis Canadensis 5X, Propolis 6X, Bryonia 12X, Eupatorium Perfoliatum 12X, Ferrum Phosphoricum 12X, Gelsemium Sempervirens 12X, Ipecacuanha 12X, Mercurius Corrosivus 12X, Pyrogenium 30X, 60X, 200X, Influenzinum 10C, 30C, 200C.

**INACTIVE INGREDIENTS:**  
 Demineralized Water,  
 25% Ethanol

**1 FL OZ (30 ml)**

**INDICATIONS:**

For temporary relief of minor aches and pains in muscles and joints, fever with dryness of mucous membranes and dry cough; muscular soreness and fatigue with headache.

**DIRECTIONS:**

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

**INFLUAFORCE**

echinacea (angustifolia), lomatium dissectum, myrrha, nasturtium aquaticum, tabebuia impetiginosa, hydrastis canadensis, propolis, bryonia (alba), eupatorium perfoliatum, ferrum phosphoricum, gelsemium sempervirens, ipecacuanha, mercurius corrosivus, pyrogenium, influenzzinum liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43857-0510
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ECHINACEA ANGUSTIFOLIA</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
<b>LOMATIUM DISSECTUM ROOT</b> (UNII: 5329928G5N) (LOMATIUM DISSECTUM ROOT - UNII:5329928G5N)	LOMATIUM DISSECTUM ROOT	3 [hp_X] in 1 mL
<b>MYRRH</b> (UNII: JC71GJ1F3L) (MYRRH - UNII:JC71GJ1F3L)	MYRRH	3 [hp_X] in 1 mL
<b>NASTURTIIUM OFFICINALE</b> (UNII: YH89GMV676) (NASTURTIIUM OFFICINALE -	NASTURTIIUM OFFICINALE	3 [hp_X]

UNII:YH89GMV676)	INASTURIONUM OFFICINALE	in 1 mL
<b>TABEBUIA IMPETIGINOSA BARK</b> (UNII: 6GLA1946WX) (HANDROANTHUS IMPETIGINOSUS BARK - UNII:6GLA1946WX)	TABEBUIA IMPETIGINOSA BARK	3 [hp_X] in 1 mL
<b>GOLDENSEAL</b> (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	5 [hp_X] in 1 mL
<b>PROPOLIS WAX</b> (UNII: 6Y8XYV2NOF) (PROPOLIS WAX - UNII:6Y8XYV2NOF)	PROPOLIS WAX	6 [hp_X] in 1 mL
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	12 [hp_X] in 1 mL
<b>EUPATORIUM PERFOLIATUM FLOWERING TOP</b> (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	12 [hp_X] in 1 mL
<b>FERROSO FERRIC PHOSPHATE</b> (UNII: 91GQH8I5F7) (FERROSO FERRIC PHOSPHATE - UNII:91GQH8I5F7)	FERROSO FERRIC PHOSPHATE	12 [hp_X] in 1 mL
<b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	12 [hp_X] in 1 mL
<b>IPECAC</b> (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	12 [hp_X] in 1 mL
<b>MERCURIC CHLORIDE</b> (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC CHLORIDE	12 [hp_X] in 1 mL
<b>RANCID BEEF</b> (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU)	RANCID BEEF	30 [hp_X] in 1 mL
<b>INFLUENZA A VIRUS A/SINGAPORE/GP1908/2015 IVR-180 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: Q3P251C5MT) (INFLUENZA A VIRUS A/SINGAPORE/GP1908/2015 IVR-180 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:LD80H821HF)	INFLUENZA A VIRUS A/SINGAPORE/GP1908/2015 IVR-180 (H1N1) ANTIGEN (FORMALDEHYDE INACTIVATED)	10 [hp_C] in 1 mL
<b>INFLUENZA A VIRUS A/SINGAPORE/INFIMH-16-0019/2016 NIB-104 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: 2ZSC17SIJ6) (INFLUENZA A VIRUS A/SINGAPORE/INFIMH-16-0019/2016 NIB-104 (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:1R31M8U8H9)	INFLUENZA A VIRUS A/SINGAPORE/INFIMH-16-0019/2016 NIB-104 (H3N2) ANTIGEN (FORMALDEHYDE INACTIVATED)	10 [hp_C] in 1 mL
<b>INFLUENZA B VIRUS B/MARYLAND/15/2016 ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: 8V4458342X) (INFLUENZA B VIRUS B/MARYLAND/15/2016 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:OES3CXI7E9)	INFLUENZA B VIRUS B/MARYLAND/15/2016 ANTIGEN (FORMALDEHYDE INACTIVATED)	10 [hp_C] in 1 mL
<b>INFLUENZA B VIRUS B/PHUKET/3073/2013 ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: B93BQX9789) (INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:9HB0XUS9TM)	INFLUENZA B VIRUS B/PHUKET/3073/2013 ANTIGEN (FORMALDEHYDE INACTIVATED)	10 [hp_C] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43857-0510-1	30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/24/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/24/2019	

**Labeler** - BioActive Nutritional, Inc. (624980496)

**Registrant** - Apotheca Company (844330915)

**Establishment**

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43857-0510) , api manufacture(43857-0510) , label(43857-0510) , pack(43857-0510)

Revised: 5/2019

BioActive Nutritional, Inc.