

**GENERAL PROTECTION-**

**avobenzone,homosalate,octisalate,octocrylene,octinoxate aerosol, spray**

**Cross-Brands Contract Filling**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Sea & Ski SPF 50 Sport CSpray**

**Sea & Ski SPF 50 Sport CSpray**

# Comfort Trigger Spray

# SEA & SKI®

**Beyond UV™**

with **IR-Guard™**  
Infrared Protection

Fragrance  
Free

# SPORT

**DRI-MIST  
SUNSCREEN**

# 50

Broad Spectrum SPF 50  
WATER RESISTANT  
(80 MINUTES)

NET WT. 6 OZ. (170g)

## SEA & SKI® Sport Dri-Mist SPF 50

### Drug Facts

#### Active ingredients

Avobenzone 3.0%, Homosalate 10.0%,  
Octinoxate 7.5%, Octisalate 5.0%,  
Octocrylene 5.0%

#### Purpose

Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

• For external use only • Do not use on damaged or broken skin  
• When using this product • keep away from face to avoid breathing it  
• keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. • **Caution: Flammable. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 122°F (50°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Directions** • spray liberally and spread evenly by hand 15 minutes before sun exposure • hold container 4-6 inches from the skin to apply. Rub in. • do not spray directly into face. Spray on hands and then apply to face. Rub in. • do not apply in windy conditions • use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses • Children under 6 months: Ask a doctor.

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only.

#### Inactive ingredients

acrylates/octylacrylamide copolymer, alcohol denatured, aloe barbadensis leaf juice, argania spinosa, ascorbic acid, cholecalciferol, neopentyl glycol diheptanoate, octyldodecanol, PEG-16 macadamia glycerides, propylene glycol, pyridoxine HCl, retinyl palmitate, silica, sodium propoxyhydroxypropyl thiosulfate silica, tocopheryl acetate, zea mays (corn) oil

**Questions or comments?** Call 855-sea-n-ski (855-732-6754) or visit [www.seanski.com](http://www.seanski.com).

Distributed by: **Cross-Brands Manufacturing, LLC**  
851 Greensboro Rd., Cocoa, FL 32926  
[www.seanski.com](http://www.seanski.com) Made in U.S.A.

TC/DOT-2P M5703

PROTECT  
esc  
EDUCATE  
YOUR DRUGS



Sea & Ski® is a trademark of Faulding Healthcare (IP) Holdings, Inc. and is used under license

## GENERAL PROTECTION

avobenzone, homosalate, octisalate, octocrylene, octinoxate aerosol, spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73440-2009
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	17 g in 170 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	5.1 g in 170 g
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	12.75 g in 170 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	8.5 g in 170 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	8.5 g in 170 g

## Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	107.61 g in 170 g

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73440-2009-1	170 g in 1 CAN; Type 0: Not a Combination Product	01/04/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/04/2017	

**Labeler** - Cross-Brands Contract Filling (117871824)

## Establishment

Name	Address	ID/FEI	Business Operations
Cross-Brands Contract Filling		117871824	label(73440-2009) , manufacture(73440-2009) , pack(73440-2009)

Revised: 3/2021

Cross-Brands Contract Filling