

LAXATIVE PILLS MAXIMUM STRENGTH- sennosides tablet

Hy-Vee

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

- noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you

- are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

- do not use for a period longer than 1 week

Stop use and ask a doctor if

- rectal bleeding or failure to have a bowel movement occur after use of a laxative.

These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole, do not crush, break, or chew

adults and children 12 years of age and older	take 2 tablets once or twice daily
children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

Other information

- each tablet contains: **calcium 50 mg**
- very low sodium
- store between 20-25°C (68-77°F)

Inactive ingredients

acacia, ammonium hydroxide*, calcium carbonate*, calcium phosphate dihydrate*, calcium sulfate anhydrous*, carnauba wax, corn starch*, croscarmellose sodium, dicalcium phosphate*, FD&C blue #1 aluminum lake, hypromellose*, iron oxide*, iron oxide black, iron oxide yellow*, isopropyl alcohol*, kaolin*, magnesium stearate, Maltodextrin, microcrystalline cellulose, mineral oil*, n-butyl alcohol*, polyethylene glycol, polyvinyl alcohol*, povidone*, propylene glycol*, shellac, silicon dioxide*, sodium lauryl sulfate*, stearic acid*, sucrose, talc, titanium dioxide, white wax*

*contains one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

†COMPARE TO the active ingredient in ex-lax® Maximum Strength

Maximum Strength

Laxative

Sennosides 25 mg - Stimulant Laxative

Gentle, Dependable Overnight Relief

Tablets

This product is not manufactured or distributed by Novartis, owner of the registered trademark Ex-Lax®.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY HY-VEE, INC.

5820 WESTOWN PARKWAY

WEST DES MOINES, IA 50266

www.hy-vee.com

Product Label

Drug Facts (continued)

Questions or comments?

Call toll free 1-800-289-8343 Monday-Friday 9AM-4PM CST

*This product is not manufactured or distributed by Novartis, owner of the registered trademark Ex-Lax®.

Drug Facts (continued)

Ask a doctor or pharmacist before use if you

- are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.
- do not use for a period longer than 1 week
- Stop use and ask a doctor if
 - rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.
- If pregnant or breast-feeding, ask a health professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole, do not crush, break, or chew

adults and children 12 years of age and older
take 2 tablets once or twice daily

Drug Facts (continued)

Other information

- each tablet contains: calcium 50 mg
- very low sodium
- store between 20-25°C (68-77°F)

Inactive ingredients acacia, ammonium hydroxide*, calcium carbonate*, calcium phosphate*, croscarmellose sodium, dicalcium corn starch*, FD&C blue #1, hypromellose*, iron oxide*, iron oxide yellow*, isopropyl alcohol*, kaolin*, magnesium stearate, maltoedextrin, microcrystalline cellulose, mineral oil*, n-butyl alcohol*, polyethylene glycol, polyvinyl alcohol*, povidone*, propylene glycol*, shellac*, silicon dioxide, sodium lauryl sulfate*, stearic acid, sucrose, talc, titanium dioxide, white wax*
*contains one or more of these ingredients

Drug Facts (continued)

Warnings

- Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.
- Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks

Uses

- relieves occasional constipation (irregularly)
- generally produces bowel movement in 6 to 12 hours

Active ingredient (in each tablet) Sennosides 25 mg.....Stimulant laxative

Purpose Stimulant laxative

Hy-Vee health

COMPARE TO
the Active Ingredient in
ex-lax® Maximum
Strength

Maximum Strength Laxative
Sennosides 25 mg - Stimulant Laxative

NDC 42507-492-24

Gentle, Dependable Overnight Relief

Actual Size

24 TABLETS

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY HY-VEE, INC.
5820 WESTOWN PARKWAY
WEST DES MOINES, IA 50266

SATISFACTION GUARANTEED
OR PURCHASE PRICE REFUNDED
FOR INFORMATION CALL
1-800-289-8343
www.hy-vee.com



PLD-C166
FC003209

Lot No.:
Exp. Date:

Hy-Vee Maximum Strength Laxative Blue Tablet

LAXATIVE PILLS MAXIMUM STRENGTH

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42507-492
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IIX) (SENNOSIDES - UNII:3FYP5M0IIX)	SENNOSIDES	25 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
AMMONIA (UNII: 5138Q19F1X)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
ALUMINUM OXIDE (UNII: LM26O6933)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WHITE WAX (UNII: 7G1J5DA97F)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MINERAL OIL (UNII: T5L8T28FGP)	

Product Characteristics

Color	BLUE	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	TCL083;S25
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42507-492-24	24 in 1 CARTON	02/29/2016	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	02/29/2016	

Labeler - Hy-Vee (006925671)

Revised: 12/2019

Hy-Vee