

ISOPROPYL ALCOHOL 70 PERCENT- isopropyl alcohol liquid

Cardinal Health (Leader) 70000

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (by volume)

Isopropyl alcohol (70% conc.)

Purpose

First aid antiseptic

Uses

first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

- If taken internally, serious gastric disturbances will result

Flammable, keep away from fire or flame

- use only in a well-ventilated area; fumes may be toxic

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

condition persists or gets worse

Keep out of reach of children.

In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

Other information

- store at room temperature

- does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredient

purified water

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel**Isopropyl Alcohol 70 %**

First Aid Antiseptic

WARNING FLAMMABLE | keep away from heat, spark, electrical, fire or flame

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY CARDINAL HEALTH

DUBLIN, OHIO 43017


www.myleader.com

Package Label



Drug Facts	
Active ingredient (by volume) Isopropyl alcohol (70% conc.)	Purpose First aid antiseptic
Uses first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.	
Warnings For external use only. ■ if taken internally, serious gastric disturbances will result Flammable, keep away from fire or flame. ■ use only in a well-ventilated area; fumes may be toxic	
Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.	
When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than one week unless directed by a doctor	
Stop use and ask a doctor if condition persists or gets worse.	
Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222).	
Directions ■ clean affected area ■ apply small amount of this product on the area 1-3 times daily ■ if bandaged, let dry first ■ may be covered with a sterile bandage	
Other information ■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol	
Inactive ingredient purified water	
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.




DISTRIBUTED BY CARDINAL HEALTH
DUBLIN, OHIO 43017
www.myleader.com 1-800-200-6313
Essential to Care™ since 1979
© 2019 Cardinal Health
100% Money Back Guarantee
Return to place of purchase if not satisfied.

CIN 5511688

REV. 4/19

PLD-A226C LB006573



0 962951 13700 2

LEADER Isopropyl Rubbing Alcohol 70%

ISOPROPYL ALCOHOL 70 PERCENT

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0497
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)			ISOPROPYL ALCOHOL	70 mL in 100 mL
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0497-1	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/19/2019	
2	NDC:70000-0497-2	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/19/2019	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL		part333A	04/19/2019	

Labeler - Cardinal Health (Leader) 70000 (097537435)