

**SCAR GEL- scar cream gel**  
**Guangzhou Meayon Biotechnology Co.,Ltd**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**75728-004**  
**scar gel**

**Active Ingredient(s)**

Allantoin 0.3%

**Purpose**

Skin Protectant

**Use**

Temporarily protects and helps relieve chapped or cracked skin.

**Warnings**

For external use only.

**Do not use**

/

do not get into eyes.

condition worsens symptoms last more than 7daysor clear up and occur again within a few days DO not use on.

deep or puncture wounds animal bites serious burns.

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

condition worsens symptoms last more than 7daysor clear up and occur again within a few days DO not use on.

**Other information**

/

**Inactive ingredients**

CYCLOPENTASILOXANE  
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER  
  
HEXYLDECANOL  
STEARIC ACID  
BRASSICA CAMPESTRIS (RAPESEED) STEROLS  
ARGANIA SPINOSA KERNEL OIL  
TOCOPHERYL ACETATE  
CERAMIDE 3  
CERAMIDE 6 II  
CHOLESTEROL  
MADECASSOSIDE

**Package Label - Principal Display Panel**

75728-004-01 15 g in 1 BOTTLE

**VANISH**

**ADVANCED  
SILICONE  
SCAR GEL**

**Medical-Grade  
Silicone Gel  
Scar Therapy**

**Distributed by: Lion  
Capital Partners,  
13028 Discovery  
Creek Playa Vista  
California 90094**

**WT 15g 0.5 oz**

**Active Ingredients Purpose**  
Allantoin 0.3% Skin Protectant

**Use: Temporarily protects  
and helps relieve chapped  
or cracked skin.**

**Warnings: For external use  
only.**

**When using this product:  
do not get into eyes.**

**Stop use and ask a doctor if:  
condition worsens symptoms  
last more than 7 days or clear  
up and occur again within a  
few days DO not use on.  
deep or puncture wounds  
animal bites serious burns.**

**Keep out of reach of children:  
If swallowed, get medical  
help or contact a Poison  
Control Center right away.**

**OTHER INGREDIENTS:  
CYCLOPENTASILOXANE,  
DIMETHICONE/VINYL  
DIMETHICONE  
CROSSPOLYMER,  
HEXYLDECANOL,  
STEARIC ACID, BRASSICA  
CAMPESTRIS (RAPESEED)  
STEROLS, ARGANIA SPINOSA  
KERNEL OIL,  
TOCOPHERYLACETATE,  
CERAMIDE 3, CERAMIDE 6 II,  
CHOLESTEROL,  
MADECASSOSIDE**

75728-004-02 20 g in 1 BOTTLE

**Active Ingredients Purpose**



# **ADVANCED SILICONE SCAR GEL**

## **Medical-Grade Silicone Gel Scar Therapy**

Allantoin 0.3% Skin Protectant

**Use: Temporarily protects and helps relieve chapped or cracked skin.**

**Warnings:**For external use only.

**When using this product:** do not get into eyes.

**Stop use and ask a doctor if:** condition worsens symptoms last more than 7 days or clear up and occur again within a few days DO not use on. deep or puncture wounds animal bites serious burns.

**Keep out of reach of children:** If swallowed, get medical help or contact a Poison Control Center right away.

**OTHER INGREDIENTS:**  
**CYCLOPENTASILOXANE,  
DIMETHICONE/VINYL**

**Distributed by: Lion  
Capital Partners,  
13028 Discovery  
Creek Playa Vista  
California 90094**

**DIMETHICONE  
CROSSPOLYMER,  
HEXYLDECANOL,  
STEARIC ACID, BRASSICA  
CAMPESTRIS (RAPESEED)  
STEROLS, ARGANIA SPINOSA  
KERNEL OIL,  
TOCOPHERYLACETATE,  
CERAMIDE 3, CERAMIDE 6 II,  
CHOLESTEROL,  
MADECASSOSIDE**

**WT 20g 0.68 oz**

75728-004-03 30 g in 1 BOTTLE

<p><b>Active Ingredients</b>      <b>Purpose</b> Allantoin 0.3%      Skin Protectant <b>Use:</b> Temporarily protects and helps relieve chapped or cracked skin. <b>Keep out of reach of children:</b> If swallowed, get medical help or contact a Poison Control Center right away. <b>Stop use and ask a doctor if:</b> condition worsens symptoms last more than 7 days or clear up and occur again within a few days DO not use on: deep or puncture wounds animal bites serious burns.</p>	  <p><b>ADVANCED SILICONE SCAR GEL</b></p> <p>Medical-Grade Silicone Gel Scar Therapy</p> <p><b>WT 30g      1 oz</b></p>	<p><b>When using this product:</b> do not get into eyes. <b>Warnings:</b> For external use only.   <b>OTHER INGREDIENTS:</b> CYCLOPENTASILOXANE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, HEXYLDECANOL, STEARIC ACID, BRASSICA CAMPESTRIS (RAPESEED) STEROLS, ARGANIA SPINOSA KERNEL OIL, TOCOPHERYLACETATE, CERAMIDE 3, CERAMIDE 6 II, CHOLESTEROL, MADECASSOSIDE</p>
---	---	---

**SCAR GEL**

scar cream gel

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:75728-004
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	0.3 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
HEXYLDECANOL (UNII: 151Z7P1317)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
RAPESEED STEROL (UNII: B46B6DD20U)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CERAMIDE 3 (UNII: 4370DF050B)	
CERAMIDE 6 II (UNII: F1X8L2B00J)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
MADECASSOSIDE (UNII: CQ2F5O6YIY)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75728-004-01	15 g in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
2	NDC:75728-004-03	30 g in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
3	NDC:75728-004-02	20 g in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/30/2020	

**Labeler** - Guangzhou Meayon Biotechnology Co.,Ltd (554520941)**Establishment**

Name	Address	ID/FEI	Business Operations
Guangzhou Meayon Biotechnology Co.,Ltd		554520941	manufacture(75728-004)

Revised: 8/2022

Guangzhou Meayon Biotechnology Co.,Ltd