

RITE AID ADVANCED SCAR GEL- advanced scar gel gel
Rite Aid

Advanced Scar Gel

Drug Facts

Active ingredients

Allantion 0.5%

Purpose

Skin Protectant

Uses

Temporarily protects and helps chapped or cracked skin

Warnings

For external use only

When using this product

- do not get into eyes

Stop Use and Ask a Doctor if

- condition worsens
- symptoms last for more than 7 days or clears up and occur again within a few days

Do Not Use on

- deep or puncture wounds
- animal bites
- serious burns

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center immediately.

Directions

Apply as needed

Other information

- Store at room temperature

Inactive ingredient

Water (Purified), PEG 300, Allium Cepa (Onion) Bulb Extract, Xanthan Gum, Alcohol, Methylparaben, Sorbic Acid, Panthenol, Sodium Hyaluronate, Fragrance

Principal Display Panel -Tube

Rite Aid NDC 11822-8214-7

Advanced Scar Gel

0.5% Allantoin -Skin Protectant

NET WT. 0.70 oz (20g)



Active ingredient

Allantoin 0.5% Skin Protectant

Use • Temporarily protects and helps relieve chapped or cracked skin

Warnings • For external use only.

When using this product • do not get into eyes.

Stop use and ask a doctor if • condition worsens

• symptoms last more than 7 days or clear up and occur again

within a few days. **Do not use on** • deep or puncture wounds

• animal bites • serious burns.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply as needed.

Other information • Store at room temperature

Purpose

..... Skin Protectant

DISTRIBUTED BY:
RITE AID, 30 HUNTER LANE,
CAMP HILL, PA 17011

www.riteaid.com

MADE IN THE U.S.A.

OF U.S. AND IMPORTED

INGREDIENTS

AND COMPONENTS

SATISFACTION

GUARANTEE:

If you're not satisfied,

we'll happily

refund your money.

255981

ADVANCED SCAR GEL

ALLANTOIN 0.5%



SKIN PROTECTANT

NET WT
0.70 OZ (20 g)

Active ingredient

Allantoin 0.5% Skin Protectant

Use • Temporarily protects and helps relieve chapped or cracked skin

Warnings • For external use only.

When using this product • do not get into eyes.

Stop use and ask a doctor if • condition worsens

• symptoms last more than 7 days or clear up and occur again within a few days. **Do not use on** • deep or puncture wounds

• animal bites • serious burns.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply as needed.

Other information • Store at room temperature

Purpose

DISTRIBUTED BY:
RITE AID, 30 HUNTER LANE,
CAMP HILL, PA 17011
www.riteaid.com

MADE IN THE U.S.A.
OF U.S. AND IMPORTED
INGREDIENTS
AND COMPONENTS

**SATISFACTION
GUARANTEE:**

If you're not satisfied,
we'll happily
refund your money.

255981



Principal Display Panel - Carton

Rite Aid NDC 11822-8214-7

Advance Scar Gel

0.5% Allantoin - Skin Protectant

NET WT. 0.70 oz (20g)



RITE AID ADVANCED SCAR GEL

advanced scar gel gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-8214
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
ONION (UNII: 492225Q21H)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ALCOHOL (UNII: 3K9958V90M)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
Sorbic Acid (UNII: X045WJ989B)	
PANTHENOL (UNII: WW9CM0O67Z)	

HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-8214-7	1 in 1 CARTON	09/24/2020	
1		20 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	09/24/2020	

Labeler - Rite Aid (014578892)

Revised: 11/2024

Rite Aid