

AFTASEPTIC INSTANT PAIN RELIEF- salicylic acid 1% liquid
Germa Products, LLC

Aftaseptic Analgesic Liquid

Active Ingredient

Salicylic Acid 1% w/v

Purpose

Analgesic

Uses

For the temporary relief of pain associated with canker sores.

for the temporary relief of pain associated with canker sores.

Warnings

Alcohol warning: if you consume 3 or more alcoholic drinks everyday, consult with a specialist whether you should use Salicylic Acid or other pain reliever, fever reducers n Salicylic Acid may cause stomach bleeding.

Allergy alert: may cause a severe allergic reaction which may include: hives, facial swelling, asthma (wheezing), shock.

Warnings

Flammable n Keep away from fire or flame. Do not use for teething or in children under 2 years of age

When using this product n avoid contact with eyes. Do not use longer than 1 week unless directed by a doctor. If pregnant or nursing contact a Doctor before using. Stop use and ask a doctor if condition persists or worsen

keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Other Information

Store between 15° to 30°C (59° to 86°F). Cap bottle tightly. Do not accept if safety seal is broken or missing. Cap bottle tightly. Keep this box for future doubts.

Directions

Use enclosed applicator brush

Children 14 years of age to adult. Apply 2 brushstrokes 2 times a day to affected area of the mouth, gums or mucous membranes (throat). Do not rinse mouth after use. Children under 14 years of age consult a physician.

Inactive Ingredients

Ethyl Alcohol, propylene glycol, purified water, rhubarb.

Aftaseptic



GM
GERMA[®]
NDC 59561-102-05
ANALGESIC LIQUID

AFTASEPTIC[®]

*Alivia Aftas y
Ulceritas Bucales*
*Alleviates Canker Sores
& Buccal Blisters*

INSTANT PAIN RELIEF

Keep the bottle tightly closed

Distributed by:
Germa Products, LLC
13121 SW 122 Avenue, Miami, FL 33186
Questions or Comments:
1-305-278-0033, M-F, 9-5 Eastern
www.germa.net

*Referred to box for "Drug Facts"
or go to www.germa.net*

Net Wt.: 0.5 FL. OZ. (15mL)



GM
GERMA[®]
NDC 73635-7102-5
ANALGESIC LIQUID

AFTASEPTIC[®]


INSTANT PAIN RELIEF
Alivio Instantaneo

Alivia las Aftas y Ulceritas Bucales



GM
GERMA[®]
*Alivia Aftas
Dolorosas y
Ulceritas Bucales*
LIQUIDO ANALGESICO
Net Wt.: 0.5 FL. OZ. (14.8mL.)

AFTASEPTIC[®]




GM
GERMA[®]
AFTASEPTIC[®]
ANALGESIC LIQUID



GM
GERMA[®]
*Alleviates
Canker Sores &
Buccal Blisters*
ANALGESIC LIQUID
Net Wt.: 0.5 FL. OZ. (14.8mL.)

AFTASEPTIC[®]



GM
GERMA[®]
AFTASEPTIC[®]
ANALGESIC LIQUID



Distributed by: **Germa Products, LLC**
13121 SW 122 Ave., Miami, Florida 33186
Questions or Comments: 1-305-256-1464, M-F, 9-5 Eastern
www.germa.net



PLEASE RECYCLE



rev. 12/20

Información Médica
Propósito
 Ingredientes activos
 Ácido Salicílico (USP) 1% w/v Analgésico

Uso ■ para el alivio temporal del dolor y tratamiento de las aftas bucales (úlceras).

Advertencia de alcohol ■ si consume 3 o más bebidas alcohólicas por día, consulte con un especialista si debe usar ácido salicílico u otro analgésico, reductores de fiebre ■ El ácido salicílico puede causar sangramiento estomacal.

Alerta de alergia ■ puede causar una reacción alérgica grave que puede incluir: urticaria, hinchazón facial, asma (sibilancias), shock.

Inflamable ■ manténgase alejado del fuego

No usar ■ para la dentición ■ en niños menores de 2 años.

Cuando use este producto ■ evite el contacto con los ojos. ■ no use más de 1 semana a menos que lo indique un médico. ■ si esta embarazada o lactando consulte con su médico antes de usar este producto.

Mantenga fuera del alcance de los niños ■ en caso de ingestión accidental busque asistencia médica o llame al Centro de Tratamientos por Envenamamiento inmediatamente.

Instrucciones ■ use nuestro pincel aplicador para niños mayores de 14 años hasta adultos ■ usar 2 pinceladas 2 veces al día, sobre área afectada de la boca ■ no enjuagar la boca después de aplicar ■ menores de 14 años de edad consulte a un médico.

Otras informaciones ■ almácene entre 15° a 30°C (59° to 86°F). ■ no acepte si el sello de seguridad está roto o falta ■ cerrar bien después de cada uso. ■ Mantenga la caja para futura información. ■ **Ingredientes Inactivos** ■ Alcohol Etilico ■ propileno glicol ■ agua purificada ■ rubarbido

Drug Facts
Active ingredient
 Salicylic Acid (USP) 1% w/v Analgesic

Purpose
 ■ for the temporary relief of pain associated with canker sores.

Alcohol warning ■ if you consume 3 or more alcoholic drinks everyday, consult with a specialist whether you should use Salicylic Acid or other pain reliever, fever reducers ■ Salicylic Acid may cause stomach bleeding.

Allergy alert ■ may cause a severe allergic reaction which may include: hives, facial swelling, asthma (wheezing), shock.

Flammable ■ Keep away from fire or flame.

Do not use ■ for teething ■ in children under 2 years of age

When using this product ■ avoid contact with eyes. ■ do not use longer than 1 week unless directed by a doctor. ■ if pregnant or nursing contact a doctor before using. ■ stop use and ask a doctor if condition persists or worsens

Keep out of reach of children ■ in case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions ■ use enclosed applicator brush for children 14 years of age to adult ■ apply 2 brushstrokes 2 times a day to affected area of the mouth, gums or mucous membranes (throat) ■ do not rinse mouth after use ■ children under 14 years of age consult a physician.

Other information ■ store between 15° to 30°C (59° to 86°F). do not accept if safety seal is broken or missing ■ cap/bottle tightly. ■ keep this box for future doubts.

Inactive ingredients ■ Ethyl Alcohol ■ propylene glycol ■ purified water ■ rubarb.

Mantenga la botella bien cerrada

Keep the bottle tightly closed

AFTASEPTIC INSTANT PAIN RELIEF

salicylic acid 1% liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73635-7102
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	10 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALCOHOL (UNII: 3K9958V90M)	
RHUBARB (UNII: G280W4MW6E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73635-7102-5	1 in 1 BOX	03/29/2019	
1		14.8 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	03/29/2019	

Labeler - Germa Products, LLC (116626935)

Revised: 10/2025

Germa Products, LLC