MARKET BASKET MENTHOL COUGH DROPS- menthol lozenge DeMoulas

Menthol 5.4mg

Active ingredient (in each drop)

Menthol 5.4 mg

Purpose

Cough suppressant / Oral anesthetic

Uses temporarily relieves:

- cough as may occur with a cold
- occasional minor irritation and sore throat

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have:

- persistent or chronic cough as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore throat is severe, or irritation, pain or redness lasts or worsens
- sore mouth does not improve in 7 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

adults and children 5 years and over - dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor.

children under 5 years - ask a doctor

Other information

- 10 calories per drop
- do not use if bag is torn or open

Inactive ingredients: Corn starch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red no. 40, glycerin, gum arabic, medium chain triglycerides, natural flavors, potassium sorbate, soybean oil, sucrose and water.

Questions? Or to report an adverse event call **1-800-245-2898**. Monday through Friday, 9AM to 4PM EST



Gluten-Free

ENLARGED

MENTH	OL
30 DROP	S
⁵	PN NG NG NG NG NG NG NG NG NG N
arch, com syrup, eucalyptus oil, FD&C blue no. 1, FD&C red n chain triglycerides, natural flavor, potassium sorbate, erse event call 1-800-245-2898. M EST M EST	no. 40, glycerin, gum arabic, medium soybean oil, sucrose and water. Questions? Or to report an adve Monday through Friday, 9AM to 4PM
arch, com syrup, eucalyptus oil, FD&C blue no. 1, FD&C red a chain triglycendes, natural flavor, potassium sorbate, M EST M EST	no. 40, glycerin, gum arabic, medium soybean oil, sucrose and water. Monday through Friday, 9AM to 4PN Monday through Friday, 9AM to 4PN This product is not manufactured o
arch, com syrup, eucalyptus oil, FD&C blue no. 1, FD&C red a chain triglycendes, natural flavor, potassium sorbate, M EST M EST	adults and children 5 years and over children under 5 years Other information = 10 calori ino. 40, glycerin, gum arabic, medium soybean oil, sucrose and water. Monday through Friday, 9AM to 4PM Monday through Friday, 9AM to 4PM
dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor. ask a doctor es per drop a do not use it bag is torn or open arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, Rowc, potassium sorbate, n chain triglycerides, natural flavor, potassium sorbate, n rest event call 1-800-245-2898. M EST	Keep out of reach of children. Directions 5 years and over children under 5 years Other information = 10 calori no. 40, glycerin, gum arabic, medium soybean oil, sucrose and water. Monday through Friday, 9AM to 4PM Monday through Friday, 9AM to 4PM
ys, tends to recur, or is accompanied by fever, rash, or be signs of a serious condition. pain or redness lasts or worsens days a health professional before use. dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor. ask a doctor ask a doctor es per drop ■ do not use if bag is torn or open erch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red noch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red moth, corn syrup, eucalyptus oil, FD&C set moth, corn syrup, eucalyptus oil, FD&C set moth, corn syrup, eucalyptus oil, FD&C red moth, corn syrup, eucalyptus oil, FD&C set moth, corn syrup, eucal	Stop use and ask doctor if a cough persists for more than 7 day persistent headache. These could persistent headache. These could a sore mouth does not improve in 7 If pregnant or breast-feeding, ask soluts and children by ears and over children under 5 years ofther information = 10 calori children under 5 years ofther information = 10 calori soybean oil, sucrose and water. Monday through Friday, 9AM to 4PM Monday through Friday, 9AM to 4PM Monday through Friday, 9AM to 4PM worday through Friday, 9AM to 4PM to report an adve the strond of the solution for eactions? Or to report an adve the strond of through Friday, 9AM to 4PM Monday through Friday, 9AM to 4PM
as occurs with smoking, asthma, or emphysema philegm (mucus) ys, tends to recur, or is accompanied by fever, rash, or be signs of a serious condition. Desin or redness lasts or worsens days dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor. dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor. dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor. dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor. dissolve 1 lozenge slowly in mouth. Repeat every 2 hours arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C red arch, corn syrup, eucalyptus oil, FD&C sec arch, for arch, for	Ask a doctor before use if you have mersistent or chronic cough such so Stop use and ask doctor if a cough accompanied by excessive Stop use and ask doctor if mersistent headache. These could persistent headache. These could persistent headache. These could persistent headache. These could more throat is severe, or imitation, p persistent headache. These could a sore mouth does not improve in 7 the pregnant or breast-feeding, ask children under 5 years for the sind over children under 5 years adults and over children under 5 years for an arabic, medium no. 40, glycerin, gum arabic, medium soybean oil, sucrose and water. Monday through Friday, 9AM to 4PM Monday through Friday, 9AM to 4PM
as occurs with smoking, asthma, or emphysema philegm (mucus) ys, tends to recur, or is accompanied by fever, rash, or be signs of a serious condition. Desin or redness lasts or worsens days dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor. dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor. dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor. dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor. dissolve 1 lozenge slowly in mouth. Repeat every 2 hours arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red arch, corn syrup, eucalyptus oil, FD&C red arch, corn syrup, eucalyptus oil, FD&C sec arch, for arch, for	 followed by fever, headache, rash, sa mouth symptoms may be serious. Ask a doctor before use if you have a symptoms may be serious. Ask a doctor before use if you have a persistent or chronic cough such a cough accompanied by excessive a cough accompanied by excessive bereaugh accompanied by excessive a cough accompanied by excessive a cough accompanied by excessive a cough accompanied by excessive bereaugh accompanied by excessive a cough accompanied by excessive a cough accompanied by excessive bereaugh accough accompanied by excessive bereaugh accough accompanied by excessive bereaugh accough accough accough accough accough active to the accough active ingreaded or children. Directions Directions Other information a to calor at a soluts and over a soluts and over a to calor a soluts and over a to calor a to a soluts and over a to calor a to a soluts and over a to a solut a solut a to a solut a solut a to a solut a solut a to a solut a to a solut a solut a to a solut a solut a to a solut



MARKET BA	SKET ME	NTHOL COUGH	DROPS			
menthol lozenge	-		DIGITS			
Product Infor	mation					
Product Type		HUMAN OTC DRUG	ltem Code	(Source)	NDC:5	3942-093
Route of Admin	istration	ORAL				
Active Ingred	ient/Active	Moiety				
	Ingredi	ent Name		Basis of Stre	ngth	Strength
MENTHOL (UNII: L7	T10EIP3A) (MEN		MENTHOL			
In a stirra In and	dianta					
Inactive Ingre						
	Ing	redient Name			Stren	gth
WATER (UNII: 0590	(F0KO0R)					
Product Chara	acteristics					
Color	blue (Light Blue	e with Blue Flakes)		Score		no score
Shape	OVAL			Size		17mm
Flavor	MENTHOL			Imprint Code		В

	ckaging				
с -	ackaging Item Code	Packa	ge Description	Marketing Sta	rt Marketing End
	NDC:53942-093-		e 0: Not a Combination	Date	Date
	30	Product		03/29/2021	
					44.
			the party		in the
			the F		
			the second secon		
			*		
			*		
				-	
				* **	
				*	
				*	
1		nformation		b Marketing S	itart Marketing Fn
	arketing I Marketing Category	Application	n Number or Monograp	oh Marketing S	itart Marketing Eng

Labeler - DeMoulas (007869647)

Registrant - Bestco LLC (002149136)

Establishment						
Name	Address	ID/FEI	Business Operations			
Bestco LLC		002149136	manufacture(53942-093)			

Revised: 12/2024

DeMoulas