

**NASAL DECONGESTANT- pseudoephedrine hcl tablet, film coated**  
**CVS Pharmacy**

-----  
**CVS Pharmacy, Inc. Nasal Decongestant Drug Facts**

**Active ingredient (in each tablet)**

Pseudoephedrine HCl 30 mg

**Purpose**

Nasal decongestant

**Uses**

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**When using this product**

do not exceed recommended dosage

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

**If pregnant or breast-feeding,**

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

adults and children 12 years and over	<ul style="list-style-type: none"><li>take 2 tablets every 4 to 6 hours</li><li>do not take more than 8 tablets in 24 hours</li></ul>
children ages 6 to 11 years	<ul style="list-style-type: none"><li>take 1 tablet every 4 to 6 hours</li><li>do not take more than 4 tablets in 24 hours</li></ul>
children under 6 years	do not use this product in children under 6 years of age

## Other information

- each tablet contains:** calcium 20 mg
- store at 20°-25°C (68°-77°F)
- do not use if blister unit is broken or torn

## Inactive ingredients

carnauba wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, silicon dioxide, titanium dioxide

## Questions or comments?

**1-800-719-9260**

## Principal Display Panel

Compare to the active ingredient in Sudafed® Congestion

Non-Drowsy

Nasal Decongestant

PSEUDOEPHEDRINE HYDROCHLORIDE

Nasal decongestant

MAXIMUM STRENGTH

Relieves:

Nasal & sinus congestion

Sinus pressure

24 TABLETS 30 mg EACH

Actual Size



43252 17 014

Important: Read all product information before using. Keep this box for important information.

OPEN OTHER END

**Drug Facts**

**Active ingredient (in each tablet) Purpose**  
Pseudoephedrine HCl 30 mg.....Nasal decongestant

**Uses**

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**When using this product do not exceed recommended dosage**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Drug Facts (continued)**

**Directions**

adults and children 12 years and over	<ul style="list-style-type: none"> <li>■ take 2 tablets every 4 to 6 hours</li> <li>■ do not take more than 8 tablets in 24 hours</li> </ul>
children ages 6 to 11 years	<ul style="list-style-type: none"> <li>■ take 1 tablet every 4 to 6 hours</li> <li>■ do not take more than 4 tablets in 24 hours</li> </ul>
children under 6 years	do not use this product in children under 6 years of age

**Other information**

- each tablet contains: calcium 20 mg
- store at 20°-25°C (68°-77°F)
- do not use if blister unit is broken or torn

**Inactive ingredients**

carnauba wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, silicon dioxide, titanium dioxide

**Questions or comments? 1-800-719-9260**

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Sudafed® Congestion.

**DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN**

CONVENIENT RECLOSING TAB

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2017 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
V-14017



#477074



**NASAL DECONGESTANT**

pseudoephedrine hcl tablet, film coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59779-432
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	

<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

### Product Characteristics

<b>Color</b>	RED	<b>Score</b>	no score
<b>Shape</b>	ROUND (convex)	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	L432
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-432-62	24 in 1 CARTON	07/15/1987	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:59779-432-67	48 in 1 CARTON	08/29/1997	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:59779-432-80	96 in 1 CARTON	07/28/1997	
3		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/15/1987	

**Labeler** - CVS Pharmacy (062312574)