

**MEIJER PAIN RELIEF- lidocaine 4% liquid**  
**Meijer**

-----  
**Meijer Pain Relief Roll-on**

Lidocaine 4%

Topical Analgesic

For the temporary relief of pain.

**For external use only. Flammable--**Do not use while smoking or near heat or flame. **When using this product** avoid contact with eyes, do not apply to wounds or damaged skin, and do not bandage tightly. **Stop use and ask a doctor if** condition worsens, if symptoms persist for more than 7 days or clear up and occur again within a few days.

If swallowed, get medical help or contact a Poison Control Center right away.

Clean affected area before applying product. Adults and children 12 years of age and older, apply to the affected area not more than 3 to 4 times daily. Children under 12 years old ask a doctor.

Alcohol Denat., Aloe Barbadensis Leaf Extract, Carbomer, Chamomilla Recutita (Matricaria) Flower Extract, Cucumis Sativus (Cucumber) Fruit Extract, Diazolidinyl Urea, Disodium Cocoamphodipropionate, Disodium EDTA, Glycerin, Propylene Glycol, Simethicone, Tocopheryl Acetate, Triethanolamine, Water.

## Drug Facts

### Active ingredient

Lidocaine 4%.....Topical Analgesic

### Purpose

**Uses** For the temporary relief of pain.

### Warnings

For external use only.

**Flammable** - Keep away from fire or flame.

**Do not use** in large quantities, particularly over raw surfaces or blistered areas.

**When using this product** • keep out of eyes • do not apply to wounds or damaged skin • do not bandage tightly.

**Stop use and ask a doctor if** • condition worsens • symptoms last more than 7 days or clear up and occur again within a few days • redness or irritation develops.

**Keep out of the reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • clean affected area before applying product • adults and children 12 years and older, apply to affected area not more than 3 to 4 times daily • Children under 12 years old, ask a doctor.

**Other information** • store at 15°C - 30°C

**Inactive ingredients** Alcohol Denat., Aloe Barbadosis Leaf Extract, Carbomer, Chamomilla Recutita (Matricaria) Flower Extract, Cucumis Sativus (Cucumber) Fruit Extract, Diazolidinyl Urea, Disodium Cocoamphodipropionate, Disodium EDTA, Glycerin, Propylene Glycol, Simethicone, Tocopheryl Acetate, Triethanolamine, Water.

\*This product is not manufactured or distributed by Chatterm, inc., owner of the registered trademark Aspercreme®

meijer

\* Compare to  
Aspercreme®  
active ingredient

NDC# 41250-090-02

pain  
relief  
roll-on

LIDOCAINE 4%

Max Strength

NUMBS AWAY PAIN

Non Greasy  
Fragrance free

Net Wt. 2.5 oz (71 g)



PID# 4331519

DISTRIBUTED BY: MEIJER DISTRIBUTION INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com

## MEIJER PAIN RELIEF

lidocaine 4% liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0989
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
CUCUMBER (UNII: YY7C30VXJT)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TROLAMINE (UNII: 9O3K93S3TK)	
DISODIUM COCOAMPHODIPROPIONATE (UNII: 6K8PRP397M)	
WATER (UNII: 059QF0KO0R)	
CHAMOMILE (UNII: FGL3685T2X)	

**GLYCERIN** (UNII: PDC6A3C0OX)

**ALOE VERA LEAF** (UNII: ZY81Z83H0X)

**CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)** (UNII: 59TL3WG5CO)

**ALPHA-TOCOPHEROL ACETATE** (UNII: 9E8X80D2L0)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0989-2	71 g in 1 BOTTLE; Type 0: Not a Combination Product	03/31/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/31/2021	

**Labeler** - Meijer (006959555)

**Registrant** - Derma Care Research Labs, LLC (116817470)

Revised: 12/2024

Meijer