

TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment
Strategic Sourcing Services LLC

Triple Antibiotic Plus Pain Relief

Drug Facts

<i>Active ingredients (in each gram)</i>	<i>Purpose</i>
Bacitracin zinc USP 500 units	First aid antibiotic
Neomycin sulfate USP 3.5 mg	First aid antibiotic
Polymyxin B sulfate USP 10,000 units	First aid antibiotic
Pramoxine HCl USP 10 mg	External analgesic

Uses

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredient

white petrolatum

Questions?

Call **1-866-923-4914**

Distributed by McKesson
One Post Street, San Francisco, CA 94104

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

Health Mart ®

FIRST AID

Triple Antibiotic Ointment
plus pain relief

• bacitracin zinc • neomycin sulfate • polymyxin B sulfate • pramoxine hydrochloride

Antibiotic Ointment

NET WT 1 oz (28.4 g)



Health Mart®

NDC 62011-0099-1
Compare to Neosporin®
+ Pain Relief
Active Ingredients*

FIRST AID

Triple Antibiotic Ointment plus pain relief

• bacitracin zinc • neomycin sulfate • polymyxin B sulfate • pramoxine hydrochloride
Antibiotic Ointment

Helps prevent infection in minor cuts, scrapes,
and burns plus maximum strength pain relief.

L PK-6-985-1
0318-1
13



Health Mart®

FIRST AID

Triple Antibiotic Ointment plus pain relief

• bacitracin zinc • neomycin sulfate • polymyxin B sulfate • pramoxine hydrochloride
Antibiotic Ointment

NET WT 1 oz (28.4 g)

T51
B50.3
ENG19.13

McKesson

Another Quality Product
Distributed by McKesson
One Post Street, San Francisco, CA 94104
Money Back Guarantee
healthmart.com
Made in Canada



0 52569 13468 6

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin® + Pain Relief.

NO VARNISH/NO AQ
NO COPY/NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

<p>Drug Facts (continued)</p> <p>• symptoms persist for more than 1 week, or clear up and occur again within a few days</p> <p>• rash or other allergic reaction develops</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p>Active ingredients (in each gram)</p> <p>Bacitracin zinc USP 500 units.....First aid antibiotic</p> <p>Neomycin sulfate USP 3.5 mg.....First aid antibiotic</p> <p>Polymyxin B sulfate USP 1,000 units.....First aid antibiotic</p> <p>Pramoxine HCl USP 10 mg.....External analgesic</p>
<p>Directions</p> <p>• adults and children 2 years of age and older: • clean the affected area</p> <p>• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</p> <p>• may be covered with a sterile bandage</p> <p>• children under 2 years of age: ask a doctor</p>	<p>Warnings</p> <p>For external use only.</p> <p>Do not use</p> <p>• if you are allergic to any of the ingredients</p> <p>• in the eyes</p> <p>• over large areas of the body</p> <p>Ask a doctor before use if you have</p> <p>• deep or puncture wounds • animal bites • serious burns</p> <p>Stop use and ask a doctor if</p> <p>• you need to use longer than 1 week</p> <p>• condition persists or gets worse</p>
<p>Other information</p> <p>• To open: unscrew cap, pull tab to remove foil seal</p> <p>• store at 20° to 25° C (68° to 77° F)</p> <p>• see carton or tube crimp for lot number and expiration date</p> <p>Inactive ingredient</p> <p>white petrolatum</p> <p>Questions? Call 1-866-923-4914</p>	<p>Uses first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:</p> <p>• cuts • scrapes • burns</p>

TRIPLE ANTIBIOTIC PLUS PAIN RELIEF

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0099
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	500 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0099-1	1 in 1 CARTON	03/12/2012	05/31/2026
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	03/12/2012	05/31/2026

Labeler - Strategic Sourcing Services LLC (116956644)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(62011-0099)