

**PENACOM HYPOCHLOROUS ACID DISINFECTANT- penacom hypochlorous acid disinfectant spray**

**Shenzhen Qianhai PENACLO Biotechnology Co., Ltd**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**81763-001**

**PENACOM Hypochlorous acid disinfectant**

**Active Ingredient(s)**

Hypochlorous acid ENACLO factor) 0.01%

**Purpose**

disinfection

**Use**

Applicable to disinfection of air, skin surface, object surface, mucosa, fruit and vegetables, and fabric surface.

**Warnings**

For external use only, do not use if you are allergic to Hypochlorous acid or Borneolum

When using this product, do not take orally, in case of accidental contact with eyes, rinse eyes thoroughly with water

Stop use and ask a doctor if itchy or rash occurs. Keep out of reach of children.

Use correctly, do not combine the product with other detergents, disinfectants etc.

**Do not use**

For external use only, do not use if you are allergic to Hypochlorous acid or Borneolum

When using this product, do not take orally, in case of accidental contact with eyes, rinse eyes thoroughly with water

Use correctly, do not combine the product with other detergents, disinfectants etc.

When using this product, do not take orally, in case of accidental contact with eyes, rinse eyes thoroughly with water

Stop use and ask a doctor if itchy or rash occurs. Keep out of reach of children.

Use correctly, do not combine the product with other detergents, disinfectants etc.

Stop use and ask a doctor if itchy or rash occurs.

Keep out of reach of children.

Keep out of reach of children.

Use directly, do not combine the product with other detergents, disinfectants etc.

## **Directions**

1. Air disinfection: Spray PENACOM directly with a purifier to eliminate pollution sources, without dilution, keep the affected space closed, spray evenly in all directions according to the usage amount of 5ml PENACOM per person in the actual space.
2. Skin disinfection: Spray PENACOM with appropriate amount on the affected area, and let the area dry naturally.
3. Surface disinfection: Evenly wipe or spray PENACOM with appropriate amount on the surface of affected object, and rinse them with clean water or let them dry naturally after 5 minutes of processing.
4. Mucosal disinfection: Take appropriate amount of PENACOM directly on the oral mucosa, nasal mucosa, vaginal mucosa.
5. Fruits and vegetables disinfection: Spray appropriate amount of PENACOM on the surface of fruits and vegetables or soak for 10 minutes, then clean it with clean water.
6. Fabric surface disinfection: Spray appropriate amount of PENACOM on the surface of the fabric for 15 minutes.

## **Other information**

Keep in cool and dry place away from light. Use the product within 60 days after the first opening. The surface contaminant should be removed before disinfecting.

## **Inactive ingredients**

Purified water, Borneolum.

## **Package Label - Principal Display Panel**

LABEL81763-001-01 100ml



PENACLO



**Sterilization**  
Effective kill rate **99.99%**

Efficacy of anti-microorganism is over 99.99% on Escherichia Coli, Staphylococcus Aureus, Candida Albicans, Pseudomonas Aeruginosa, Variant black spores of Bacillus Subtilis while tested in laboratories.

- Safe fast
- convenient
- alcohol-free
- Mild formula

**PENACOM™**

**HYPOCHLOROUS ACID DISINFECTANT**

Effective kill rate **99.99%**

**CE**  
REACHEU security certification

**OTC**

3.4Fl oz / 100ml

The products have passed CE209 of EU Reach testing of non-toxic and harmless chemicals

**Scope of use**

Applicable to disinfection of air, skin surface, object surface, mucosa, fruit and vegetables, and fabric surface.



**Drug Facts:**

[Active ingredient] Hypochlorous acid (BVAQLO factor) 0.01%

[Purpose] disinfection

[Uses] Applicable to disinfection of air, skin surface, object surface, mucosa, fruits and vegetables, and fabric surface.

[Warnings] For external use only, do not use if you are allergic to hypochlorous acid or Borneolum. When using this product, do not take to orally in case of accidental contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. Keep out of reach of children. Use directly, do not combine the product with other detergents, disinfectants etc.



PENACLO / PENACOM™

- [Directions] 1. Air disinfection: Spray PENACOM™ directly or with air purifier, eliminate pollution sources, without dilution, keep the effected space closed, spray evenly in all directions according to the usage amount of 5ml PENACOM™ per one m<sup>2</sup> in the actual space.  
2. Skin disinfection: Spray PENACOM™ with appropriate amount on the affected area, and let the area dry naturally.  
3. Surface disinfection: Evenly wipe or spray PENACOM™ with appropriate amount on the surface of affected object, and rinse them with clean water or let them dry naturally after 5 minutes of processing.  
4. Mucosal disinfection: Take appropriate amount of PENACOM™ directly on the oral mucosa, nasal mucosa, vaginal mucosa.  
5. Fruits and vegetables disinfection: Spray appropriate amount of PENACOM™ on the surface of fruits and vegetables or soak it for 10 minutes, then clean it with clean water.  
6. Fabric surface disinfection: Spray appropriate amount of PENACOM™ on the surface of the fabric for 15 minutes.

[Other information] Keep in cool and dry place away from light. Use the product within 60 days after the first opening. The surface contaminant should be removed before disinfecting.

[Inactive ingredients] Purified water, Borneolum.  
[Authorizer of product] Shenzhen Qianhai Penaclo Biotech Co., Ltd.  
[Address] Rm 1811F, Block B, Phase I, Innovation Sci-Tech Plaza, Chegongmiao, Futian District, Shenzhen, Guangdong, P.R.C.  
[Expiration] 12 months [Net content] 100ml  
[Production date] See packaging in jet

# PENACOM HYPOCHLOROUS ACID DISINFECTANT

penacom hypochlorous acid disinfectant spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81763-001
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYPOCHLOROUS ACID</b> (UNII: 712K4CDC10) (HYPOCHLOROUS ACID - UNII:712K4CDC10)	HYPOCHLOROUS ACID	0.01 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BORNEOL</b> (UNII: M89NIB437X)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81763-001-01	100 mL in 1 BOX; Type 0: Not a Combination Product	03/30/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/30/2020	

**Labeler** - Shenzhen Qianhai PENACLO Biotechnology Co., Ltd (554554492)

## Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Qianhai PENACLO Biotechnology Co., Ltd		554554492	manufacture(81763-001)

Revised: 4/2021

Shenzhen Qianhai PENACLO Biotechnology Co., Ltd