

**VICKS VAPOCOOL SORE THROAT- benzocaine and menthol spray**  
**The Procter & Gamble Manufacturing Company**

-----  
**Vicks VapoCOOL Sore Throat Cherry Berry Freeze**

***Drug Facts***

**Active ingredients**

Benzocaine (5 %)

Menthol (1 %)

**Purpose**

Oral anesthetic

Oral anesthetic

**Uses**

temporarily relieves occasional minor irritation and pain due to

- sore throat
- sore mouth

**Warnings**

**Methemoglobinemia Warning-**

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Allergy alert:**

do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

**Sore Throat Warning -**

Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 12 years of age.

**Do not use**

- for teething
- in children under 2

**When using this product**

do not exceed recommended dosage

**Ask a doctor before use if you have**

- a severe sore throat accompanied by difficulty in breathing or that lasts more than 2 days
- a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting

**Stop use and ask a doctor if**

- sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years and over: Apply to the affected area (one spray). Gargle, swish around in the mouth, or allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a doctor.
- children under 12 years, do not use.

**Other information**

- do not exceed 25°C. Do not refrigerate.

**Inactive ingredients**

alcohol, FD&C Blue No. 1, FD&C Red No. 40, flavors, glycerin, propylene glycol, purified water, saccharin sodium, sucralose

**Questions?**

**1-800-283-4879**

**Tamper Evident: Do not use if printed shrinkband seal around the neck is broken or missing**

**MADE IN CANADA**

**DIST. BY: PROCTER & GAMBLE,  
CINCINNATI, OH 45202**

**PRINCIPAL DISPLAY PANEL - 177 ml Bottle Label**

**VICKS®**

**VapoCOOL™**

**SORE THROAT**

**BENZOCAINE & MENTHOL - ORAL ANESTHETICS**

Cooling + Numbing

Soothes Throat Pain

Fast-acting

**CHERRY BERRY FREEZE**

6 FL OZ (177 ml)



**Drug Facts**

Active ingredients	Purpose
Benzocaine (5%)	Oral anesthetic
Menthol (1%)	Oral anesthetic

**Uses** temporarily relieves occasional minor irritation and pain due to • sore throat • sore mouth

**Warnings**

**Methemoglobinemia Warning** – Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache • rapid heart rate • shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Allergy alert:** do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

**Sore Throat Warning** - Severe or persistent sore throat

or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 12 years of age.

**Do not use** • for teething • in children under 2

**When using this product** do not exceed recommended dosage

**Ask a doctor before use if you have**

- a severe sore throat accompanied by difficulty in breathing or that lasts more than 2 days
- a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting

**Stop use and ask a doctor if**

- sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years and over: Apply to the affected area (one spray). Gargle, swish around in the mouth, or allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a doctor.
- children under 12 years, do not use.

**Other information** • do not exceed 25°C. Do not refrigerate.

**Inactive ingredients** alcohol, FD&C Blue No. 1, FD&C Red No. 40, flavors, glycerin, propylene glycol, purified water, saccharin sodium, sucralose

**Questions?** 1-800-283-4879

**VICKS VAPOCOOL SORE THROAT**

benzocaine and menthol spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69423-901
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	5 g in 100 mL
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	

## Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-901-06	177 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	06/02/2021	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M022	06/02/2021	

**Labeler** - The Procter & Gamble Manufacturing Company (004238200)

