

N10 PARAKLENZ- allium cepa, allium sativum, baryta iodata, berberis vulgaris, carduus marianus, chenopodium anthelminticum, chininum arsenicosum, cina, cinchona officinalis, croton tiglium, echinacea angustifolia, hydrastis canadensis, illicium anisatum, lycopodium clavatum, natrum phosphoricum, rhamnus purshiana, santoninum, scrophularia nodosa, senna, sulphur, tanacetum vulgare, teucrium marum solution/ drops

Apex Energetics Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

N10

Active Ingredients	
Allium Cepa	1X
Allium Sativum	1X
Baryta Iodata	4X 6X 8X 10X
Berberis Vulgaris	1X
Carduus Marianus	1X
Chenopodium Anthelminticum	1X
Chininum Arsenicosum	6X 9X
Cina	2X 4X 6X
Cinchona Officinalis	6X 9X
Croton Tiglium	3X
Echinacea Angustifolia	1X
Hydrastis Canadensis	1X
Illicium Anisatum	2X
Lycopodium Clavatum	6X 9X 12X
Natrum Phosphoricum	6X 8X 12X
Rhamnus Purshiana	1X
Santoninum	6X 8X
Scrophularia Nodosa	3X
Senna	1X
Sulphur	6C 9C
Tanacetum Vulgare	4X 8X
Teucrium Marum	2X 6X 8X

Uses:

For temporary relief of minor:

digestive discomfort*

diarrhea*

skin rash*

gas*

fatigue*

abdominal pain*

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Warnings:

If pregnant or breastfeeding, ask a health professional before use.

Do not use if clear seal over the cap is broken or missing.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if digestive discomfort, diarrhea, skin rash, gas, fatigue, abdominal pain or other symptoms do not improve within 7 days or are accompanied by fever.

Directions:

Adults & children ages 12 years and over: Take 10 drops under the tongue 3 times a day, or as directed by your healthcare professional. Consult a physician for use in children under 12 years of age.

Inactive Ingredients

alcohol (20% by volume), glycerin, distilled water

Distributed by Apex Energetics. Questions?

16592 Hale Ave., Irvine, CA 92606, USA

FUTUREPLEX® N10

ANTITOX®

PARAKLENZ™

Homeopathic Formula

Digestive Discomfort*

Diarrhea* Skin Rash*

1 fl oz (30 mL)

Alcohol 20% by Volume

LOT **Drug Facts (continued)**

Uses: For temporary relief of minor: • digestive discomfort* • diarrhea* • skin rash* • gas* • fatigue* • abdominal pain*

Warnings: If pregnant or breastfeeding, ask a health professional before use. Do not use if clear seal over the cap is broken or missing. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. **Stop use and ask a doctor if** digestive discomfort, diarrhea, skin rash, gas, fatigue, abdominal pain or other symptoms do not improve within 7 days or are accompanied by fever.

Directions: Adults & children ages 12 years and over: Take 10 drops under the tongue 3 times a day, or as directed by your healthcare professional. Consult a physician for use in children under 12 years of age.


Inactive Ingredients alcohol (20% by volume), glycerin, distilled water

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Distributed by Apex Energetics. Questions? 16592 Hale Ave., Irvine, CA 92606, USA



**FUTUREPLEX® N10
ANTITOX®**



PARAKLENZ™
Homeopathic Formula

**Digestive Discomfort*
Diarrhea* • Skin Rash***

1 fl oz (30 mL)

Alcohol 20% by Volume

Drug Facts N1021-0409

Active Ingredients

Allium Cepa	1X
Allium Sativum	1X
Baryta Iodata	4X 6X 8X 10X
Berberis Vulgaris	1X
Carduus Marianus	1X
Chenopodium Anthelminticum	1X
Chininum Arsenicosum	6X 9X
Cina	2X 4X 6X
Cinchona Officinalis	6X 9X
Croton Tiglium	3X
Echinacea Angustifolia	1X
Hydrastis Canadensis	1X
Illicium Anisatum	2X
Lycopodium Clavatum	6X 9X 12X
Natrum Phosphoricum	6X 8X 12X
Rhamnus Purshiana	1X
Santoninum	6X 8X
Scrophularia Nodosa	3X
Senna	1X
Sulphur	6C 9C
Tanacetum Vulgare	4X 8X
Teucrium Marum	2X 6X 8X

N10 PARAKLENZ

allium cepa, allium sativum, baryta iodata, berberis vulgaris, carduus marianus, chenopodium anthelminticum, chininum arsenicosum, cina, cinchona officinalis, croton tiglium, echinacea angustifolia, hydrastis canadensis, illicium anisatum, lycopodium clavatum, natrum phosphoricum, rhamnus purshiana, santoninum, scrophularia nodosa, senna, sulphur, tanacetum vulgare, teucrium marum solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63479-1410
Route of Administration	SUBLINGUAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TEUCRIUM MARUM (UNII: 10464S0TAA) (TEUCRIUM MARUM - UNII:10464S0TAA)	TEUCRIUM MARUM	8 [hp_X] in 1 mL
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	1 [hp_X] in 1 mL
GARLIC (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	1 [hp_X] in 1 mL
SCROPHULARIA NODOSA (UNII: 7H443NUB2T) (SCROPHULARIA NODOSA - UNII:7H443NUB2T)	SCROPHULARIA NODOSA	3 [hp_X] in 1 mL
TANACETUM VULGARE TOP (UNII: D52957JQ8M) (TANACETUM VULGARE TOP - UNII:D52957JQ8M)	TANACETUM VULGARE TOP	8 [hp_X] in 1 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	1 [hp_X] in 1 mL
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	1 [hp_X] in 1 mL
STAR ANISE (UNII: XKC1657P78) (STAR ANISE - UNII:XKC1657P78)	STAR ANISE	2 [hp_X] in 1 mL
FRANGULA PURSHIANA BARK (UNII: 4VBP01X99F) (FRANGULA PURSHIANA BARK - UNII:4VBP01X99F)	FRANGULA PURSHIANA BARK	1 [hp_X] in 1 mL
SANTONIN (UNII: 1VL8J38ERO) (SANTONIN - UNII:1VL8J38ERO)	SANTONIN	8 [hp_X] in 1 mL

ARTEMISIA CINA FLOWER (UNII: 28M1820ACT) (ARTEMISIA CINA FLOWER - UNII:28M1820ACT)	ARTEMISIA CINA FLOWER	6 [hp_X] in 1 mL
MILK THISTLE (UNII: U946SH95EE) (MILK THISTLE - UNII:U946SH95EE)	MILK THISTLE	1 [hp_X] in 1 mL
CHENOPODIUM AMBROSIOIDES (UNII: 4H5RSU087I) (CHENOPODIUM AMBROSIOIDES - UNII:4H5RSU087I)	CHENOPODIUM AMBROSIOIDES	1 [hp_X] in 1 mL
QUININE ARSENITE (UNII: 42QO5P0NLM) (QUININE - UNII:A7V27PHC7A)	QUININE ARSENITE	9 [hp_X] in 1 mL
CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	9 [hp_X] in 1 mL
CROTON TIGLIUM SEED (UNII: 0HK2GZK66E) (CROTON TIGLIUM SEED - UNII:0HK2GZK66E)	CROTON TIGLIUM SEED	3 [hp_X] in 1 mL
SENNA LEAF (UNII: AK7JF626KX) (SENNA LEAF - UNII:AK7JF626KX)	SENNA LEAF	1 [hp_X] in 1 mL
SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE (UNII: 70WT22SF4B) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE	12 [hp_X] in 1 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	9 [hp_C] in 1 mL
BARIUM IODIDE (UNII: WKC4T7680A) (BARIUM IODIDE - UNII:WKC4T7680A)	BARIUM IODIDE	10 [hp_X] in 1 mL
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	1 [hp_X] in 1 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63479-1410-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	12/15/1994	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/15/1994	

Labeler - Apex Energetics Inc. (195816384)