**STO NOSODE 4008- sto nosode liquid**
**Professional Complementary Health Formulas**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

---

**N8**

## ACTIVE INGREDIENTS

all the following at 30X, 60X, 100X:
Chlamydia
Gardnerella
Lymphogranuloma
Medorrhinum
Proteus vulgaris
Pseudomonas
Syphilinum
Trichomonas vaginalis

## QUESTIONS

Professional Formulas

PO Box 2034 Lake Oswego, OR 97035

## INDICATIONS

For the temporary relief of mild skin rash, itchy skin, changes in urination, chills, joint pain or body aches, nausea, or fatigue.*

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

## WARNINGS

Persistent symptoms may be a sign of a serious condition. If symptoms persist or are accompanied by a fever, rash or sores, blood in urine, or painful urination, consult a doctor. Keep out of the reach of children. In case of overdose, get medical help or contact a poison control center right away. If pregnant or breastfeeding, ask a healthcare professional before use.

Keep out of the reach of children.

If pregnant or breastfeeding, ask a healthcare professional before use.

## DIRECTIONS

Place drops under tongue 30 minutes before/after meals. Adults and children 12 years and over: Take 10 to 15 drops once weekly or monthly. If mild symptoms are present, take 10 drops up to 3 times per day. Consult a physician for use in children under 12 years of age.

## OTHER INFORMATION

Tamper resistant. If seal is broken, do not use. After opening, close container tightly and store at room temperature away from heat.

## INACTIVE INGREDIENTS

20% ethanol, purified water.

## LABEL

Est 1985

Professional Formulas

Complementary Health

STO Nosode

Homeopathic Remedy

2 FL. OZ. (59 mL)


## STO NOSODE 4008

sto nosode liquid

| Product Information | | | |
|---|---|---|---|
| **Product Type** | HUMAN OTC DRUG | **Item Code (Source)** | NDC:63083-4008 |

| Route of Administration | ORAL |
|---|---|

## Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|---|---|
| **CHLAMYDIA TRACHOMATIS** (UNII: T6NI39QU44) (CHLAMYDIA TRACHOMATIS - UNII:T6NI39QU44) | CHLAMYDIA TRACHOMATIS | 30 [hp_X] in 59 mL |
| **GARDNERELLA VAGINALIS** (UNII: 238RQ26259) (GARDNERELLA VAGINALIS - UNII:238RQ26259) | GARDNERELLA VAGINALIS | 30 [hp_X] in 59 mL |
| **GONORRHEAL URETHRAL SECRETION HUMAN** (UNII: 9BZG9E3I8F) (GONORRHEAL URETHRAL SECRETION HUMAN - UNII:9BZG9E3I8F) | GONORRHEAL URETHRAL SECRETION HUMAN | 30 [hp_X] in 59 mL |
| **PROTEUS VULGARIS** (UNII: 11T9HCO30O) (PROTEUS VULGARIS - UNII:11T9HCO30O) | PROTEUS VULGARIS | 30 [hp_X] in 59 mL |
| **PSEUDOMONAS AERUGINOSA** (UNII: Y793W5V55N) (PSEUDOMONAS AERUGINOSA - UNII:Y793W5V55N) | PSEUDOMONAS AERUGINOSA | 30 [hp_X] in 59 mL |
| **TREPONEMIC SKIN CANKER HUMAN** (UNII: 4ZWP7FWI8W) (TREPONEMIC SKIN CANKER HUMAN - UNII:4ZWP7FWI8W) | TREPONEMIC SKIN CANKER HUMAN | 30 [hp_X] in 59 mL |
| **TRICHOMONAS VAGINALIS** (UNII: Q25X3G314L) (TRICHOMONAS VAGINALIS - UNII:Q25X3G314L) | TRICHOMONAS VAGINALIS | 30 [hp_X] in 59 mL |

## Inactive Ingredients

| Ingredient Name | Strength |
|---|---|
| **ALCOHOL** (UNII: 3K9958V90M) | |
| **WATER** (UNII: 059QF0KO0R) | |

## Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|---|---|---|---|
| **1** | NDC:63083-4008-2 | 59 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | 08/15/1985 | |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---|---|---|---|
| unapproved homeopathic | | 08/15/1984 | |

## Labeler - Professional Complementary Health Formulas (167339027)

## Registrant - Natural Pharmaceutical Manufacturing LLC (015624923)

## Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---|---|---|
| Natural Pharmaceutical Manufacturing LLC | | 015624923 | manufacture(63083-4008) |